

Author Index to Volume 39

An alphabetical listing of all authors follows. (N) refers to Notes, (E) Errata, and (L) Letters to the Editor.

A

- Abbe, D. W. Torsional creep apparatus for engineering thermoplastics—766(N)
 Abrahams, M. S., C. J. Buicocchi, and M. D. Coutts. Improvements to the ALBA machine for thinning specimens for electron microscopy—1944(N)
 Abramson, Fred P. (see Futrell, Jean H.)—340
 Adams, A. H. and J. H. Anderson, Jr. Means for gripping fine wires during mechanical tests—1768(N)
 Adams, A. L. (see Vroman, L.)—278(N)
 Adams, J. M. Light extinction photometer for measurement of particle sizes in polydispersions—1748
 Adamski, Joseph A. Light intensity viewing port—1208(N)
 Akins, D. L., S. E. Schwartz, and C. Bradley Moore. Pulse-to-analog converter for optimizing signal-to-noise from photomultipliers at low light intensities—715
 Alexandru, Gr. Ion source for mass spectrometers—1571
 Alfano, R. R. Simple optical Dewar and photomultiplier cooler—1056(N)
 Allain, Y., J. de Gunzburg, J. P. Krebs, and A. Miedan-Gros. Pulsed field magnetization measurements up to 500 kOe—1360
 Alon, Yosef. Timing circuit for rotating prism, Q-switching lasers—1530
 — and David Shaltiel. Amplitude stabilizer for magnetic field modulators—1623
 Ames, D. P. (see Gord, D. W.)—1581(N)
 Ancker-Johnson, Betsy (see Robbins, William P.)—69
 Andersen, A. Lindegaard. Puncture collimator for the Laue back reflection technique—124(N)
 — New slit system for stationary crystal and film x-ray topography technique—774(N)
 Anderson, A. C. Electrical feed-throughs for use at low temperatures—605(N)
 Anderson, Gerald A. Design for orientation of balloon-borne equipment—21
 Anderson, J. H., Jr. (see Adams, A. H.)—1768(N)
 Anderson, L. W. (see Miers, R. E.)—336
 Anderson, W. G. Filament dilatometer—1064(N)
 Andrews, Robert V. (see Burton, Alexis, L.)—1838
 Andriesse, C. D. Simple diaphragm system as oil-gas separator—400(N)
 Antcliffe, G. A., N. G. Einspruch, D. G. Pinatti, and H. E. Rorschach, Jr. Germanium resistance thermometry at temperatures below 1°K—254(N)
 Applewhite, P. B. (see Kindlmann, P. J.)—121(N)
 Arakawa, E. T. (see Vehse, R. C.)—268(N)
 Armistead, Robert A., Jr., and John J. Keyes, Jr. Hot-film sensor for the study of wall turbulence phenomena—61
 Arnold, H., R. Hoekstra, and W. J. Wieringa. Rapid method of tracing charged particle beams—1069(N)
 Arrott, A. (see Noakes, J. E.)—1436
 Asamoto, R. R. and P. E. Novak. Erratum: Tungsten-rhenium thermocouples for use at high temperatures [Rev. Sci. Instr. 38, 1047 (1967)]—1233(E)
 Asti, G. and F. Conti. Simple method for the automatic recording of the internal magnetic field—974
 Attix, F. H. and S. G. Gorbics. Guard ring shielding to eliminate instability of collecting volume in ionization chambers—1766(N)
 Avignone, F. T., III, and G. D. Frey. Angular correlation and distribution attenuation coefficients for planar and coaxial Ge(Li) detectors—1941
 Aziz, R. A. (see Neufeld, Philip D.)—601(N), 771(N)
 Azumi, Tadahiko (see Kobayashi, Jinzo)—1647

B

- Bach, D. R. (see Leonard, T. A.)—1374(N)
 — (see Oktay, Erol)—924(N)
 Bachman, C. H., M. E. Crandell, and F. X. Hart. Air ion apparatus—1168
 Baechler, C. A. (see Taylor, A. R.)—780(N)
 Bahm, E. L., I. S. Peabody, and W. Vedder. Highly reflective adherent, thick aluminum films on glass—125(N)
 Balko, Bohdan and Robert L. Berger. Measurement and computation of thermojunction response times in the submillisecond range—498
 — (see Berger, R. L.)—486, 493
 Bander, M. (see Panofsky, W. K. H.)—206
 Bannerman, D. E. (see Lanter, R. J.)—1588(N)
 Barkan, S. H., E. Bieber, M. T. Burg, S. Ketudat, V. E. Krohn, P. Rice-Evans, and G. R. Ringo. Measurement of the polarization of thermal neutron beams of mixed velocities—101
 Barkley, Naomi P. (see Crider, Walter L.)—152
 Barney, H. and S. J. St. Laurant. Angular reflectivity of Scotch-lite in liquid hydrogen—782(N)
 Barr, R. G., R. K. Clark, D. Hodges, J. G. Loken, W. E. Manner, B. Musgrave, P. R. Pennock, R. J. Royston, and R. H. Wehman. Polly I: Operator-assisted bubble chamber film measuring system—1556
 Barrington, A. E. (see Kim, H. H.)—503
 Batson, John D. and Hugh T. Hudson. Vacuum high temperature Laue camera—1963(N)
 Baucke, Friedrich G. K., Dieter Landolt, and Charles W. Tobias. Rotating disk system for the study of metal deposition from nonaqueous solvents—1753(N)
 Beaglehole, D. Cell for measurements of the far ultraviolet reflectivity of rare gas liquids at low temperatures—921(N)
 Beaudet, Robert A. (see Remeikis, Anthony)—1223(N)
 Beaudry, C. (see Zakrzewski, Z.)—1507
 Behrendt, G. H. W. and N. Gothard. Inexpensive ignitron discharge circuit—1376(N)
 Bender, S. L. (see Chopra, K. L.)—1775(N)
 Benedick, W. B. (see Champion, A. R.)—377
 Benjamin, J. A. (see Larson, J. D.)—272(N)
 Bennett, Willard H. (see Stephanakis, Stavros)—1714
 Benson, M. J. (see Berlman, I. B.)—54
 Ben-Yaakov, S. and I. R. Kaplan. High pressure p_H sensor for oceanographic applications—1133
 Berg, R. E. (see Solomons, C.)—324
 Berger, Robert L., Yu-Bing Fok Chick, and Norman Davids. Differential microcalorimeter for biochemical reaction studies—362
 —, B. Balko, W. Borchardt, and W. Friauf. High speed optical stopped-flow apparatus—486
 —, Bohdan Balko, and Howard F. Chapman. High resolution mixer for the study of the kinetics of rapid reactions in solution—493
 — (see Balko, Bohdan)—498
 Berkeyheiser, J. E. (see Pankove, J. I.)—884
 Berkner, Klaus H., Booth R. Myers, and Robert V. Pyle. Pyroelectric ceramics as detectors of fast atomic beams—1204
 Berkowitz, J. (see Lewis, R. N.)—1386(N)
 Berlman, I. B., O. J. Steingraber, and M. J. Benson. Hydrogen flash lamps—54
 Berman, B. L., R. P. Madding, and J. R. Dillinger. Mold-ing Epibond 100-A for use in constructing cryogenic apparatus—1214(N)
 Bernalte, A. and J. LePage. (see LePage, J.)—1019
 Bess, L. (see Mittleman, S. D.)—838
 Besson, J. M. (see Paul, William)—928(N)
 Bhadra, Dilip. Field due to current in toroidal geometry—1536

- Bhagat, S. M. and C. W. Lucas, Jr. New technique for measurement of the temperature dependence of the saturation magnetization—nickel—255(N)
- Bicknell, Reid E. (see Hyland, Robert N.)—1125
- Bieber, E. (see Barkan, S. H.)—101
- Bierbaum, P. (see Lutsch, A. G. K.)—1119
- Bigeleisen, J., F. P. Brooks, T. Ishida, and S. V. Ribnikar. Cryostat for thermal measurements between 2–300°K—353
- Bijl, D. (see McWane, J. W.)—1532
- Blackstein, F. P. Generation of phase plane ellipses by analog techniques—768(N)
- Blair, L. M. and J. A. Quinn. Measurement of small density differences: solutions of slightly soluble gases—75
- Bleich, Hermann E. (see Redfield, Alfred G.)—710
- Block, M. M. (see Walker, R. J.)—1407
- Blum, S. E. and R. J. Chicotka. Sapphire rod thermosensor—277(N)
- Blume, R. J. and G. A. Rebka, Jr. Resonant calibrator for broad-line magnetic resonance—421(N)
- Bodway, J. D. and R. J. Kennedy. Instrument for measuring fluid pressures at a solid boundary—389
- Bobis, James P. (see McDowell, William P.)—1068(N)
- Boden, N., J. Capart, W. Derbyshire, H. S. Gutowsky, and J. R. Hansen. Frequency sweep, field-frequency stabilized, double resonance spectrometer—805
- Bohan, Thomas L. and H. J. Stapleton. Combined ³He cryostat and pulsed ESR spectrometer—1707
- Böhmer, H. (see Chang, J.)—1873
- Bolef, D. I. (see Leisure, R. G.)—199, 424(E)
- (see Melcher, R. L.)—1613
- Bömmel, H. E. (see Tittmann, B. R.)—614(N)
- Bond, W. L. Versatile double crystal x-ray goniometer—1434
- Boni, A. A. High-speed explosive shutter for shock tube research—127(N)
- Borchardt, W. (see Berger, R. L.)—486
- Borders, J. A. and J. W. Hodby. Apparatus for measurement of transport properties of photocarriers in insulating crystals—722
- Borkowski, C. J. and M. K. Kopp. New type of position-sensitive detectors of ionizing radiation, using risetime measurement—1515
- Bossler, Fred C. (see Rutherford, John L.)—666
- Bostrom, R. C. (see Vali, V.)—1303
- Bourland, B. (see Debler, W.)—406(N)
- Bowen, J. R. (see Steffes, F. J.)—1092
- Bowers, R. (see Wallace, W. D.)—1863
- Boyer, Myron H., Edmond Murad, Y. Harry Inami, and Donald L. Hildenbrand. Study of fragmentation patterns by beam modulation mass spectrometry—26
- Boyle, J. W. (see Hochanadel, C. J.)—1144
- Boynton, F. P. (see Rayfield, G. T.)—1438
- Bradley, J. T. (see Eichenbaum, B. R.)—401(N)
- Brady, G. W. (see Gravatt, C. C.)—1701
- Brand, G. F. Hydrogen plasma decay measured by double-wave interferometer—1945(N)
- Brand, Ludwig (see Witholt, Bernard)—1270
- Brändli, H. P. Method for measuring small optical losses using a He-Ne laser—583
- Braski, D. N., J. R. Gibson, and E. H. Kobisk. Ultrahigh-vacuum electron microscope—1806
- Breazeale, M. A. (see Peters, R. D.)—1505
- Breeze, R. H. (see Green, M.)—411(N)
- Brennen, W. and Robert L. Brown. Measurement of gas flow rate by the method of timing a pressure drop—608(N)
- Brenner, S. S. Technique for decreasing photographic recording time in field-ion microscopy—588
- Brickwedde, F. G. (see Reed, Robert W.)—1216(N)
- Briller, S. A. (see Duffin, E.)—53
- Brink, Gilbert O., Robert A. Fluegge, and Robert J. Hull. Microwave discharge source for atomic and molecular beam production—1171
- Brittain, J. O. (see Lautenschlager, E. P.)—1563
- Brodale, G. E. (see Fisher, R. A.)—108
- Broersma, S. and P. E. Hendrickson. Magneto-optic measurement of sample exchange—506
- Brooks, A. A., E. O. Stejskal, and V. W. Weiss. Liquid sample container for NMR pressure studies—917(N)
- Brooks, F. P. (see Bigeleisen, J.)—353
- Brooks, J. M. and M. A. Otavka. Mechanically refrigerated liquid hydrogen target—1348
- Brown, C. R. and P. W. Matthews. Non-linear I-V characteristics of carbon films at low temperature—616(N)
- Brown, I. M. (see Sloop, D. J.)—1215(N)
- Brown, Robert E. Device for producing very low magnetic fields—547
- Brown, Robert L. (see Brennen, W.)—608(N)
- Bucher, W. P. (see Hollandsworth, C. E.)—165
- Buckmaster, H. A., D. J. I. Fry, and J. D. Skirrow. Nuclear magnetic resonance spectrometers using coaxial components—930(N)
- Buehler, E. (see Willens, R. H.)—194
- Bugenis, C., Luther E. Preuss, and William S. Toothacker. Laboratory Debye-Scherrer camera using an ⁵⁷Fe source of Mn K_α x rays—1754(N)
- Buiocchi, C. J. (see Abrahams, M. S.)—1944(N)
- Bunnell, L. R. Resolution of graphite structure during microautoradiography—1763(N)
- Bunshah, R. (see Ezrol, H.)—229
- Burgess, T. J. (see Johnson, P. M.)—1100
- Burgy, M. T. (see Barkan, S. H.)—101
- Burnett, L. J. and J. F. Harmon. An rf gate with 140 dB carrier suppression—1226(N)
- Burt, J. A. Simple emission current regulator—1759(N)
- Burton, Alexis L. and Robert V. Andrews. New oscilloscope recording camera—1838
- Burzio, Agostino (see Ingels, Neil B., Jr.)—115
- Butera, R. A., F. N. Kissell, and R. L. Stein. Apparatus for the determination of magneto-thermodynamic properties to high fields at low temperatures utilizing a superconducting magnet—1138

C

- Caird, R. S. (see Garn, W. B.)—1312
- Caldwell, C. W. and K. Müller. Low energy electron diffraction apparatus designed for thin film use—860
- Caldwell, Douglas R. Indirectly heated thermistor for measuring ocean currents—1865
- Capart, J. (see Boden, N.)—805
- Caps, T. (see Staginnus, B.)—1129
- Caras, Bernard. AgCl seal: A simplifying improvement—1441
- Carette, J. D. (see Petit-Clerc, Y.)—933(N)
- Carides, J. N. Zone refining techniques for liquid organics—1813
- Carithers, M. D. Evaporation of silicon monoxide from graphite cloth—920(N)
- Carron, Gene J. (see Koenig, Jude H.)—1635
- Cartwright, B. G. (see O'Konski, C. T.)—123(N)
- Caruso, A. J. and H. H. Kim. Method of stretching polypropylene for use as soft x-ray detector windows—1059(N)
- (see Kim, H. H.)—503
- Castex, Marie-Claude, Jacques Romand, and Boris Vodar. Double beam vacuum spectrophotometer for far ultraviolet investigations—331
- Castner, T. G., Jr., and A. M. Doyle. A new ENDOR cavity configuration—1090
- Champion, A. R. and W. B. Benedick. Detection of strong shock waves with plastic tapes—377
- Chang, H. (see Genovese, E. R.)—733
- Chang, J., H. Böhmer, and M. Raether. Generation of smeared-out electron beams for experiments on weak plasma turbulence—1873
- Chang, Ji Young. Miniature high temperature graphite furnace—756
- Chang, Yung Kwang (see Higgins, R. J.)—522

- Chanin, L. H. (see Gaur, J. P.)—1948(N)
 Chapman, G. L. (see Lewis, R. N.)—1522
 Chapman, Howard F. (see Berger, R. L.)—493
 Chase, Robert L. Pulse timing system for use with gamma rays on Ge(Li) detectors—1318
 Chau, Henry H. M. Holographic interferometer for isopachic stress analysis—1789
 Chen, John C., Sheldon Kalish, and George A. Schoener. Probe for detection of voids in liquid metals—1710
 Chester, M., S. C. Choudhery, B. K. Jones, and D. Williams. Simple liquid helium pressure transducer—719
 Chick, Yu-Bing Fok (see Berger, Robert L.)—362
 Chicotka, R. J. (see Blum, S. E.)—277(N)
 Chiou, C. H. and S. J. Freedman. Versatile optical Dewar for two beam experiments—1584(N)
 Chopra, K. L., M. R. Randlett, and S. L. Bender. Measurement of film thickness by electron microscope analyzer—1775(N)
 — (see Crawford, C. K.)—1390(L)
 Choudhery, S. C. (see Chester, M.)—719
 Christensen, James J., H. Dee Johnston, and Reed M. Izatt. An isothermal titration calorimeter—1356
 Chuang, Sheng-yi (see Ruska, W.)—1875
 Chudleigh, P. W. Terminal pulsing on a low energy electrostatic accelerator—356
 Churchill, M. J. Vector plotting display—351
 Cierjacks, S., B. Duelli, P. Forti, D. Kopsch, L. Kropp, M. Lösel, J. Nebe, M. Schweickert, and H. Unseld. Fast neutron time-of-flight spectrometer used with the Karlsruhe isochronous cyclotron—1278
 Clark, R. K. (see Barr, R. G.)—1556
 Clark, Richard F. and Algirdas Jurkus. Ten watt coaxial calorimeter for rf power measurement—660
 Clark, W. Gilbert. High voltage coaxial connector for helium cryostats—601(N)
 Clawson, Arthur R. Back-reflection x-ray diffraction of selected small areas—597(N)
 Cloutier, G. G. (see Zakrzewski, Z.)—1507
 Colberg, S. R. Digital method of measuring exponentially decaying signals—133(N)
 Coleman, J. A. (see Swartzendruber, L. J.)—1858
 Colman, Derek. High resistivity Hall effect measurements—1946
 Connally, R. E. (see Ludwick, J. R.)—853
 Conrad, Gerald. Linearization of thermocouple voltage—1682
 Constabaris, George (see St. John, Michael R.)—1582(N)
 Conti, F. (see Asti, G.)—974
 Cook, Charles F., Jr. Erratum: New technique for high magnification calibration of an electron microscope [Rev. Sci. Instr. 38, 1430 (1967)]—786(E)
 Cooke, D. and M. Kerker. Photometer for measurement of the light scattered by large submicron cylinders at both perpendicular and oblique incidence—320
 Cooper, R. A. and E. Lerner. Four point mercury contact probe for electrical resistivity measurements of thin films—1207(N)
 Corcoran, W. H. (see Desai, S. V.)—612(N)
 Cornell, C. M., R. J. Grader, J. G. Harri, R. W. Hill, R. P. Rumble, and D. S. Salmi. Low energy cosmic x-ray proportional counter system—951
 Corry, J. (see Liebman, I.)—1591(N)
 Costello, James (see Weymouth, John W.)—476
 Cotts, R. M. (see Miyoshi, D. S.)—1881
 Coutts, M. D. (see Abrahams, M. S.)—1944(N)
 Coyle, Peter and Charles L. Votaw. Use of a linear staircase generator in displaying synchronized pulse activity—1381(N)
 Craddock, John H. (see Tinker, H. Burnham)—590
 Craig, J. R. (see Rudd, M. E.)—1372(N)
 Crandell, M. E. (see Bachman, C. H.)—1168
 Crawford, C. K. Comments on "Duoplasmatron ion beam source for vacuum sputtering on thin films"—1390(L); Reply—1391(L)
 Cresswell, M. W. (see Schetzina, J. F.)—1448
 Crewe, A. V., D. N. Eggenberger, J. Wall, and L. M. Welter. Electron gun using a field emission source—576
 Crider, Walter L. Spectrothermal emission aerosol particle analyzer (SEAPA)—212
 —, Naomi P. Barkley, and Arthur A. Strong. Dry-powder aerosol dispersing device with long-time output stability—152
 Critchlow, P. R., J. Lees, and P. W. Matthews. Superconductor-glass vacuum seals—251(N)
 Crocker, Philip S. (see Dionne, Gerald F.)—1759
 Csakvary, F. (see Volino, F.)—1660
 Cummins, David (see Richardson, H. P.)—841
 Curl, R. F., Jr. (see Murty, A. Narasimha)—1885
 Cussler, E. L. and Raymond M. Fuoss. Remote control viscometer—524
 Cuthbert, J. D. (see Knox, W. P.)—1181
 Czerlinski, George H. Timed signal grounding switch for observation of low level signals following large transients—1730
- ### D
- D'Alessio, Juan T. and Hilda Lanza. Discharge mechanism in gases in the subnanosecond region—1029
 Dally, E. B. and R. Hofstadter. High energy γ -ray detector with good resolution—658
 Daly, N. R., A. McCormick, and R. E. Powell. Detector for the metastable ions observed in the mass spectra of organic compounds—1163
 Damkevala, R. J. and G. W. Zumwalt. Technique for studying interactions between a body moving at supersonic speeds and blast waves approaching obliquely—1254
 Daneman, H. L. and G. C. Mergner. Method of applying a modern potentiometer for resistance thermometry—1498
 Daniel, E. S. (see Desai, S. V.)—612(N)
 Dannenberg, Robert E. and Donald E. Humphry. Microsecond response system for measuring shock arrival by changes in stream electrical impedance in a shock tube—1692
 D'Arcy, R. L. and A. E. Stearn. High-precision temperature controller incorporating variable sensitivity and proportional control—1875
 Dash, J. G. (see Johnson, D. P.)—420(N)
 Daughters, George T., II (see Ingels, Neil B., Jr.)—115
 Dauphinee, T. M. (see Sankey, J. C.)—413(N)
 Davids, D. A. (see Douglas, E. C.)—1385(N)
 Davids, Norman (see Berger, Robert L.)—362
 Davidson, D. E. (see Hamilton, W. O.)—645
 Davis, J. H. (see Stillwell, E. P.)—155
 Dawson, P. H. and N. R. Whetten. The monopole mass spectrometer—1417
 Debler, W. and B. Bourland. Air bearing for viscometers—406(N)
 Decker, D. L. Precision internal temperature control in a high pressure apparatus—602(N)
 Decker, P. R. (see Zoller, Paul)—1621
 de Gunzburg, J. (see Allain, Y.)—1360
 Demeis, W. M. (see Paul, William)—928(N)
 Depatie, D. A. and R. L. Mills. Preparation of nearly pure orthohydrogen and paradeuterium—105
 De Paz, Mario. Double feedback thermoregulating unit—1387(N)
 Derbyshire, W. (see Boden, N.)—805
 Desai, S. V., E. S. Daniel, and W. H. Corcoran. Use of particles of boron nitride in the measurement of the velocity distribution in laminar flow in an argon plasma jet—612(N)
 Deschamps, J. (see Fitaire, M.)—1769(N)
 Desnoyers, Jacques E. (see Picker, Patrick)—676
 Detwiler, D. P., S. J. Holden, W. A. Sowa, T. J. Woronowicz, T. M. Heslin, and M. G. Hudick. Apparatus for the precision measurement of internal friction—1727
 Deutsch, Sid. Four-sequential-output generator for research in electroanesthesia—1443

- Dickson, LeRoy D. Use of an electroluminescent panel as a small spot light source for data recording—766(N)
- Dillinger, J. R. (see Berman, B. L.)—1214(N)
- (see Fassnacht, R. E.)—127(N)
- (see Zoller, Paul)—1621
- Dillman, Norman G. Direct measurement of dynamic capacitance—619(N)
- Dionne, Gerald F., Philip S. Crocker, and James F. Smith. Improved ferrimagnetic single-crystal sphere orienter—1759(N)
- Dirven, P., H. Meulemans, and A. Van Itterbeek. Simple high pressure seal—1595(N)
- Dokopoulos, P. Fast metal-to-metal switch with 0.1 μ s jitter time—697
- Dolan, Charles P. High vacuum micromanipulator—1060(N)
- Donoho, P. L. (see Meyer, H. C.)—1459
- Dooley, John W. and Norman Tepley. Rotating sample holder for X-band ultrasonics—19
- Dose, V. Properties of iodine uv counters—1055(N)
- Douglas, E. C. and D. A. Davids. EPR spectrometer for the study of spin-lattice relaxation in the low magnetic field region—1385(N)
- Doyle, A. M. (see Castner, T. G., Jr.)—1090
- Dratz, Edward A. (see Klein, Melvin P.)—397(N)
- Duda, C. R. Liquid helium cryostat for resistance thermometer calibration—1484
- Duelli, B. (see Cierjacks, S.)—1278
- Duff, Russell E., James R. Long, and James R. Porter. Time interval multiplier for shock tube studies—976
- Duffin, E., D. B. Geselowitz, and S. A. Briller. Photon coupled stimulus isolation unit—53
- Duggan, T. O'D. (see Skews, B. W.)—1063(N)
- Dumont, A. (see Marmet, P.)—686
- Durran, D. A. (see Grabowsky, W. R.)—35
- Dworetsky, S., R. Novick, W. W. Smith, and N. Tolk. Electron bombardment ion source for low energy beams—1721
- E**
- Eck, C. F. (see Rutherford, W. M.)—94
- Edwards, Adrian (see O'Konski, C. T.)—1456
- Edwards, D. O. (see Wilson, M. F.)—134(N)
- Efferson, K. R. Erratum: Helium vapor cooled current leads [Rev. Sci. Instr. 38, 1776 (1967)]—1970(E)
- Eggenberger, D. N. (see Crewe, A. V.)—576
- Eichenbaum, B. R., H. H. Stroke, J. T. Bradley, and R. M. Schotland. Simply-aligned heliostat—401(N)
- Einspruch, N. G. (see Antcliffe, G. A.)—254(N)
- Eisner, P. N. (see Hirsh, M. N.)—1547
- Ellis, R. A., Jr. (see Lisitano, G.)—295
- Emmons, D. L. (see Fuehrer, H. R.)—1488
- Emslie, Alfred G. (see Simon, Ivan)—1666
- Engelhardt, A. G. (see Pack, John L.)—1697
- Engle, James L. and Jerome J. Freed. Double-beam vibrating mirror flying spot scanning-integrating microspectrophotometer—307
- English, A. T. Apparatus for continuous recording of coercive force, maximum magnetization and remanent magnetization of ferromagnetic materials—1346
- Erickson, G. A. (see Johnson, D. P.)—420(N)
- Erin, T. and C. D. Hendricks. Uniform charged solid particle production—1269
- Ernst, Richard R. Measurement and control of magnetic field homogeneity—998
- Evanich, Myron J. and Lloyd D. Partridge. Generation of a sinusoidal waveform from a sawtooth waveform—1573(N)
- Ezrol, H., H. Margolin, R. W. King, R. Bunshah, and P. Venkatesan. Photographic apparatus for the study of fracture in metals—229
- F**
- Fabergé, A. C. Polishing laps out of Teflon—776(N)
- Farrell, D. E. Vibrating coil magnetometer for measurements on type II superconductors—1452
- Fassnacht, R. E. and J. R. Dillinger. Time mark generator for an X-Y recorder—127(N)
- Feder, J. (see McLachlan, D. S.)—1339
- Ferris, Clifford D. (see Schwan, Herman P.)—481
- Feldkirchner, H. L. and J. L. Johnson. High pressure thermobalance—1227(N)
- Finfeld, C. R. and A. Keith Furr. High voltage bakeable coaxial vacuum seal—1062(N)
- Finkin, Eugene F. An annular contact friction and boundary lubrication tester—690
- Finnie, Iain (see Foster, Jack D.)—654
- Fischer, G. R. (see Ostertag, W.)—888
- Fisher, R. A., G. E. Brodale, E. W. Horung, and W. F. Giaque. Thermal conductivity and heat capacity of 7740 Pyrex below 4°K and in magnetic fields to 90 kG—108
- Fitaire, M. and J. Deschamps. Automatic recording with a Fabry-Perot interferometer—1769(N)
- Fite, Warner, II (see Redfield, Alfred G.)—710
- Fleischmann, H. H. and R. Kribel. Ionization of fast neutral atoms by passage through a hot-cathode discharge—233
- Florida, R. (see Wolken, J. J.)—1734
- Flotow, Howard E. and Edmund E. Kloczek. Convenient, low mass, gasket seal for calorimeters—1578(N)
- Fluegge, Robert A. (see Brink, Gilbert O.)—1171
- Foner, S. and E. J. McNiff, Jr. Very low frequency integrating vibrating sample magnetometer (VLFVSM) with high differential sensitivity in high dc fields—171
- Footo, H. P. and D. R. Green. Convenient method for generating short light pulses—417(N)
- Forman, Richard A. (see Young, Kenneth F.)—1964(N)
- Forsberg, R. (see Wolken, J. J.)—1734
- Forti, P. (see Cierjacks, S.)—1278
- Foss, G. D. and D. A. Pitt. Electrical calibrator for calorimetric systems—1375(N)
- Foster, J. P. and R. J. Reynik. High temperature diffusion cell for multiple time isothermal measurement of liquid metal diffusivities—1579(N)
- Foster, Jack D. and Iain Finnie. Method for measuring small thermal expansion with a single frequency helium-neon laser—654
- Fowler, C. M. (see Garn, W. B.)—1312
- Fowles, Richard (see White, Richard W.)—1295
- Fraser, H. J., A. I. Ritchie, and S. Whittlestone. Square and sine wave modulation of the beam from a 3 MV Van de Graaff accelerator—240
- Frasure, William (see Heins, Jay M. S.)—1772(N)
- Freed, Jerome J. (see Engle, James L.)—307
- Freedman, S. J. (see Chiou, C. H.)—1584(N)
- Freese, J. M. and R. T. Meyer. Reaction vessel for flash photolysis and time resolved mass spectrometry—1764(N)
- Frey, G. D. (see Avignone, F. T., III)—1941
- Freymuth, Peter. Noise in hot-wire anemometers—550
- Friauf, W. (see Berger, R. L.)—486
- Frindt, R. F. and A. Stuart. Narrow tail glass helium Dewar—782(N)
- Frisch, D. (see Mockett, P.)—566
- Fritzsch, H. (see Halpern, T.)—1335
- Frizzi, A. Romero (see Guerrero, J. Martínez)—1761(N)
- Frohlich, D. (see Staginnus, B.)—1129
- Fry, D. J. I. (see Buckmaster, H. A.)—930(N)
- Fuehrer, H. R. and D. L. Emmons. Multichannel electronic counter chronograph for determining detonation velocities in explosives—1488
- Fujita, Hajime and Leslie S. G. Kovaszny. Measurement of Reynolds stress by a single rotated hot-wire anemometer—1351

- Fuketa, Toyojiro and Hidekuni Takekoshi. Position detector for charged particle beam—1573(N)
 Fuoss, Raymond M. (see Cussler, E. L.)—524
 Furr, A. Keith (see Finfgeld, C. R.)—1062(N)
 Furst, M. (see Matthews, S. M.)—970
 Futrell, Jean H., Thomas O. Tiernan, Fred P. Abramson, and C. Dean Miller. Modification of a time-of-flight mass spectrometer for investigation of ion-molecule reactions at elevated pressures—340

G

- Gaddy, O. L. (see Iversen, R. J.)—1950(N)
 Gaertner, M. R. (see Wallace, W. D.)—1863
 Gallik, G. (see Wolken, J. J.)—1734
 Gamble, D. S. (see Voisey, Peter W.)—1371(N)
 Garavaglia, M. Heterochromatic fringes parallel to spectral lines produced with a stigmatic plane grating spectrograph—1378(N)
 Garn, W. B., R. S. Caird, C. M. Fowler, and D. B. Thomson. Measurement of Faraday rotation in megagauss fields over the continuous visible spectrum—1313
 Gathman, Stuart. Guarded double field meter—43
 Gaur, J. P. and L. M. Chanin. Shielded cathode to minimize gas sputtering effects—1948(N)
 Gazzara, C. P. and T. P. Sheridan. Crystal orientation aid for a goniostat—606(N)
 Gelles, S. H. Apparatus for mechanical testing of soft crystals at high pressure—1814
 Gendron, C. (see Neufeld, Philip D.)—771(N)
 Genovese, E. R. and H. Chang. Nanosecond microscopic Kerr magneto-optic apparatus and measurement techniques—733
 George, T. V. (see Pack, John L.)—1697
 Geselowitz, D. B. (see Duffin, E.)—53
 Ghormley, J. A. (see Hochanadel, C. J.)—1144
 Giauque, W. F. (see Fisher, R. A.)—108
 Gibson, J. R. (see Braski, D. N.)—1806
 Gill, W. D., R. E. MacDonald, and D. B. Greene. Laser-induced "spark" light source for drift mobility measurements in wide band gap solids—1114
 Gilleland, John R. (see Roth, Robert O.)—1696
 Gillespie, C. R. Uniformity of response from large-area plastic scintillation detectors—1724
 Gillies D. and K. Schaumburg. NMR frequency sweep using a voltage controlled oscillator—262(N)
 Gion, E. J. (see Spurk, J. H.)—348
 Glass, Ian S. and Kenneth F. Richard. Device for converting photographically recorded data to computer-compatible magnetic tape—1131
 Glass, W. A. (see Sheen, E. M.)—1262
 Goff, Robert F. Efficient baffle for reducing stray currents in sputter-ion pump vacuum chambers—259(N)
 Goggin, William R. (see Moberly, John W.)—835
 Goldberg, N. (see Seitchik, J. A.)—469
 Goldie, H. and M. A. Goldman. Pulsed illuminator with rapid recovery—1879
 Goldman, M. A. (see Goldie, H.)—1879
 Golike, R. C. and P. M. Siczka. Heating system for NMR spectrometer—273(N)
 Goodkind, J. M. (see Prothero, W. A., Jr.)—1256
 Gorbics, S. G. (see Attix, F. H.)—1766(N)
 Gord, D. W. and D. P. Ames. Fail safe switching for magnet flux stabilizer—1581(N)
 Gordon, John L. (see Richardson, H. P.)—841
 Gorenstein, Paul and Stanley Mickiewicz. Reduction of cosmic background in an x-ray proportional counter through risetime discrimination—816
 Gothard, N. (see Behrendt, G. H. W.)—1376(N)
 Grabowsky, W. R. and D. A. Durrant. Gauge for measuring impulsive pressure in a container subjected to large, time-varying applied voltages—35
 Grader, R. J. (see Cornell, C. M.)—951
 Grandt, C. D. (see Mollenauer, L. F.)—1958(N)
 Grant, Edward H. and Susan E. Keefe. Standing wave methods for measuring permittivities at meter and decimeter wavelengths—1800
 Grant, W. B. (see Mollenauer, L. F.)—1958(N)
 Grantham, L. F., E. B. Harrelson, P. H. Shaw, and C. M. Larsen. Cell assembly to measure the electrical conductivities of molten salts to their critical temperatures—699
 Grasdalen, G. L., Martin Huber, and G. H. Newsom. Simple closed-open-closed spectrograph shutter for exposure times in the 10 μ sec range—886
 Gravatt, C. C., G. W. Brady, and J. L. Lundberg. Temperature control system for small angle x-ray scattering experiments—1701
 Green, D. R. (see Foote, H. P.)—417(N)
 Green, M., R. H. Breeze, and Bacon Ke. Simple power supply system for stable xenon arc lamp operation—411(N)
 Green, P. J., R. E. Williams, and D. R. Tompkins. Automatic multiparameter data collection—1289
 Green, Robert E., Jr. (see Reifsnider, Kenneth)—1651
 Green, Robert R. MOSFET operation at 4.2 K—1495
 Green, S. J. (see Perkins, R. D.)—1209(N)
 Greene, D. B. (see Hamilton, W. O.)—645
 — (see Gill, W. D.)—1114
 Gregson, Victor G., Jr. Optical lever technique adapted to hypervelocity impact experiments—333
 Griest, Richard M. and Werner Ostertag. New way of using the Cahn electrobalance in measuring magnetic susceptibilities—1758(N)
 Griggs, K. S. (see Nelson, G. O.)—927(N)
 Griggs, M. and S. Kaye. Simple method of preparing pure ozone—1685
 Grodski, J. J. and B. W. Schumacher. New wide band windowless photon detector—702
 Gruber, J. E. Transient voltage decoupling elements—1740
 Gruen, D. M., D. S. Newman, and R. L. McBeth. Null pressure optical cell for measurements on liquids at elevated temperatures and pressures—197
 Guereca, R. A. (see Richardson, H. P.)—841
 Guerrero, J. Martinez and Gil Rodriguez R. High vacuum isolation valve—1383(N)
 Guerrero, J. Martinez, and A. Romero Frizzi. Multiple rotator for ultrahigh vacuum with manual or automatic operation—1761(N)
 Guest, A. and C. J. L. Lock. High temperature cell for the infrared examination of highly reactive gases—780(N)
 Gutowsky, H. S. (see Boden, N.)—805
 Guty, V. (see Panerella, E.)—261(N)

H

- Haakana, C. (see Noakes, J. E.)—1436
 Haase, Oswald (see Palaia, Frank L.)—1331
 Hackerman, Norman (see Spears, Larry G.)—688
 Hafewindus, N. (see van Nieuwland, J. M.)—1054(N)
 Hafner, H., J. Arol Simpson, and C. E. Kuyatt. Comparison of the spherical deflector and the cylindrical mirror analyzers—33
 Hagedorn, H. C. (see van Nieuwland, J. M.)—1054(N)
 Hagen, Otto F. and Ashok K. Varma. Time-of-flight velocity analysis of atomic and molecular beams—47
 Haisty, R. W. Measurement of high resistivities by the electrodeless falling sample method—778(N)
 Halloran, M. H. and J. E. Kunzler. Apparatus for adiabatic rotation of a sample in a magnetic field at liquid helium temperatures—1501
 Halpern, T. and H. Fritzsche. Direct access ^3He cryostat—1336
 Halpin, J. J. and R. F. Wenzel. Ruby fluorescence as a dosimeter for pulsed high energy ionizing radiation—1117
 Halpin, W. J. (see Jones, G. A.)—258(N)
 Hambourger, P. D. Magnetic field measurement by means of a size-dependent oscillatory magnetoresistance effect—607(N)

- Hamilton, D. R. Photoconductive cell temperature controller for heating with thyatron controlled rf generators—1265
- Hamilton, W. O., D. B. Greene, and D. E. Davidson. Thermal expansion of epoxies between 2 and 300°K—645
- Hammond, W. E. (see Jackson, P. E.)—769(N)
- Hansen, J. R. (see Boden, N.)—805
- Hansen, J. W., K. F. Rodgers, Jr., and D. E. Thomas. Amplitude stabilization of a single mode, 6328 Å, He-Ne laser—872
- Hanson, W. G. and B. W. Sargent. Photopeak efficiency of a well-type scintillation detector—529
- Harmon, J. F. (see Burnett, L. J.)—1226(N)
- Harper, J. E. High intensity light source—509
- Harrelson, E. B. (see Grantham, L. F.)—699
- Harri, J. G. (see Cornell, C. M.)—951
- Harries, W. L. Automatic data-plotting method for pulsed experiments—1294
- Harrington, T. M. and J. H. Marshall. Pulse-height analyzer for charged-particle spectroscopy on the lunar surface—184
- Harrison, J. P. Cryostat for the measurement of thermal conductivity and specific heat between 0.05 and 2°K—145
- Hart, F. X. (see Bachman, C. H.)—1168
- Harvey, M. E. Precision temperature-controlled water bath—13
- Hasegawa, H. (see Hirasawa, R.)—935(N)
- Haumann, Joseph R. and Martin H. Studier. Blanking circuit for a magnetic electron multiplier in a time-of-flight mass spectrometer—169
- Hayashi, Tomonao and Noriyuki Sakudo. Quadrupole field in circular concave electrodes—958
- Haycock, O. C., C. D. Westlund, E. F. Pound, and R. H. Woolley. Falling sphere for measuring atmospheric density—1094
- Hecht, Eugene. Comment on "Measurement of torques at low temperatures"—1232(L)
- Heer, C. V. (see Martin, B. D.)—931(N)
- Heinz, O. and R. T. Reeves. Lithium ion emitter for low energy beam experiments—1229(N)
- Helbing, Reinhard K. B. and Erhard W. Rothe. Fast alkali neutral source—1948(N)
- Hemphill, R. B. Instrumentation for ultrasonic studies at frequencies from 0.2 to 2.0 GHz—910
- Hendricks, C. D. and J. B. Y. Tsui. Production of uniform droplets by means of an ion-drag pump—1088
- Hendricks, C. D. (see Erin, T.)—1268
- Hendricks, Charles D. (see Robertson, John A. O.)—1190
- Hendrickson, P. E. (see Broersma, S.)—506
- Henins, Ivars and John Marshall. Fast metallic contact solid dielectric switch for high voltage and current—1481
- Henis, Jay M. S. and William Frasure. Ion cyclotron resonance detection using electron energy modulation—1772(N)
- Herglotz, Heribert K. Fluorescent screens for monochromatic x-ray diffraction patterns on Polaroid film—1658
- Henrichsen, R. A. and Che-Yu Li. Chemical method for producing a grating on an aluminum oxide surface—1770(N)
- Herlach, F. Method for resistivity measurements in megagauss fields—405(N)
- Herrmann, Cal C. Optical rotatory dispersion adapter—274(N)
- Heslin, T. M. (see Detweiler, D. P.)—1721
- Hetzler, M. C. and D. Walton. New interpolation formula for carbon resistance thermometry—1656
- Heuer, A. H. (see Moschetti, A.)—1218(N)
- Hewitt, R. C. NMR double irradiation circuit—1066(N)
- Hidy, G. M. (see Lai, J. R.)—1197
- Higashimura, T. (see Yoshida, H.)—1967(N)
- Higgins, R. J. and Yung Kwang Chang. Simple NMR probe for use in superconducting solenoids—522
- Higgins, Richard J. Simple optical goniometer to aid Laue x-ray orientation of single crystals—1576(N)
- Hildenbrand, Donald L. (see Boyer, Myron H.)—26
- Hill, B. H. Simple device for measuring beam current in a scanning electron microscope—1369(N)
- Hill, N. W. (see Love, T. A.)—541
- Hill, R. W. (see Cornell, C. M.)—951
- Hinderaker, P. D. (see Tsui, Y. T.)—1423
- Hinterberger, H. and R. Winston. Efficient design for Lucite light pipes coupled to photomultipliers—419(N)
- and R. Winston. Use of a solid light funnel to increase phototube aperture without restricting angular acceptance—1217(N)
- Hirasawa, R., T. Mukaibo, H. Hasegawa, Y. Kanda, and T. Maruyama. Rapid scanning of the magnetic field in ESR spectroscopy: Application to pulse electrolysis—935(N)
- Hirsh, M. N., P. N. Eisner, and J. A. Slevin. Laboratory facility for ionospheric reaction studies—1547
- Hochanadel, C. J., J. A. Ghormley, J. W. Boyle, and J. R. Riley. Short duration flash photolysis lamp—1144
- Hodby, J. W. (see Borders, J. A.)—722
- Hodges, D. (see Barr, R. G.)—1556
- Hoekstra, R. (see Arnold, H.)—1069(N)
- Hoff, Marc (see Jenkins, Richard C.)—748
- Hoffman, Allan R. (see Petersen, Gary L.)—922(N)
- Hoffmann, Heinz and Ernest Yeager. Pressure shock technique for the study of chemical relaxation—1151
- , Ernest Yeager, and John Stuehr. Laser temperature-jump apparatus for relaxation studies in electrolytic solutions—649
- Hoffswell, Robert A. System for identifying channels of a pulse analyzer memory data display—1377(N)
- Hofstadter, R. (see Dally, E. B.)—658
- Holcomb, M. A. (see Taylor, A. R.)—780(N)
- Holdaway, H. W. Evaluation tests of a fixed frequency vibroscope—1828
- Holden, S. J. (see Detweiler, D. P.)—1727
- Hollandsworth, C. E. and W. P. Bucher. Wide-range pulse-shape discrimination system—165
- Holton, Gerald (see Johnson, Walter H., Jr.)—1247
- Hooper, E. B., Jr. (see Kindlmann, P. J.)—864
- Hooke, W. M. (see Lisitano, G.)—295
- Hörl, Erwin M. Liquid helium cooled stage with a transverse magnetic field—1027
- Hoss, P. A. (see Murray, L. A.)—609(N)
- Hotz, R. F. and C. K. Manka. Observation of neutral gas pulses injected into a vacuum—267(N)
- Houck, J. R. (see Wallace, W. D.)—1863
- Hornung, E. W. (see Fisher, R. A.)—108
- Howard, R. L., S. W. Nelson, and J. R. Winckler. Alpha particle pressure gauge for high altitude constant level balloon flights—1013
- Huber, Martin (see Grasdalen, G. L.)—886
- Huchital, D. A. and J. D. Rigden. Functional ion laser based upon a thermionic hollow cathode discharge—1472
- Hudick, M. G. (see Detweiler, D. P.)—1727
- Hudson, Hugh T. (see Batson, John D.)—1963
- Hudson, W. R. Negative magnetoresistance in carbon resistance thermometers—253(N)
- Hughes, Edward J. (see Rutherford, John L.)—666
- Hull, Robert J. (see Brink, Gilbert O.)—1171
- Humiston, L. E. (see Odencrantz, F. K.)—1870
- Humphry, Donald E. (see Dannenberg, Robert E.)—1692
- Hunt, W. W., Jr., K. E. McGee, J. K. Streeter, and S. E. Maughan. Mass discrimination in a time-of-flight mass spectrometer: I. Geometric mass discrimination at magnetic electron multiplier—1793
- Hyland, Robert N., Reid E. Bicknell, and Donald L. Jones. Remote recording shock wave detector and gated interval timer—1125
- I
- Ikelaar, P. G. (see Politiek, J.)—1147
- Inami, Y. Harry (see Boyer, Myron H.)—26
- Ingels, Neil B., Jr., George T. Daughters II, and Agostino Burzio. New design for an automated bacterial colony counter—115

- Inoue, N. and T. Uchida. New type of high speed valve—1461
 Intrater, Josef and Deane K. Smith. High temperature Debye-Scherrer x-ray camera—1491
 Irons, H. R. (see Schweg, L. J.)—220
 Ishida, T. (see Bigeleisen, J.)—353
 Ito, Taisuke, Takashi Oda, Hiromichi Kawai, Tatsuro Kawaguchi, Daniel A. Keedy, and Richard S. Stein. Dynamic x-ray diffractometer for measuring rheo-optical behavior of crystals in polymer solids—1847
 Iversen, R. J. and O. L. Gaddy. Simple method of preparing magnesium oxide secondary emission surfaces—1950(N)
 Ivory, J. E. Sample orienting device providing two rotational degrees of freedom in a solenoid—1225(N)
 Izatt, Reed M. (see Christensen, James J.)—1356

J

- Jackson, Jasper A. and Wright H. Langham. Whole-body NMR spectrometer—510
 Jackson, P. E., H. A. Owens, Jr., and W. E. Hammond. Digital control of a frequency synthesizer—769(N)
 Jaeklin, Andre A. Sheet resistance tester—618(N)
 Jankowicz, R. Destructive hydrogen target tests at the Princeton-Pennsylvania accelerator—848
 Jaster, Walter and David R. Safrany. Water-cooled electrode for discharge tubes—264(N)
 Jenkins, Richard C. and Marc Hoff. Transistor regulation system for fine current control of an arc jet—748
 Jenkins, Robert S. Technique for producing low level quasi-static accelerations—1212(N)
 Jennings, Harley Y., Jr. (see Schoettle, Volkmar)—386
 Jensen, J. W. (see Visnapuu, A.)—1963(N)
 Jobs, F. C. Digital reader of oscilloscope trace photographs—1429
 Johansson, C. H. and T. Sjölin. Measurement of the "strength" of explosives by the ballistic mortar—1173
 Johnson, D. P., G. A. Erickson, and J. G. Dash. Natural line widths of Mössbauer absorbers at variable low temperatures—420(N)
 Johnson, David L. Correction of butyl phthalate oil manometers for variations in room temperature—399(N)
 Johnson, Donald E. Lapping machine attachment for preparing oriented crystals—238
 Johnson, J. L. (see Feldkirchner, H. L.)—1227(N)
 Johnson, Julian F. (see St. John, Michael R.)—1582(N)
 Johnson, P. M. and T. J. Burgess. Free surface velocity measurement of an impacted projectile by optical Doppler shift—1100
 Johnson, Walter H., Jr., and Gerald Holton. Analysis of ultrasonic absorption measurements in liquids at high pressure—1247
 Johnston, W. V. and G. W. Lindberg. Stability and calibration of miniature platinum resistance thermometers—1925
 Johnston, H. Dee (see Christensen, James J.)—1356
 Jones, G. A. and W. J. Halpin. Shorted guard-ring quartz gauge—258(N)
 Johnston, Harold S. (see Morris, E. D., Jr.)—620(N)
 Jolicoeur, Carmel (see Picker, Patrick)—676
 Jones, B. K. (see Chester, M.)—719
 Jones, Donald L. (see Hyland, Robert N.)—1125
 Jones, O. E. (see Rohde, R. W.)—313
 Jung, E. A. (see Lewis, R. N.)—1522
 Jurkus, Algirdas (see Clark, Richard F.)—660

K

- Kalish, Sheldon (see Chen, John C.)—1710
 Kallmann, H. (see Matthews, S. M.)—970
 Kanda, Y. (see Hirasawa, R.)—935(N)
 Kanor, S. (see Vroman, L.)—278(N)
 Kao, James T. F., Walter Ruska, and Riki Kobayashi. Theory and design of an absolute viscometer for low temperature-high pressure applications—824

- Kao, J. (see Ruska, W.)—824
 Kaplan, I. R. (see Ben-Yakov, S.)—1133
 Katan, Theodore. Determination of a constituent in volatile liquids—1951
 Kawaguchi, Tatsuro (see Ito, Taisuke)—1847
 Kawai, Hiromichi (see Ito, Taisuke)—1847
 Kaye, S. and R. T. Murray. Circuit for liquid level measurements using carbon resistors—1956(N)
 — (see Griggs, M.)—1685
 Ke, Bacon (see Green, M.)—411(N)
 Keedy, Daniel A. (see Ito, Taisuke)—1847
 Keefe, Susan E. (see Grant, Edward H.)—1800
 Keeler, R. N. (see Mitchell, A. C.)—513
 Kelm, E. C. Operation of a germanium FET at low temperatures—775(N)
 Kendall, Paul A. and Jerome M. Rosen. Thermal initiation apparatus for high energy materials—992
 Kende, Paul. Synchronous operation of mass spectrometer—270(N)
 Kennedy, R. J. (see Broadway, J. D.)—389
 Kenyon, I. R. (see Walker, R. J.)—1407
 Keren, J. (see Walker, R. J.)—1407
 Kerker, M. (see Cooke, D.)—320
 Ketudat, S. (see Barkan, S. H.)—101
 Ketterson, J. B. (see Windmiller, L. R.)—1672
 Keyes, John J., Jr. (see Armistead, Robert A., Jr.)—61
 Khuri, Raja N. *pn* glass microelectrode for *in vivo* applications—730
 Kim, H. H. (see Caruso, A. J.)—1059(N)
 —, Shardanand, A. J. Caruso, and A. E. Barrington. Multi-channel photoionization chamber—503
 Kindlmann, P. J., P. B. Applewhite, and H. J. Morowitz. Capacitive detection of very small aquatic animals—121(N)
 — and E. B. Hooper, Jr. High speed correlator—864
 Kindlmann, Peter J. Voltage controlled attenuator—81
 King, R. W. (see Ezrol, H.)—229
 King, Roy W. (see Vandembroucke, A. C., Jr.)—558
 Kingston, Floyd E. and Kenneth Lee. Field effect transistors at 4.2°K—559(N)
 Kintner, Paul (see Whittaker, A. Greenville)—1211(N)
 Kirk, W. P. (see Schneider, R. H.)—1369(N)
 Kissell, F. N. (see Butera, R. A.)—1138
 Kittredge, R. I. (see Oglivie, K. W.)—459
 Klein, Albert A., Jr. Use of an intermetallic composite for vapor deposition by electron beam bombardment—609(N)
 Klein, Melvin P. and Edward A. Dratz. Derivative spectroscopy with recording spectrometers—397(N)
 Kloczek, Edmund E. (see Flotow, Howard E.)—1578(N)
 Knapp, B. C. (see Knapp, E. A.)—979
 Knapp, E. A., B. C. Knapp, and J. M. Potter. Standing wave high energy linear accelerator structures—979
 Kniseley, Richard N., Francis C. Laabs, and Dean Van Zuuk. Improved electron beam scanning system for electron microprobe x-ray analyzers—1804
 Knox, W. P. and J. D. Cuthbert. Variable temperature Dewar for cathodoluminescence studies—1181
 Kobayashi, Jinzo, Noboru Yamada, and Tadahiko Azumi. An x-ray method for accurate determination of lattice strains of crystals—1647
 Kobayashi, Riki (see Kao, James T. F.)—824
 — (see Ruska, W.)—1875
 Kobisk, E. H. (see Braski, D. N.)—1806
 Koenig, Jude H., James A. Schoeffel, and Gene J. Carron. X-ray spectrographic camera—1635
 Koetke, D. (see Walker, R. J.)—1407
 Kopp, M. K. (see Borkowski, C. J.)—1515
 Kopsch, D. (see Cierjacks, S.)—1278
 Korn, P., T. C. Marshall, and S. P. Schlesinger. A single-ended "Q-machine" with pulsed emitter—1085
 Kovaszny, Leslie S. G. (see Fujita, Hajime)—1351
 Koyama, Masaki. Internal amplification α detector—611(N)

- Kramer, P. (see van Nieuwland, J. M.)—1054(N)
 Kraus, Kamil. Thermistors as circuit elements in low-frequency circuits—216
 Krawec, Roman. Electronic analog for performing Abel inversion—402(N)
 Krebs, J. P. (see Allain, Y.)—1360
 Kribel, R. (see Fleischmann, H. H.)—233
 Krohn, V. E. (see Barkan, S. H.)—101
 Kropp, L. (see Cierjacks, S.)—1278
 Kuhn, H. G., E. L. Lewis, D. N. Stacey, and J. M. Vaughan. Recording Fabry-Perot interferometer—86
 Kunzler, J. E. (see Halloran, M. H.)—1501
 Kupecz, John. Flat and slope-sided rubber gaskets—1214(N)
 Kuppermann, Aron (see Lane, Arthur L.)—126(N)
 Kushner, Joseph B. Improvement in metal specimen preparation for transmission electron microscope studies—128(N)
 Kuyatt, C. E. (see Hafner, H.)—33
 — (see Young, Russell D.)—1477
 Kyhl, Robert L. Fast sensitive Smith chart plotter or microwave reflectometer—373
- L**
- Laabs, Francis C. (see Kniseley, Richard N.)—1804
 Lab, Max J. and W. C. Maddison. Pneumatically operated microelectrode puller for use in electrophysiology—158
 Lai, J. R. and G. M. Hidy. Microsensor for measuring humidity—1197
 Lambert, R. H. and J. J. Wright. Production of small uniform magnetic fields—622(L)
 Landolt, Dieter (see Baucke, Friedrich G. K.)—1753(N)
 Lane, Arthur L. and Aron Kuppermann. Argon resonance line lamp for vacuum ultraviolet photochemistry—126(N)
 Langham, Wright H. (see Jackson, Jasper A.)—510
 Lanter, R. J. and D. E. Bannerman. Silver counter for bursts of neutrons—1588(N)
 Lantz, Robert M. (see Robbins, William P.)—69
 Lanza, Hilda (see D'Alessio, Juan T.)—1029
 Larsen, C. M. (see Grantham, L. F.)—699
 Larsen, N. T. 50 microdegree temperature controller—1
 Larson, J. D. and J. A. Benjamin. Ungridded electrostatic mirror—272(N)
 Lashock, J. J. (see Ludwick, J. R.)—853
 Lautenschlager, E. P. and J. O. Brittain. Constant true strain rate apparatus—1563
 Ledley, Robert S. and Helen C. Sing. Instrument for micro-radiography of small specimens—531
 Lee, Kenneth (see Kingston, Floyd E.)—599(N)
 Lee, R. N. Electron gun for LEED applications—1306
 Lee, Y. K. (see Wiggins, J. W.)—995
 Lees, J. (see Critchlow, P. R.)—251(N)
 Leibrecht, Klaus. New method for the measurement of the Q-factor of cavities and its application to research in solid state physics—1919
 Leigh, J. S., Jr. New technique for radio frequency magnetic field measurement—1594(N)
 Leisure, R. G. and D. I. Bolef. cw microwave spectrometer for ultrasonic paramagnetic resonance—199, Erratum—424(E)
 Leonard, T. A. and D. R. Bach. Exploding wire system with *in vacuo* preparation of lithium wire—1374(N)
 LePage, J., A. Bernalte, and D. A. Lindholm. Analysis of resistivity measurements by the eddy current decay method—1019
 Lerner, E. (see Cooper, R. A.)—1207(N)
 Leslie, J. D., H. J. T. Smith, and B. Van Beek. Current sweep circuit with sweep speed feedback—1425
 Levi, A. A. Calibration of the electrode spacing of a dielectric sample holder—1527
 Levitt, C. M. Spark erosion of diamond—752
 Lewis, E. L. (see Kuhn, H. G.)—86
 Lewis, R. N., E. A. Jung, L. M. Welter, L. S. Van Loon, and G. L. Chapman. Flexible high voltage supply for experimental electron microscope—1522
 —, L. S. Van Loon, T. A. Mayer, and J. Berkowitz. Transformer coupling for the continuous channel electron multiplier—1386(N)
 Li, Che-Yu (see Henrichsen, R. A.)—1770(N)
 Liboff, A. R. (see Shamos, M. H.)—223
 Liebman, I., J. Corry, and H. Perlee. Timing mark counter—1591(N)
 Lietti, A. Radio frequency pulse generators to produce a 1.8 kG rotating field in a plasma—900
 Linden, K. J. Indium arsenide laser for use in infrared detector response time measurements—1513
 Lindberg, G. W. (see Johnson, W. V.)—1925
 Lindholm, D. A. (see LePage, J.)—1019
 Lineberger, W. C. (see Ozolins, A.)—1039
 Lisitano, G., R. A. Ellis, Jr., W. M. Hooke, and T. H. Stix. Production of quiescent discharge with high electron temperatures—295
 Liuti, G. and J. E. Mentall. Monochromatic iodine lamp—1767(N)
 Lloyd, E. C. Erasable-trace recording methods for chart recorders—1953(N)
 Lo, D. S. (see Maffitt, K. N.)—259(N)
 Lock, C. J. L. (see Guest, A.)—780(N)
 Loken, J. G. (see Barr, R. G.)—1556
 Long, A. B., B. W. Wehring, and M. E. Wyman. Procedure for determining the parameters from a fission fragment energy spectrum—1566
 Long, James R. (see Duff, Russell E.)—976
 Los, J. (see Politiek, J.)—1147
 Lösel, M. (see Cierjacks, S.)—1278
 Love, T. A., R. T. Santoro, R. W. Peelle, and N. W. Hill. Absolute efficiency measurements of NE-213 organic phosphors for detecting 14.5- and 2.7-MeV neutrons—541
 Lucas, C. W., Jr. (see Bhagat, S. M.)—255(N)
 Ludwick, J. R., J. J. Lashock, R. E. Connally, and P. W. Nickola. Automatic real time air monitoring of ⁸⁵Kr utilizing the 4096 memory of a multiparameter analyzer—853
 Lundberg, J. L. (see Gravatt, C. C.)—1701
 Lutsch, A. G. K., M. Wilk, and P. Bierbaum. Monitoring of thin film growth by an ultrasonic interference method—1119
 Lysne, Peter C. Measurement of shock and free surface velocities with anodized aluminum switches—754
- M**
- MacCrone, R. K. (see Scott, W. W.)—821
 MacDonald, A. C. Simple protector for water cooled equipment—931(N)
 MacDonald, R. E. (see Gill, W. D.)—1114
 Madding, R. P. (see Berman, B. L.)—1214(N)
 Maddison, W. C. (see Lab, Max J.)—158
 Madix, Robert J. (see Schwarz, James A.)—1366
 Maeda, Y. (see Yoshida, H.)—1967(N)
 Maffitt, K. N., D. S. Lo, A. L. Olson, and E. J. Torok. Electron-mirror microscopy of stripe domains—259(N)
 Malewski, Ryszard. New device for current measurement in exploding wire circuits—90
 Malhotra, P. (see Walker, R. J.)—1407
 Manka, C. K. (see Hotz, R. F.)—267(N)
 Mannelli, I. (see Mockett, P.)—566
 Manner, W. E. (see Barr, R. G.)—1556
 Margolin, H. (see Ezrol, H.)—229
 Margulies, S. Fitting experimental data using the method of least squares—478
 Marinkas, Paul L. (see Palaia, Frank L.)—1331
 Marlowe, M. O. and M. B. Reynolds. High temperature remote strainometer—1768(N)
 Marmet, P., P. Natalis, and A. Dumont. Simple system for photoelectron spectrum determination—686
 Marmet, Paul. New type of monovelocit electron source—1932
 Marsden, D. G. H. Medium-sensitivity microbalances for measuring forces exerted by molecular beams—39

- Marshall, Gerald F. Contrast enhancement—1584(N)
 Marshall, J. H. (see Harrington, T. M.)—184
 Marshall, John (see Henins, Ivars)—1481
 Marshall, T. C. (see Korn, P.)—1085
 Martin, B. D. and C. V. Heer. Container for CMN crystals used in low temperature adiabatic demagnetization experiments—931(N)
 Maruyama, T. (see Hirasawa, R.)—935(N)
 Mason, Albert (see Reginato, Luigi)—1590(N)
 Masry, S. E. Accuracy of rotation around an axis—1825
 Masters, Joseph I. (see Vouros, Paul)—741
 Mathieson, A. McL. X-ray monochromator configurations and a monochromator design for x-ray single crystal diffractometers—1834
 Mathiesen, S. Ipsen. A high precision Laue technique for crystal orientation—1771(N)
 Matthews, P. W. (see Brown, C. R.)—616(N)
 — (see Critchlow, P. R.)—251(N)
 Matthews, S. M., I. Turiel, M. Furst, and H. Kallmann. Method for determining charge production in semiconductors and insulators—970
 Maughan, S. E. (see Hunt, W. W., Jr.)—1793
 Maxfield, B. W. (see Wallace, W. D.)—1863
 Maxwell, P. C. (see Tan, Z. C.)—466
 Mayer, T. A. (see Lewis, R. N.)—1386(N)
 Mazur, P. (see Walker, R. J.)—1407
 McAdams, H. H. New liquid ⁴He experimental cryostat—130(N)
 McArdle, K. T. (see Skofronick, J. G.)—1965(N)
 McCarter, R. J. Jacketed blender-reactor—264(N)
 McBeth, R. L. (see Gruen, D. M.)—197
 McConnell, Robert K., Jr. (see Simon, Ivan)—1666
 McCormick, A. (see Daly, N. R.)—1163
 McDonald, P. F. (see Meyer, H. C.)—1459
 McDowell, William P., John M. Paul, and James P. Bobis. Accurate 9-decade temperature compensated logarithmic amplifier—1068(N)
 McFadden, F. J. (see Tsui, Y. T.)—1423
 McGee, K. E. (see Hunt, W. W., Jr.)—1793
 McGrath, John F., Jr. New technique for the design of an extreme ultraviolet collimator—1036
 McIlwraith, N. (see Oglivie, K. W.)—441
 McKelvey, J. P. (see Schetzina, J. F.)—1448
 McLachlan, D. S. and J. Feder. Detection method for the normal to superconducting phase transition of 10 μ spheres—1340
 McLane, S. Brooks (see Müller, Erwin W.)—83
 McMillan, T. S. Recording flow meter—596(N)
 McNiff, E. J., Jr. (see Foner, S.)—171
 McWane, J. W., D. Bijl, and C. A. Shiffman. Low temperature force generating apparatus using Sylphon bellows—1532
 Melcher, R. L., D. I. Bolef, and J. B. Merry. CW transmission spectrometer for direct detection of nuclear acoustic resonance utilizing magnetic field or frequency modulation—1613
 —, D. I. Bolef, and J. B. Merry. Frequency modulation cw technique for the measurement of very small changes in ultrasonic velocity—1618
 Mentall, J. E. (see Liuti, G.)—1767
 Mergner, G. C. (see Daneman, H. L.)—1498
 Merry, J. B. (see Melcher, R. L.)—1613, 1618
 Metzger, C. A. (see Murphy, A. P.)—1705
 Meulemans, H. (see Dirven, P.)—1595(N)
 Meyer, H. C., P. F. McDonald, and P. L. Donoho. Techniques of ultrasonic paramagnetic resonance—1459
 Meyer, R. O. and H. Sekizawa. Capacitor method for measuring lathe section thicknesses applicable primarily to diffusion studies—265(N)
 Meyer, R. T. (see Freese, J. M.)—1764
 Meyrick, G. Variable temperature field ion microscope cooled by helium gas—1954(N)
 Mickiewicz, Stanley (see Gorenstein, Paul)—816
 Miedan-Gros, A. (see Allain, Y.)—1360
 Miers, R. E. and L. W. Anderson. Source of polarized lithium and cesium ions—336
 Millard, J. K. Linear electronic chopper and shaper for sliding pulse generators—681
 Miller, C. Dean (see Futrell, Jean H.)—340
 Miller, S. A. Inexpensive photon counting system for Raman spectroscopy—1923
 Mills, R. L. (see Depatie, D. A.)—105
 Mills, J. C. and A. F. Moodie. Multipurpose high resolution stage for the electron microscope—962
 Mitchell, A. C. and R. N. Keeler. Technique for accurate measurement of the electrical conductivity of shocked fluids—513
 Mitchell, W. R. (see Moschetti, A.)—1218(N)
 Mittleman, S. D. and L. Bess. Nondestructive thickness measurement in thin sections of germanium—838
 Miyoshi, D. S. and R. M. Cotts. Helium cooled radio frequency preamplifier for use in NMR—1881
 Moberly, John W., William R. Goggin, and Rudolf Sedlacek. Hydrostatic ring test for high precision strain measurements—835
 Mockett, P., D. Frisch, I. Mannelli, and M. Wahlig. High-Z cylindrical spark chamber—566
 Moeller, C. Eugene. Electrically-powered radiation heater for operation to 1200°C—271(N)
 Mollenauer, L. F., C. D. Grandt, W. B. Grant, and H. Panepucci. Strain-free, fused silica optical windows for a metal Dewar—1958(N)
 Moodie, A. F. (see Mills, J. C.)—962
 Moore, C. Bradley (see Akins, D. L.)—715
 Morowitz, H. J. (see Kindlmann, P. J.)—121(N)
 Morris, Bernard L. and Aaron Wold. Faraday balance for measuring magnetic susceptibility—1937
 Morris, E. D., Jr., and Harold S. Johnston. Digital phase sensitive detector—620(N)
 Morris, Glen J. Photomultiplier radiometer for detection of radio frequency intensity-modulated light from plasmas—1156
 Moschetti, A., A. H. Heuer, and W. R. Mitchell. Apparatus for rapid bend testing of brittle solids at elevated temperatures—1218(N)
 Mueller, R. M. and W. White. Direct gravimetric calibration of a quartz crystal microbalance—291
 Muha, G. M. Automatic coherence control for superregenerative NQR spectrometers—416(N)
 — Bidirectional square wave generator for frequency modulated magnetic resonance spectrometers—916(N)
 Mukaibo, T. (see Hirasawa, R.)—935(N)
 Müller, Erwin W., John A. Panitz, and S. Brooks McLane. The atom-probe field ion microscope—83
 Müller, K. (see Caldwell, C. W.)—860
 Muller, Rolf H. Ellipsometer for use with LEED chamber—1593(N)
 Murad, Edmond (see Boyer, Myron H.)—26
 Murphy, A. P. and C. A. Metzger. Transmission electron microscopy with an ARL microprobe—1705
 Murphy, John C. Tunable ESR cavity suitable for high frequency field modulation—135(N)
 Murray, L. A., P. A. Hoss, and J. J. Rivera. rf furnace for maintaining temperature differences between parallel susceptors—609(N)
 Murray, R. T. (see Kaye, S.)—1956(N)
 Murty, A. Narasimha and R. F. Curl, Jr. Simple Stark modulation absorption system for high temperature microwave spectroscopy—1885
 Musgrave, B. (see Barr, R. G.)—1556
 Myers, Booth R. (see Berkner, Klaus H.)—1204
- N
- Nagle, Earl and F. J. Norton. General purpose gas sampling tube—1388(N)
 Natalis, P. (see Marmet, P.)—686
 Nebe, J. (see Cierjacks, S.)—1278

- Nelson, G. O. and K. S. Griggs. Precision dynamic method for producing known concentrations of gas and solvent vapor in air—927(N)
- Nelson, L. S., N. L. Richardson, and J. L. Prentice. Apparatus for the production and ignition of metal droplets with a pulsed laser—744
- Nelson, S. W. (see Howard, R. L.)—1013
- Nesbitt, E. A. (see Willens, R. H.)—194
- Neufeld, Philip D. and R. A. Aziz. Method for encapsulating electrical cryostat leads in plastic tape—601(N)
- , C. Gendron, and R. A. Aziz. High vacuum valve for use in cryostats—771(N)
- Newell, M. E. (see Schmidt, F. W.)—592
- Newman, D. S. (see Gruen, D. M.)—197
- Newsom, G. H. (see Grasdale, G. L.)—886
- Nickola, P. W. (see Ludwick, J. R.)—853
- Nicol, W. Stewart. Two source evaporation of uniform thickness gallium arsenide films—1221(N)
- Niles, F. E. (see Ozolins, A.)—1039
- Nilsson, G. (see Stedman, R.)—637
- Nims, David J. (see Schmitz, Frederick A.)—598(N)
- Noakes, J. E., A. Arrott, and C. Haakana. Vibrating sample magnetometers—1436
- Noble, Frank W. Dual-frequency ultrasonic fluid flowmeter—1327
- Norton, F. J. (see Nagle, Earl)—1388(N)
- Novak, P. E. (see Asamoto, R. R.)—1233(E)
- Novick, R. (see Dworetzky, S.)—1721
- Nutt, Ronald. Digital time intervalometer—1342
- Nypan, Lester J. Two-dimensional evaluation of a plane of rotation—1633
- O
- Oda, Takashi (see Ito, Taisuke)—1847
- Odencrantz, F. K. and L. E. Humiston. Replicator for ice crystals—1870
- Offen, Henry W. High pressure apparatus for absorption and luminescence studies of solids—1961(N)
- Ogilvie, K. W., R. I. Kittredge, and T. D. Wilkerson. Crossed field velocity selector—459
- , N. McIlwraith, and T. D. Wilkerson. Mass-energy spectrometer for space plasmas—441
- O'Konski, C. T. and B. G. Cartwright. Field effect transistor in nuclear quadrupole resonance spectrometers—123(N)
- and Adrian Edwards. Cell for dielectric measurements in the high radio frequency region—1456
- Oktay, Erol, D. R. Bach, and William O. Rekewitz. Extrusion die-electrode combination for exploding lithium wire—924(N)
- Oleson, J. R. (see Wiggins, J. W.)—995
- Olson, A. L. (see Maffitt, K. N.)—259(N)
- Orsten, G. S. F. Airborne low frequency antenna Q meter—1510
- Ostertag, W. and G. R. Fischer. Temperature measurements with metal ribbon high temperature x-ray furnaces—888
- Ostertag, Werner (see Griest, Richard M.)—1758(N)
- Otavka, M. A. (see Brooks, J. M.)—1348
- Owens, H. A., Jr. (see Jackson, P. E.)—769(N)
- Ozolins, A., W. C. Lineberger, and F. E. Niles. Temperature effect on spectrometer slit width and photomultiplier sensitivity—1039
- P
- Pack, John L., T. V. George, and A. G. Engelhardt. Retracting pedestal apparatus which presents a single solid target to a focused Q-switched laser beam—1697
- Padovani, F. A. Light source control system for barrier height studies—772(N)
- Palaia, Frank L., Oswald Haase, and Paul L. Marinkas. Method of orienting single crystals for ESR measurements—1332
- Panepucci, H. (see Mollenauer, L. F.)—1958(N)
- Panerella, E. and V. Guty. Two-wavelength plasma interferometry with color film—261(N)
- Panitz, John A. (see Müller, Erwin W.)—83
- Pankove, J. I. and J. E. Berkeyheiser. Curve tracer that frees diode characteristics of internal resistance—884
- Panofsky, W. K. H. and M. Bander. Asymptotic theory of beam break-up in linear accelerators—206
- Paolini, F. R. (see Theodoridis, G. C.)—326
- Paré, V. K. (see Peters, R. D.)—1505
- Parham, D. V. (see Williams, E. W.)—369
- Parmenter, C. S. and M. W. Schuyler. High vacuum feed-through for rotational and translational motion—611(N)
- Partridge, Lloyd D. (see Evanich, Myron J.)—1573(N)
- Passner, A. (see Prelec, K.)—1577(N)
- Patel, A. R. and S. M. Patel. Rapid method of preparing single stage carbon replica for electron microscopy of some mineral crystals—409(N)
- Patel, S. M. (see Patel, A. R.)—409(N)
- Paul, John M. (see McDowell, William P.)—1068(N)
- Paul, William, W. M. DeMeis, and J. M. Besson. Windows for optical measurements at high pressure and long infrared wavelengths—928(N)
- Paulik, Frank E. (see Tinker, H. Burnham)—590
- Peabody, I. C. (see Bahm, E. L.)—125(N)
- Pearce, Thomas W. SCR preregulator for magnet power supply—423(N)
- Variable limit sweep generator—395(N)
- Peelle, R. W. (see Love, T. A.)—541
- Pennock, P. R. (see Barr, R. G.)—1556
- Perel, Julius. XY plotting of cross sections using a log multiplier circuit—394(N)
- Perkins, George D. and Charles F. Robinson. Combined leak detector and high sensitivity vacuum gauge—361
- Perkins, R. D. and S. J. Green. High speed photography in dynamic materials testing—1209(N)
- Perlee, H. (see Liebman, I.)—1591(N)
- Peters, P. B. and P. E. Shearin. Cryostat for radiation damage experiments—77
- Peters, R. D., M. A. Breazeale, and V. K. Paré. Variable gap capacitive detector for the measurement of ultrasonic displacement amplitudes in solids—1505
- Petersen, Gary L. and Allan R. Hoffman. Automatic apparatus for resistivity ratio determinations—922(N)
- Petit-Clerc, Y. and J. D. Carrette. New feedback Kelvin probe—933(N)
- Petroff, Pierre and Jack Washburn. Liquid helium field-ion microscope for radiation damage investigations—317
- Petrovich, P. Ramp-controller pulse generator for use in repetitive data collection—1230(N)
- Philbrook, W. O. (see Williams, R. K.)—1104
- Picker, Patrick, Carmel Jolicœur, and Jacques E. Desnoyers. Differential isothermal microcalorimeter: Heats of mixing of aqueous NaCl and KCl solutions—676
- Pinatti, D. G. (see Antcliffe, G. A.)—254(N)
- Pitt, D. A. (see Foss, G. D.)—1375(N)
- Poelz, G. and K. Springer. Calibration of spark chambers with light—1388(N)
- Politiek, J., P. K. Rol, J. Los, and P. G. Ikelaar. Atomic beam source for the energy range of 0.2-45 eV—1147
- Porter, James R. (see Duff, Russell E.)—976
- Potter, C. N. and D. E. Sawyer. A flying-spot scanner—180
- Potter, J. M. (see Knapp, E. A.)—979
- Potter, O. W. (see Rayfield, G. T.)—1438
- Potzick, James. ac-dc regulator-modulator—1219(N)
- Pound, E. F. (see Haycock, O. C.)—1094
- Powell, R. E. (see Daly, N. R.)—1163
- Poynter, Robert L. (see Remeikes, Anthony)—1223(N)
- Prelec, K. and A. Passner. Space charge effects on synchrotron frequency—1577(N)
- Prentice, J. L. (see Nelson, L. S.)—744
- Preuss, Luther E. (see Bugenis, C.)—1754(N)

- Prothero, W. A., Jr., and J. M. Goodkind. A superconducting gravimeter—1256
 Pyle, Robert V. (see Berkner, Klaus H.)—1204

Q

- Quinn, J. A. (see Blair, L. M.)—75
 Quirk, E. J. M. Splash protection of a large area radiation detector viewing a water surface—1585(N)

R

- Radford, H. E. Scanning microwave echo box spectrometer—1687
 Raether, M. (see Chang, J.)—1873
 Randlett, M. R. (see Crawford, C. K.)—1390(L)
 Ratcliffe, C. A. (see Sheen, E. M.)—1262
 Rayfield, G. T., F. P. Boynton, and O. W. Potter. Micro-miniature Pirani gauge for measurements of low pressures—1438
 Raymond, R. H. Wide range temperature controller for NMR studies—253(N)
 Reaves, R. T. (see Heinz, O.)—1229(N)
 Rebka, G. A., Jr. (see Blume, R. J.)—421(N)
 Rechen, H. J. L. (see Schneider, R. H.)—1369(N)
 Redfield, Alfred G., Warner Fite II, and Hermann E. Bleich. Precision high speed current regulators for occasionally switched inductive loads—710
 Reed, Robert W. and F. G. Brickwedde. Low noise uhf pre-amplifier for ultrasonic work—1216(N)
 Reginato, Luigi and Albert Mason. Apparatus for the automatic recording of oxygen absorption at constant pressure—1590(N)
 Reifsnider, Kenneth and Robert E. Green, Jr. Image intensifier system for dynamic x-ray diffraction studies—1651
 Rekewitz, William O. (see Oktay, Erol)—924(N)
 Remeikis, Anthony, Robert A. Beaudet, Robert L. Poynter, and George Steffensen. Improved sweep modulator for high dc voltages—1223(N)
 Reno, Robert and Niels Young. Capillary bearings—1627
 Reynik, R. J. (see Foster, J. P.)—1579(N)
 Reynolds, George T. Scintillomicroscope for radioactive tracer detection—298
 Reynolds, M. B. (see Marlowe, M. O.)—1768(N)
 Ribnikar, S. V. (see Bigeleisen, J.)—353
 Rice-Evans, P. (see Barkan, S. H.)—101
 Richard, Kenneth F. (see Glass, Ian S.)—1131
 Richardson, H. P., John L. Gordon, David Cummins, and R. A. Guereca. Calibration of differential pressure indicators at high system pressures—841
 Richardson, N. L. (see Nelson, L. S.)—744
 Rigden, J. D. (see Huchital, D. A.)—1472
 Rikmenspoel, Robert and Gerard van Herpen. Specimen holder for irradiation of biological suspensions with fast protons—1583(N)
 Riley, J. R. (see Hochanadel, C. J.)—1144
 Ringo, G. R. (see Barkan, S. H.)—101
 Ritchie, A. I. M. (see Fraser, H. J.)—240
 Rivera, J. J. (see Murray, L. A.)—609(N)
 Robbins, William P., Robert M. Lantz, and Betsy Ancker-Johnson. Nanosecond risetime, high power, variable delay double pulser with application to electron-hole plasmas—69
 Roberts, J. M. (see Yabe, Masaya)—131(N)
 Robertson, John A. and Charles D. Hendricks. Economical single scale ionization gauge pressure readout system—1190
 Robertson, W. W. (see Wellenstein, H. F.)—410(N)
 Robinson, Charles F. (see Perkins, George D.)—361
 Rodgers, K. F., Jr. (see Hansen, J. W.)—872
 R., Gil Rodriguez, (see Guerrero, J. Martinez)—1383(N)
 Rohde, R. W. and O. E. Jones. Mechanical and piezoelectric properties of shock-loaded X-cut quartz at 573°K—313
 Rol, P. K. (see Politiek, Jr.)—1147
 Romand, Jacques (see Castex, Marie-Claude)—331

- Rorschach, H. E., Jr. (see Antcliffe, G. A.)—254(N)
 Rosenbaum, Ralph L. Some properties of gold-iron thermocouple wire—890
 Rosenthal, Louis A. Joulemeter for exploding bridgewire firing sets—934(N)
 Roth, Robert O. and John R. Gilleland. Small 10 kG pulsed magnet—1696
 Rothe, Erhard W. (see Helbing, Reinhard K. B.)—1948(N)
 Royston, R. J. (see Barr, R. G.)—1556
 Rudd, M. E. and J. R. Craig. Optimum spacing of square and circular coil pairs—1372(N)
 Rumble, R. P. (see Cornell, C. M.)—951
 Ruska, W., J. Kao, Sheng-yi Chuang, and Riki Kobayashi. High precision high pressure mercury differential pressure manometer—1875
 Ruska, Walter (see Kao, James T. F.)—824
 Rust, David R. Manufacture of a photographic negative with parallel lines for spark chambers—769(N)
 Rutherford, John L., Fred C. Bossler, and Edward J. Hughes. Capacitance methods for measuring properties of adhesives in bonded joints—666
 Rutherford, W. M., F. W. Weyler, and C. F. Eck. Apparatus for the thermal diffusion separation of stable gaseous isotopes—94
 Ryan, J. T. and L. R. Vermeulen. A slug flow transducer—1756(N)

S

- Safrany, David R. (see Jaster, Walter)—264(N)
 St. John, Michael R., George Constabaris, and Julian F. Johnson. Automatic gas adsorption apparatus—1582(N)
 St. Lorient, S. J. (see Barney, H.)—782(N)
 Sakudo, Noriyuki (see Hayashi, Tomonao)—958
 Salmi, D. S. (see Cornell, C. M.)—951
 Sane, K. V. (see Viswanathan, T. Lakshmi)—472
 Sankey, J. D. and T. M. Dauphinee. Simple system for reading X-Y charts into a computer for processing—413(N)
 Santoro, R. T. (see Love, T. A.)—541
 Sar-El, H. Z. Cylindrical capacitor as an analyzer. II. Relativistic part—533
 Sargent, B. W. (see Hanson, W. G.)—529
 Satterfield, M. M. Compression of data for computer tape storage—1956(N)
 Sauer, H. A. Experimental automatic recording dilatometer for thermal expansion and shrinkage studies over the temperature range —150 to +1500°C—562
 Saunders, M. J. Interferometer for determining autocollimator errors—1744
 Savage, William R. (see Zrudsky, Donald R.)—1210(N)
 Sawyer, D. E. (see Potter, C. N.)—180
 Schaefer, David H. and James W. Snively, Jr. On-board plasma data processor—452
 Schaumburg, K. (see Gillies, D.)—262(N)
 Schetzina, J. F., J. P. McKelvey, and M. W. Cresswell. Apparatus for inducing high uniaxial compressive stresses in crystals—1448
 Schirber, J. E. and D. W. Shanfeldt. Simple low temperature closure and electrical leadthrough for high pressure gas systems—270(N)
 Schkolnick, Leon J. Infrared windows for ultrahigh vacuum use—122(N)
 Schlesinger, S. P. (see Korn, P.)—1085
 Schleusener, Stuart A. Automatic high speed particle sizing using a gas laser—1916
 Schmidt, F. W. and M. E. Newell. Evaluation of refraction errors in interferometric heat transfer studies—592
 Schmidt, J. A. High impedance Langmuir probes—1297
 Schmitz, Frederick A. and David J. Nims. Explosive high-speed shutter—598(N)
 Schneider, R. H., W. P. Kirk, J. F. Steiner, Jr., and H. J. L. Rechen. Photon counter for the measurement of thermoluminescence—1369(N)

- Schoeffel, James A. (see Koenig, Jude H.)—1635
 Schoener, George A. (see Chen, John C.)—1710
 Schoettle, Volkmar and Harley Y. Jennings, Jr. High-pressure high-temperature visual cell for interfacial tension measurements—386
 Schotland, R. M. (see Eichenbaum, B. R.)—401(N)
 Schlein, H. (see Smith, Tennyson)—302
 Schultz, Warner W. Track density measurement in dielectric track detectors with scattered light—1893
 Schulz, G. J. (see Stamatovic, A.)—1752(N)
 Schulze, Paul (see Weymouth, John W.)—476
 Schumacher, B. W. (see Grodski, J. J.)—702
 Schuster, Burton G. and Robert D. Watson. Passive optical shutter for reducing the fluorescent output of a pulsed ruby laser—419(N)
 Schuster, Sanford (see Weymouth, John W.)—476
 Schuyler, M. W. (see Parmenter, C. S.)—611(N)
 Schwan, Herman P. and Clifford D. Ferris. Four-electrode null techniques for impedance measurement with high resolution—481
 Schwartz, S. E. (see Akins, D. L.)—715
 Schwarz, James A. and Robert J. Madix. Sinusoidal molecular beam chopper with an internally generated phase reference signal—1366
 Schwee, L. J. and H. R. Irons. Fast response magnetometer using ferromagnetic resonance in thin films—220
 Scott, W. W. and R. K. MacCrone. Apparatus for mechanical loss measurements in low loss materials at audio frequencies and low temperatures—821
 Schweickert, M. (see Cierjacks, S.)—1278
 Sedlacek, Rudolf (see Moberly, John W.)—835
 Seehra, Mohindar S. New method for measuring the static magnetic susceptibility by paramagnetic resonance—1044
 Seitchik, J. A. and B. F. Stein. High temperature cement for bonding substrates in ultrahigh vacuum—1062(N)
 Seitchik, J. A., B. F. Stein, and N. Goldberg. Precision mask changer for ultra-high vacuum systems—469
 Sekizawa, H. (see Meyer, R. O.)—265(N)
 Servoz-Gavin, P. (see Volino, F.)—1660
 Shaltiel, David (see Alon, Yosef)—1623
 Shamos, M. H. and A. R. Liboff. New ionization chamber technique for the measurement of environmental radiation—223
 Shanfeldt, D. W. (see Schirber, J. E.)—270(N)
 Shardanand (see Kim, H. H.)—503
 Shatas, Romas A., George A. Tanton, and Joe E. Williams. Stress cell for low-temperature piezospectroscopy—1380(N)
 Shaw, P. H. (see Grantham, L. F.)—699
 Shearin, P. E. (see Peters, P. B.)—77
 Sheen, E. M., W. A. Glass, and C. A. Ratcliffe. Beam current regulator—1263
 Sheridan T. P. (see Gazzara, C. P.)—606(N)
 Shiffman C. A. (see McWane, J. W.)—1532
 Siczka, P. M. (see Golike, R. C.)—274(N)
 Sill, Gustave A. and Teh Fu Yen. Apparatus for high resistance measurement in the insulator range—404(N)
 Simon, Ivan, Alfred G. Emslie, Peter F. Strong, and Robert K. McConnell, Jr. Sensitive tiltmeter utilizing a diamagnetic suspension—1666
 Simonen, T. C. and M. Tutter. Plasma electron density measurement with a feedback oscillator—1645
 Simpkins, J. E. Microminiature Hall probes for use in liquid helium—570
 Simpson, J. Arol (see Hafner, H.)—33
 Simpson, J. H. Constant-current power supply for hydrogen or deuterium lamp—276(N)
 Sinclair, James E. Initiation devices for fuse and electric blasting caps—784(N)
 — and William M. Truesdell. Apparatus for sealing glass capillary tubes under pressure—1378(N)
 Sing, Helen C. (see Ledley, Robert S.)—531
 Sippach, W. and J. Sunderland. System approach to fast logic for counter experiments in high energy physics—161
 Sjölin, T. (see Johansson, C. H.)—1173
 Skews, B. W. and T. O'D. Duggan. Gas operated diaphragm clamp for a shock tube—1063(N)
 Skirrow, J. D. (see Buckmaster, H. A.)—930(N)
 Skofronick, J. G. and K. T. McArdle. Pumping requirements for a neutral particle nozzle beam source—1965(N)
 Skove, M. J. (see Stillwell, E. P.)—155
 Slevin, J. A. (see Hirsh, M. N.)—1547
 Sloop, D. J. and I. M. Brown. Two cavity device as a bimodal cavity—1215(N)
 Small, R. L. Measurements of gas pulses in the 1-Torr range—256(N)
 Smith, A. B. A ferromagnetic resonance method of measuring magnetostriction constants—378
 Smith, Dean (see Wood, L. E.)—778(N)
 Smith, Deane K. (see Intrater, Josef)—1491
 Smith, H. J. T. (see Leslie, J. D.)—1425
 Smith, James F. (see Dionne, Gerald F.)—1759(N)
 Smith, Tennyson and H. Schlein. Automatic recording of liquid surface tension—302
 Smith, W. W. (see Dworetsky, S.)—1721
 Snively, James W., Jr. (see Schaefer, David H.)—452
 Solomons, C. and R. E. Berg. Use of an impedance comparator as a fast-balancing alternating-current bridge—324
 Sowa, W. A. (see Detweiler, D. P.)—1727
 Spears, Larry G. and Norman Hackerman. Low temperature ir cell for studies using anhydrous HF as a solvent—688
 Springer, K. (see Poelz, G.)—1388(N)
 Sprott, J. C. Admittance probe method of measuring time resolved plasma electron temperatures—1569
 Spurk, J. H. and E. J. Gion. Fast acting diaphragm cutter—348
 Stacy, D. N. (see Kühn, H. G.)—86
 Staginnus, B., D. Fröhlich, and T. Caps. Automatic 2-photon spectrophotometer—1129
 Stamatovic, A. and G. J. Schulz. A trochoidal electron monochromator—1752(N)
 Stapleton, H. J. (see Bohan, Thomas L.)—1707
 Starble, Richard J. (see Vouros, Paul)—741
 Starkman, E. S. (see Zvonow, V. A.)—1820
 Stearn, A. E. (see D'Arcy, R. L.)—1875
 Stecura, Stephan. Evaluation of an imaging furnace as a heat source for x-ray diffractometry—760
 Stedman, R. Energy resolution and focusing in inelastic scattering experiments—878
 — and G. Nilsson. Three axis crystal spectrometer for neutrons—637
 Steffensen, George (see Remeikes, Anthony)—1223(N)
 Steffes, F. J. and J. R. Bowen. Determination of detonation wave velocities—1092
 Stein, B. F. (see Seitchik, J. A.)—469, 1062(N)
 Stein, R. L. (see Butera, R. A.)—1138
 Stein, Richard S. (see Ito, Taisuke)—1847
 Steiner, J. F., Jr. (see Schneider, R. H.)—1369(N)
 Steingraber, O. J. (see Berلمان, I. B.)—54
 Steinmetz, Lloyd L. Laser-triggered spark gap—904
 Stejskal, E. O. (see Brooks, A. A.)—917(N)
 Stephanakis, Stavros and Willard H. Bennett. Electrostatic energy analyzer for studying gas-focused electron beams and their background media—1714
 Stewart, H. E. (see Zvonow, V. A.)—1820
 Stillwell, E. P., M. J. Skove, and J. H. Davis. Two "whisker" straining devices suitable for low temperatures—155
 Stirling, A. J. and W. D. Westwood. Continuous plasma density measurements from spectral line profiles—1575(N)
 Stix, T. H. (see Lisitano, G.)—295
 Strader, E. (see Swift, H. F.)—728
 Streeter, J. K. (see Hunt, W. W., Jr.)—1793
 Stroke, H. H. (see Eichenbaum, B. R.)—401(N)
 Strong, Arthur A. (see Crider, Walter L.)—152

- Strong, Peter F. (see Simon, Ivan)—1666
 Stuart, A. (see Frindt, R. F.)—782(N)
 Studier, Martin H. (see Haumann, Joseph R.)—169
 Stuehr, John (see Hoffmann, Heiz)—649
 Styris, David L. and C. T. Tomizuka. Method for measuring the thickness of thin electrolytically removed sections—application to diffusion measurements in metals—1960(N)
 Sukle, D. J. and J. S. Wells. ERP sample orientation servo—604(N)
 Sundelin, R. M. Pulse limiter—251(N)
 Sunderland, J. (see Sippach, W.)—161
 Sutherland, J. C. (see Vehse, R. C.)—268(N)
 Swartzendruber, L. J., F. H. Ulmer, and J. A. Coleman. Direct-reading instrument for silicon and germanium four-probe resistivity measurements—1858
 Swift, H. F. and E. Strader. Flash x-ray actuated trigger switch—728

T

- Takekoshi, Hidekuni (see Fuketa, Toyojiro)—1573(N)
 Tan, Z. C. and P. C. Maxwell. Tunnel diode-transistor binary scaler—466
 Tanton, George A. (see Shatas, Romas A.)—1380(N)
 Taylor, A. R., C. A. Baechler, and M. A. Holcomb. Improved vacuum system for electron microscopes—780(N)
 Teagan, William P. Multifoil thermocouple gauge for measuring pressures up 1 atm—1897
 Temps, Alfred J., Jr. Pulsed plasma discharge simulator—918(N)
 Tepley, Norman (see Dooley, John W.)—19
 Terry, C. Self-supporting carbon resistance thermometers for use at low temperatures—925(N)
 Theard, Lowell P. Energy distribution of positive ions extracted from a hot-cathode gas discharge ion source—1639
 — Mass selector for ion beam experiments—1464
 Theodoridis, G. C. and F. R. Paolini. Charged particle transmission through cylindrical plate electrostatic analyzers—326
 Thomas, D. E. (see Hansen, J. W.)—872
 Thompson, M. C., Jr. (see Wood, L. E.)—778(N)
 — and M. J. Vetter. Dual-mode microwave cavities for dispersion measurement—1333
 Thomson, D. B. (see Garn, W. B.)—1312
 Tiernan, Thomas O. (see Futrell, Jean H.)—340
 Tinker, H. Burnham, John H. Craddock, and Frank E. Paulik. Automatic constant-pressure apparatus for measuring the absorption or evolution of gases—590
 Tittmann, B. R. and H. E. Bömmel. Simple scheme for hyper-sonic measurements over broad frequency range—614(N)
 Tobias, Charles W. (see Baucke, Friedrich G. K.)—1753(N)
 Tolk, N. (see Dworetzky, S.)—1721
 Tomizuka, C. T. (see Styris, David L.)—1960(N)
 Tompkins, D. R. (see Green, P. J.)—1288
 Toothacker, William S. (see Burgenis, C.)—1754(N)
 Torok, E. J. (see Maffitt, K. N.)—259(N)
 Tough, J. T. (see Wilson, M. F.)—134(N)
 Tracy, J. C. Temperature controller for LEED experiments—1300
 Traum, M. M. (see Zucker, M. J.)—1195
 Tsui, J. B. Y. (see Hendricks, C. D.)—1088
 Tsui, Y. T., P. D. Hinderaker, and F. J. McFadden. New ferroelectric hysteresis curve tracer featuring compensation and virtual sample grounding—1423
 Tuesdell, William M. (see Sinclair, James E.)—1378(N)
 Turiel, I. (see Matthews, S. M.)—970
 Turner, C. H. (see Wellenstein, H. F.)—410(N)
 Tutter, M. (see Simonen, T. C.)—1645

U

- Uchida, T. (see Inoue, N.)—1461
 Ulmer, F. H. (see Swartzendruber, L. J.)—1858
 Ulsh, Holmes B. (see Wilson, Alan D.)—346
 Unseld, H. (see Cierjacks, S.)—1278

V

- Vahldiek, F. W. Temperature determination of copper and iron in the electron microscope—1899
 Vaisnys, J. Rimas. Vapor deposited samples and leads for high pressure measurements—1187
 Vali, V. and R. C. Bostrom. One thousand meter laser interferometer—1304
 Van Beek, B. (see Leslie, J. D.)—1425
 van Herpen, Gerard (see Rikmenspoel, Robert)—1583(N)
 Van Itterbeek, A. (see Dirven, P.)—1595(N)
 van Lier, J. Automatic vacuum microbalance of the pivot type—1841
 Van Loon, L. S. (see Lewis, R. N.)—1386(N), 1522
 van Nieuwland, J. M., H. C. Hagedorn, N. Hafewindus, and P. Kramer—Magnetic analog of electric field configurations applied to the central region of an A.V.F. cyclotron—1054(N)
 Van Zuuk, Dean (see Kniseley, Richard N.)—1804
 Vandenbroucke, A. C., Jr., Roy W. King, and J. G. Verkade. Reliable heterodyne-beat dipole moment apparatus—558
 VanderVen, N. S. Simple electronic linear sweep circuit for current-regulated magnet power supplies—408(N)
 Varma, Ashok K. (see Hagena, Otto F.)—47
 Vaughan, J. M. (see Kuhn, H. G.)—86
 Vedder, W. (see Bahm, E. L.)—125(N)
 Veeraburus, Manoo (see Williams, R. K.)—1104
 Vehse, R. C., J. C. Sutherland, and E. T. Arakawa. Angle-doubler for reflectance measurements in evacuated systems—268(N)
 Venkatesan, P. (see Ezrol, H.)—229
 Verkade, J. G. (see Vandenbroucke, A. C., Jr.)—558
 Vermeulen, L. R. (see Ryan, J. T.)—1756(N)
 Vetter, M. J. (see Thompson, M. C., Jr.)—1332
 Vieth, D. L. and H. Yakowitz. Tensile loading device for Kossel microdiffraction and metallography—1929
 Visnapuu, A. and J. W. Jensen. Electrostatic distortion of ion beam by metal coating fluorocarbon valve seats—1963(N)
 Viswanathan, T. Lakshmi, T. R. Viswanathan, and K. V. Sane. NQR spectrometer using field effect transistors—472
 Viswanathan, T. R. (see Viswanathan, T. Lakshmi)—472
 Vodar, Boris (see Castex, Marie-Claude)—331
 Voisey, Peter W. and D. S. Gamble. Trap to remove moisture from gases—1371(N)
 Volino, F., F. Csakvary, and P. Servoz-Gavin. Resonant helices and their application to magnetic resonance—1660
 Votaw, Charles L. (see Coyle, Peter)—1381(N)
 Vouras, Paul, Joseph I. Masters, and Richard J. Starble. Fabrication of ultrathin films—741
 Vroman, L., S. Kanor, and A. L. Adams. Surface film pressure recording system—278(N)

W

- Wahlig, M. (see Mockett, P.)—566
 Waits, Robert K. and William L. Winslow. High vacuum motor—777(N)
 Walbridge, N. L. Off-crest optical method of measuring the amplitudes of surface ripples—672
 Walker, Gilbert H. and Boyd L. Williams. Improved method of removing plastic backing films from carbon electron microscope replicas—1968(N)
 Walker, J. C. (see Wiggins, J. W.)—995
 Walker, R. J., M. M. Block, I. R. Kenyon, D. Koetke, J. Keren, P. Malhotra, P. Mazur, and H. Winzler. The Northwestern University 50 cm liquid helium bubble chamber—1407
 Wall, J. (see Crewe, A. V.)—576
 Wallace, W. D. J. R. Houck, R. Bowers, B. W. Maxfield, and M. R. Gaertner. Transducerless method for ultrasonic flaw testing in metals—1863
 Walton, D. (see Hetzler, M. C.)—1656
 Warashina, T. (see Yoshida H.)—1967(N)
 Washburn, Jack (see Petroff, Pierre)—317

- Watson, Robert D. (see Schuster, Burton G.)—419(N)
 Wear, K. B. Condensable gases in a McLeod gauge—245
 Wehman, R. H. (see Barr, R. G.)—1556
 Wehring, B. W. (see Long, A. B.)—1566
 Weiss, V. W. (see Brooks, A. A.)—917(N)
 Wellenstein, H. F., C. H. Turner, and W. W. Robertson.
 Technique for producing extremely thin walls and small holes
 in glass tubing—410(N)
 Wells, Donald R. Measurement of one-dimensional Lagrangian
 motion of water waves—842
 Wells, J. S. (see Sukle, D. J.)—604(N)
 Welter, L. M. (see Crewe, A. V.)—576
 — (see Lewis, R. N.)—1522
 Wenzel, R. F. (see Halpin, J. J.)—1117
 Westlund, C. D. (see Haycock, O. C.)—1094
 Westwood, W. D. (see Stirling, A. J.)—1575(N)
 Weyler, F. W. (see Rutherford, W. M.)—94
 Weymouth, John W., James Costello, Sanford Schuster, and
 Paul Schulze. Continuous averaging of x-ray diffraction data
 using a multichannel analyzer—476
 Whetten, N. R. (see Dawson, P. H.)—1417
 Windmiller, L. R. and J. B. Ketterson. Techniques and in-
 strumentation for measuring the de Haas-van Alphen effect
 in metals—1672
 White, Richard W. and Richard Fowles. Effect of valve open-
 ing time on gas gun performance—1296
 White, W. (see Mueller, R. M.)—291
 Whitefield, M. Triaxial electrical lead-in with unsupported area
 seal for high pressure vessels—1053(N)
 Whittaker, A. Greenville and Paul Kintner. Width of carbon
 resonance lines and identification of bands in radiation from
 carbon resonance lamp—1211(N)
 Whittlestone, S. (see Fraser, H. J.)—240
 Widmer, A. E. Simple technique for detection of oxygen in
 laboratory furnaces—1968(N)
 Wieringa, W. J. (see Arnold, H.)—1069(N)
 Wiggins, J. W., J. R. Oleson, Y. K. Lee, and J. C. Walker.
 Use of a closed-cycle helium refrigerator for Mössbauer
 studies—995
 Wilk, M. (see Lutsch, A. G. K.)—1119
 Wilkerson, T. D. (see Ogilvie, K. W.)—441, 459
 Willens, R. H., E. Buehler, and E. A. Nesbitt. Inductance
 thermometer—194
 Williams, Boyd L. (see Walker, Gilbert H.)—1968(N)
 Williams, D. (see Chester, M.)—719
 Williams, E. W. and D. V. Parham. Light source control
 system for electroreflectance studies on semiconductors—369
 Williams, Joe E. (see Shatas, Romas A.)—1380(N)
 Williams, R. E. (see Green, P. J.)—1288
 Williams, R. K., Manoo Veeraburus, and W. O. Philbrook.
 Radial heat flow, thermal conductivity apparatus for measure-
 ments on sulfide and telluride melts—1104
 Winslow, William L. (see Waits, Robert K.)—777(N)
 Wilson, Alan D. and Holmes B. Ulsh. Theory of the parallel
 thermocouple—346
 Wilson, M. F., D. O. Edwards, and J. T. Tough. Construc-
 tion of Vycor glass superleaks—134(N)
 Winckler, J. R. (see Howard, R. L.)—1013
 Winston, R. (see Hinterberger, H.)—419(N), 1217(N)
 Winzler, H. (see Walker, R. J.)—1407
 Witholt, Bernard and Ludwig Brand. Versatile spectropho-
 tofluorometer-polarization fluorometer—1271
 Wittmann, Horst R. Temperature tunable laser diode spectro-
 graph—1382(N)
 Wold, Aaron (see Morris, Bernard L.)—1937
 Wolfenden, A. Autographically recording sensitive gas flow-
 meter—1184
 Wolken, J. J., R. Forsberg, G. Gallik, and R. Florida. Rapid
 recording microspectrophotometer—1734
 Wood, L. E., Dean Smith, and M. C. Thompson, Jr. Ex-
 tended range zero-crossing phase meter—778(N)
 Woolley, R. H. (see Haycock, O. C.)—1094
 Wright, J. J. (see Lambert, R. H.)—622(L)
 Wright, W. H. Calibration of a satellite-borne soft particle
 spectrometer—1909
 Wyman, M. E. (see Long, A. B.)—1566
- Y**
- Yabe, Masaya and J. M. Roberts. Rapid and convenient sys-
 tem for the measurement of ultrasonic attenuation by the
 pulse method—131(N)
 Yakowitz, H. (see Vieth, D. L.)—1929
 Yamada, Noboru (see Kobayashi, Jinzo)—1647
 Yamaguchi, S. Technique for magnetic analysis by electron
 diffraction—1224(N)
 Yeager, Ernest (see Hoffmann, Heinz)—649, 1151
 Yen, Teh Fu (see Sill, Gustave A.)—404(N)
 Yguerabide, Juan. Fast and accurate method for measuring
 photon flux in the range 2500–6000 Å—1048
 Yoshida, H., T. Warashina, Y. Maeda, and T. Higashimura.
 Simple Dewar system for ESR measurement at 4.2 K—
 1967(N)
 Young, Kenneth F. and Richard A. Forman. Use of poly-
 styrene beads for manufacture of low-loss coaxial lines for
 low-temperature research—1964(N)
 Young, Niels (see Reno, Robert)—1627
 Young, Russell D. and C. E. Kuyatt. Resolution determination
 in field emission energy analyzers—1477
- Z**
- Zakrzewski, Z., C. Beaudry, and G. G. Cloutier. Direct dis-
 play of electron temperature in magnetized and time varying
 plasmas—1507
 Zoller, Paul, P. R. Decker, and J. R. Dillinger. Specific heat
 of some polymers used in cryostat construction (1.7 to 4 K)—
 1621
 Zrudsky, Donald R. and William R. Savage. Improvement of
 instrumentation leakage currents in a low temperature cryo-
 stat—1210(N)
 Zucker, M. J. and M. M. Traum. Lead attachment to silicon
 —1195
 Zumwalt, G. W. (see Damkevala, R. J.)—1253
 Zvonow, V. A., H. E. Stewart, and E. S. Starkman. Hy-
 draulically actuated combustion gas sampling valve—1820
 Zych, D. A. Measurement of small dc voltages using phase sen-
 sitive detection techniques—1058(N)

Analytical Subject Index to Volume 39

List of Subject Classifications

- Absorption
- *Accelerators: Miscellaneous
- Accelerometers
- *Acoustics
- Adhesives
- Adsorption
- Aerodynamics (see also Gas Dynamics)
- Aerosols
- Anemometers
- Astronomy
- Atomic Beams (see also Molecular Beams)
- Autocollimators
- Autoradiography
- Balances
- *Ballistics
- *Beam Injectors
- Beam Monitors
- Beam Separators
- Bearings
- Biophysical Instruments
- *Bolometers
- *Book Reviews
- Bridges
- Bubble and Cloud Chambers
- *Bubbles
- Calorimeters
- Cameras
- Capillary Forces
- *Centrifuges
- Ceramics
- Cerenkov Counters
- Chemistry
- Circuits: Amplifiers
- *Circuits: Coincidence and Anticoincidence
- Circuits: Computing
- Circuits: Current and Voltage Supply
- Circuits: Measurement and Control
- Circuits: Miscellaneous
- Circuits: Oscillator and Pulse Generator
- Circuits: Pulse Height Analyzer
- *Cloud Chambers
- Combustion
- Computer Programs
- Computing Devices and Techniques
- Contact Potential
- Cosmic Rays
- Counters
- Cryogenics (see also Low Temperature Techniques)
- Cryostats
- *Crystallography
- Crystals
- Current Stabilizers
- Cyclotron Resonance
- Data Handling
- Data Processing
- Data Recording
- Density
- Dielectrics
- Diffraction Gratings
- Diffusion
- Diffusivity
- Dilatometry
- Drops
- Electric Fields
- Electrical Measurements
- Electrochemistry
- Electrolytes
- *Electrometers and Electrometer Circuits
- Electron and Ion Optics
- Electron Diffraction
- Electron Energy Analyzers
- Electron Microprobes
- Electron Microscopy (see also Field Emission Microscopy and Field Ion Microscopy)
- Electron Multipliers
- Electron Paramagnetic Resonance
- Electron Sources
- Electron Spin Resonance
- Electron Temperature
- *Electron Tubes
- *Electroplating
- *Emulsions
- *Energy Losses
- *Energy Storage
- *Energy Transfer
- Errata
- *Ettingshausen Cooling
- Evaporation (see also Films)
- *Evaporators
- *Excited States
- Exploding Wires
- Explosives
- Faraday Effect
- *Fatigue
- *Ferrites
- Ferroelectric Measurements
- Fibers
- Field Emission
- *Field Emission Microscopy (see also Electron Microscopy)
- Field Ion Microscopy (see also Electron Microscopy)
- Films
- Fission
- *Flames
- Flash Techniques
- Flow Studies
- Fluid Dynamics
- *Fluid Mechanics
- Fluids
- Fluorescence and Phosphorescence
- Foils
- *Freezing
- Frequency Measurements
- Friction (see also Internal Friction)
- *Fuels
- Furnaces
- *Gas Analysis Techniques
- Gas Discharges
- Gas Dynamics (see also Aerodynamics)
- Gas Handling and Measurements
- Geiger Counters
- Geology
- Geophysical Instruments
- *Geophysics
- Gravity
- *Gyroscopes
- Hall Effect
- Heat Capacity
- Heat Transfer
- High Altitude Research
- High Current Techniques
- *High Energy Techniques
- High Frequency Techniques
- High Pressure Techniques (see also Pressure Techniques and Measurements)
- High Speed Techniques
- High Temperature Techniques
- *High Vacuum Techniques
- *High Voltage Techniques
- Holography
- Humidity
- Hydrodynamics
- Hygrometry
- *Hypervelocity Techniques
- Image Intensifiers
- *Impulse Loading
- Industrial Hygiene
- Infrared Techniques
- Insulators
- Interferometry
- Interferometry: Optical
- *Internal Friction
- *Ion Optics (see Electron and Ion Optics)
- Ion Sources
- Ionization Chambers
- Ionization Processes
- Ionosphere Measurements
- Isotope Separators
- Laboratory Techniques
- Lasers (see also Masers)
- *Length
- Light Intensity
- Light Pipes
- Light Scattering
- Light Sources
- Liquefied Gases
- Liquid Levels
- Liquids
- *Low Pressure Techniques
- Low Temperature Techniques
- Lubrication
- Luminescence
- *Machines
- *Magnetic Amplifiers
- Magnetic Fields
- *Magnetic Lenses
- Magnetic Measurements
- Magnetic Properties of Materials
- Magnetic Resonance
- Magnetic Suspensions
- Magnetism
- Magnetohydrodynamics
- Magnetometers
- Magneto-Optic Effects
- Magnetostriction
- Magnets (see also Superconducting Magnets)
- *Masers (see also Lasers)
- Mass Spectrometry

*No entries under these headings in 1968.

- Mechanics
- Memories
- Metallurgy
- Metals
- *Metastable Ions
- Meteorology
- Metrology
- Microscopy
- *Microtomes
- Microwave Spectroscopy (see also Electron Spin Resonance)
- Microwave Techniques
- *Millimicrosecond Techniques (see Nanosecond Techniques)
- *Mineralogy
- Molecular Beams (see also Atomic Beams)
- Molten Salts
- Mössbauer Experiments
- Nanosecond Techniques
- Neutron Detectors
- Neutron Diffraction
- Neutron Measurements
- *Neutron Sources
- New Instruments
- New Materials and Components
- Noise
- Nuclear Acoustic Resonance
- *Nuclear Emulsions
- *Nuclear Machines: Accessories
- *Nuclear Machines: Betatrons
- Nuclear Machines: Cyclotrons
- Nuclear Machines: Electrostatic Accelerators
- *Nuclear Machines: FFAG Accelerators
- Nuclear Machines: Linear Accelerators
- *Nuclear Machines: Miscellaneous
- Nuclear Machines: Orbit Calculations
- Nuclear Machines: Synchrotrons
- Nuclear Resonance
- *Nuclear Spectroscopy
- Nuclear Techniques
- Oceanography
- Optical Devices
- Optical Instruments
- Optical Properties of Materials
- *Optical Pumping
- *Optical Systems
- Optical Techniques
- *Oscillographs and Oscilloscopes
- *Particle Accelerators (see also Nuclear Machines and Accelerators: Miscellaneous)
- Particle Beams
- *Particle Collectors
- *Particle Counters
- Particle Detectors
- Particle Production
- Particle Size
- *Phosphorescence (see Fluorescence and Phosphorescence)
- *Phosphors
- *Photocathodes
- *Photocells
- Photoconductivity
- *Photodiodes
- Photoelectricity
- *Photoemission
- *Photogrammetry
- Photography
- Photometers
- Photomultipliers
- Photon Detectors
- *Phototubes
- Piezoelectricity
- Piezoresistance
- *Planetary Science
- Plasma Research
- Plasmas
- *Plastics
- Polarimeters
- *Polarography
- Polymers
- *Precipitators
- Pressure Techniques and Measurements (see also High Pressure Techniques)
- Projectiles
- Properties of Materials
- Proportional Counters
- *Pulse Shaping
- *Pumps
- Purification of Materials
- Radiation Damage
- Radiation Detectors
- Radiation Measurements
- Radiation Monitors
- *Radio Engineering Techniques
- Radioactive Techniques
- Radiofrequency Techniques
- *Raman Scattering
- Recorders
- Safety
- Sample Preparation
- Sampling Devices
- Scintillation Counters
- *Scintillation Measurements
- Scintillators
- Secondary Emission
- *Seismographs
- Semiconductors
- Servos
- Shock Tubes
- Shock Waves
- *Solid Angles
- *Solid State
- Solid State Detectors (see also Particle Detectors)
- Solid State Research
- Solutions
- Space Research
- Spark Chambers
- Sparks
- Specific Heat
- Spectrophotometry
- Spectroscopy
- *Spectroscopy: Beta Ray
- *Spectroscopy: Crystal
- *Spectroscopy: Electron Absorption
- *Spectroscopy: Electron Paramagnetic
- Spectroscopy: Gamma Ray
- Spectroscopy: Infrared
- *Spectroscopy: Magnetic
- *Spectroscopy: Mass (see Mass Spectrometry)
- *Spectroscopy: Microwave (see Microwave Spectroscopy)
- Spectroscopy: Neutrons
- *Spectroscopy: Nuclear (see Nuclear Spectroscopy)
- Spectroscopy: Optical
- *Spectroscopy: Raman
- *Spectroscopy: Scintillation
- Spectroscopy: Ultraviolet
- Sputtering
- Statistics
- Strain
- Stress Analysis
- Superconducting Magnets
- Superconductivity
- Surface Phenomena
- Surface Tension
- Surfaces
- Telemetry
- Temperature Jump
- Temperature Measurements and Control
- Textiles
- Theory
- *Thermal Analysis
- Thermal Conductivity
- Thermal Diffusion
- Thermal Expansion
- Thermistors
- Thermodynamics
- Thermoelectricity
- Thermoluminescence
- Thermometry
- *Thermostats
- Thickness Gauges
- Time Measurements
- Torque
- Transducers
- Transistors
- *Trieboelectricity
- Ultrasonics
- Ultraviolet Techniques
- Vacuum Gauges
- *Vacuum Pumps
- Vacuum Techniques
- Vapor Pressure
- Velocity Selectors
- Vibrations
- Viscosity
- *Volume
- Waveforms
- *Weighing
- Whiskers
- *Xerography
- X-Ray Diffraction
- X-Ray Techniques
- *X-Ray Tubes

*No entries under these headings in 1968.

In cases of more than one article per subject category the articles are entered in order of appearance in the Journal. (N) refers to Notes, (E) refers to Errata, and (L) refers to Letters to the Editor.

Absorption

Automatic constant-pressure apparatus for measuring the absorption or evolution of gases, H. Burnham Tinker, John H. Craddock, and Frank E. Paulik—590

- Apparatus for the automatic recording of oxygen absorption at constant pressure, Luigi Reginato and Albert Mason—1590(N)
- High-pressure apparatus for absorption and luminescence studies of solids, Henry W. Offen—1961(N)
- Accelerometers**
- Falling sphere for measuring atmospheric density, O. C. Haycock, C. D. Westlund, E. F. Pound, and R. H. Woolley—1094
- Technique for producing low-level quasistatic accelerations, Robert S. Jenkins—1212(N)
- Adhesives**
- Capacitance methods for measuring properties of adhesives in bonded joints, John L. Rutherford, Fred C. Bossler, and Edward J. Hughes—666
- Adsorption**
- Preparation of nearly pure orthohydrogen and paradeuterium, D. A. Depatie and R. L. Mills—105
- Automatic gas adsorption apparatus, Michael R. St. John, George Constabaris, and Julian F. Johnson—1582(N)
- Aerodynamics (see also Gas Dynamics)**
- Measurement of Reynolds stress by a single rotated hot-wire anemometer, Hajime Fujita and Leslie S. G. Kovasznay—1351
- Aerosols**
- Dry-powder aerosol dispersing device with long-time output stability, Walter L. Crider, Naomi P. Barkley, and Arthur A. Strong—152
- Spectrothermal emission aerosol particle analyzer (SEAPA), Walter L. Crider—212
- Precision dynamic method for producing known concentrations of gas and solvent vapor in air, G. O. Nelson and K. S. Griggs—927(N)
- Production of uniform droplets by means of an ion-drag pump, C. D. Hendricks and J. B. Y. Tsui—1088
- Uniform charged solid particle production, T. Erin and C. D. Hendricks—1268
- Anemometers**
- Hot-film sensor for the study of wall turbulence phenomena, Robert A. Armistead, Jr. and John J. Keyes, Jr.—61
- Noise in hot-wire anemometers, Peter Freymuth—550
- Measurement of Reynolds stress by a single rotated hot-wire anemometer, Hajime Fujita and Leslie S. G. Kovasznay—1351
- Astronomy**
- Simply-aligned heliostat, B. R. Eichenbaum, H. H. Stroke, J. T. Bradley, and R. M. Schotland—401(N)
- Atomic Beams (see also Molecular Beams)**
- Time-of-flight velocity analysis of atomic and molecular beams, Otto F. Hagen and Ashok K. Varma—47
- Source of polarized lithium and cesium ions, R. E. Miers and L. W. Anderson—336
- A single-ended "Q-machine" with pulsed emitter, P. Korn, T. C. Marshall, and S. P. Schlesinger—1085
- Atomic beam source for the energy range of 0.2–45 eV, J. Politiek, P. K. Rol, J. Los, and P. G. Ikelaar—1147
- Microwave discharge source for atomic and molecular beam production, Gilbert O. Brink, Robert A. Fluegge, and Robert J. Hull—1171
- Pyroelectric ceramics as detectors of fast atomic beams, Klaus H. Berkner, Booth R. Myers, and Robert V. Pyle—1204
- Fast alkali neutral source, Reinhard K. B. Helbing and Erhard W. Rothe—1948(N)
- Pumping requirements for a neutral particle nozzle beam source, J. G. Skofronick and K. T. McArdle—1965(N)
- Autocollimators**
- Interferometer for determining autocollimator errors, M. J. Saunders—1744
- Autoradiography**
- Scintillomicroscope for radioactive tracer detection, George T. Reynolds—298
- Resolution of graphite structure during microautoradiography, L. R. Bunnell—1763(N)
- Balances**
- Medium-sensitivity microbalances for measuring forces exerted by molecular beams, D. G. H. Marsden—39
- Direct gravimetric calibration of a quartz crystal microbalance, R. M. Mueller and W. White—291
- High pressure thermobalance, H. L. Feldkirchner and J. L. Johnson—1227(N)
- New way of using the Cahn electrobalance in measuring magnetic susceptibilities, Richard M. Griest and Werner Ostertag—1758(N)
- Automatic vacuum microbalance of the pivot type, J. van Lier—1841
- Faraday balance for measuring magnetic susceptibility, Bernard L. Morris and Aaron Wold—1937
- Beam Monitors**
- Rapid method of tracing charged particle beams, H. Arnold, R. Hockstra, and W. J. Wieringa—1069(N)
- Beam current regulator, E. M. Sheen, W. A. Glass, and C. A. Ratcliffe—1262
- Simple device for measuring beam current in a scanning electron microscope, B. H. Hill—1369(N)
- Position detector for charged particle beam, Toyojiro Fuketa and Hidekuni Takekoshi—1573(N)
- Beam Separators**
- Generation of phase plane ellipses by analog techniques, F. P. Blackstein—768(N)
- Mass selector for ion beam experiments, Lowell P. Theard—1464
- Bearings**
- Air bearing for viscometers, W. Debler and B. Bourland—406(N)
- Capillary bearings, Robert Reno and Niels Young—1627
- Biophysical Instruments**
- Photon coupled stimulus isolation unit, E. Duffin, D. B. Geselowitz, and S. A. Briller—53
- New design for an automated bacterial colony counter, Neil B. Ingels, Jr., George T. Daughters II, and Agostino Burzio—115
- Capacitive detection of very small aquatic animals, P. J. Kindlmann, P. B. Applewhite, and H. J. Morowitz—121(N)
- Pneumatically operated microelectrode puller for use in electrophysiology, Max J. Lab and W. C. Maddison—158
- Dry-powder aerosol dispersing device with long-time output stability, Walter L. Crider, Naomi P. Barkley, and Arthur A. Strong—152
- Surface film pressure recording system, L. Vroman, S. Kanor, and A. L. Adams—278(N)
- Scintillomicroscope for radioactive tracer detection, George T. Reynolds—298
- Double-beam vibrating mirror flying spot scanning-integrating microspectrophotometer, James L. Engle and Jerome J. Freed—307
- Differential microcalorimeter for biochemical reaction studies, Robert L. Berger, Yu-Bing Fok Chick, and Norman Davids—362

- Derivative spectroscopy with recording spectrometers, Melvin P. Klein and Edward A. Dratz—397(N)
- Four-electrode null techniques for impedance measurement with high resolution, Herman P. Schwan and Clifford D. Ferris—481
- High speed optical stopped-flow apparatus, R. L. Berger, B. Balko, W. Borchardt, and W. Friauf—486
- High resolution mixer for the study of the kinetics of rapid reactions in solution, R. L. Berger, Bohdan Balko, and Howard F. Chapman—493
- Whole-body NMR spectrometer, Jasper A. Jackson and Wright H. Langham—510
- Instrument for microradiography of small specimens, Robert S. Ledley and Helen C. Sing—531
- pH glass microelectrode for *in vivo* applications, Raja N. Khuri—730
- Precision dynamic method for producing known concentrations of gas and solvent vapor in air, G. O. Nelson and K. S. Griggs—927(N)
- Air ion apparatus, C. H. Bachman, M. E. Crandell, and F. X. Hart—1168
- Versatile spectrophotofluorometer-polarization fluorometer, Bernard Witholt and Ludwig Brand—1270
- Dual-frequency ultrasonic fluid flowmeter, Frank W. Noble—1326
- Use of a linear staircase generator in displaying synchronized pulse activity, Peter Coyle and Charles L. Votaw—1381(N)
- Four-sequential-output generator for research in electroanesthesia, Sid Deutsch—1443
- Specimen holder for irradiation of biological suspensions with fast protons, Robert Rikmenspoel and Gerard van Herpen—1583(N)
- Transmission electron microscopy with an ARL microprobe, A. P. Murphy and C. A. Metzger—1705
- Timed signal grounding switch for observation of low level signals following large transients, George H. Czerlinski—1730
- Rapid recording microspectrophotometer, J. J. Wolken, R. Forsberg, G. Gallik, and R. Florida—1734
- New oscilloscope recording camera, Alexis L. Burton and Robert V. Andrews—1838
- Bridges**
- 50 microdegree temperature controller—N. T. Larsen—1
- Use of an impedance comparator as a fast-balancing alternating-current bridge, C. Solomons and R. E. Berg—324
- Fast sensitive Smith chart plotter or microwave reflectometer, Robert L. Kyhl—373
- Bubble and Cloud Chambers**
- Angular reflectivity of Scotchlite in liquid hydrogen, H. Barney and S. J. St. Lorant—782(N)
- The Northwestern University 50 cm liquid helium bubble chamber, R. J. Walker, M. M. Block, I. R. Kenyon, D. Koetke, J. Keren, P. Malhotra, P. Mazur, and H. Wenzler—1407
- POLLY I: Operator-assisted bubble chamber film measuring system, R. G. Barr, R. K. Clark, D. Hodges, J. G. Loken, W. E. Manner, B. Musgrave, P. R. Pennock, R. J. Royston, and R. H. Wehman—1556
- Calorimeters**
- Precision temperature-controlled water bath, M. E. Harvey—13
- Differential microcalorimeter for biochemical reaction studies, Robert L. Berger, Yu-Bing Fok Chick, and Norman Davids—362
- Ten watt coaxial calorimeter for rf power measurement, Richard F. Clark and Algirdas Jurkus—660
- Differential isothermal microcalorimeter: Heats of mixing of aqueous NaCl and KCl solutions, Patrick Picker, Carmel Jolicoeur, and Jacques E. Desnoyers—676
- An isothermal titration calorimeter, James J. Christensen, H. Dee Johnston, and Reed M. Izatt—1356
- Electrical calibrator for calorimetric systems, G. D. Foss and D. A. Pitt—1375(N)
- Convenient, low mass, gasket seal for calorimeters, Howard E. Flotow and Edmund E. Kloczek—1578(N)
- Cameras**
- New oscilloscope recording camera, Alexis L. Burton and Robert V. Andrews—1838
- Capillary Forces**
- Capillary bearings, Robert Reno and Niels Young—1627
- Ceramics**
- Pyroelectric ceramics as detectors of fast atomic beams, Klaus H. Berkner, Booth R. Myers, and Robert V. Pyle—1204
- Cerenkov Counters**
- Use of a solid light funnel to increase phototube aperture without restricting angular acceptance, H. Hinterberger and R. Winston—1217(N)
- Chemistry**
- Study of fragmentation patterns by beam modulation mass spectrometry, Myron H. Boyer, Edmond Murad, Y. Harry Inami, and Donald L. Hildenbrand—26
- Preparation of nearly pure orthohydrogen and para-deuterium, D. A. Depatie and R. L. Mills—105
- Argon resonance line lamp for vacuum ultraviolet photochemistry, Arthur L. Lane and Aron Kuppermann—126(N)
- Jacketed blender-reactor, R. J. McCarter—264(N)
- Differential microcalorimeter for biochemical reaction studies, Robert L. Berger, Yu-Bing Fok Chick, and Norman Davids—362
- High speed optical stopped-flow apparatus, R. L. Berger, B. Balko, W. Borchardt, and W. Friauf—486
- High resolution mixer for the study of the kinetics of rapid reactions in solution, R. L. Berger, Bohdan Balko, and Howard F. Chapman—493
- Measurement and computation of thermojunction response times in the submillisecond range, Bohdan Balko and Robert L. Berger—498
- Reliable heterodyne-beat dipole moment apparatus, A. C. Vandenbroucke, Jr., Roy W. King, and J. G. Verkade—558
- Automatic constant-pressure apparatus for measuring the absorption or evolution of gases, H. Burnham Tinker, John H. Craddock, and Frank E. Paulik—590
- Recording flow meter, T. S. McMillan—596(N)
- Differential isothermal microcalorimeter: Heats of mixing of aqueous NaCl and KCl solutions, Patrick Picker, Carmel Jolicoeur, and Jacques E. Desnoyers—676
- pH glass microelectrode for *in vivo* applications, Raja N. Khuri—730
- Pressure shock technique for the study of chemical relaxation, Heinz Hoffman and Ernest Yeager—1151
- Detector for the metastable ions observed in the mass spectra of organic compounds, N. R. Daly, A. McCormick, and R. E. Powell—1163
- An isothermal titration calorimeter, James J. Christensen, H. Dee Johnston, and Reed M. Izatt—1356
- Mass selector for ion beam experiments, Lowell P. Theard—1464
- Simple method of preparing pure ozone, M. Griggs and S. Kaye—1685
- Reaction vessel for flash photolysis and time resolved mass spectrometry, J. M. Freese and R. T. Meyer—1764(N)
- Ion cyclotron resonance detection using electron energy modulation, Jay M. S. Henis and William Frasure—1772(N)
- Zone refining techniques for liquid organics, J. N. Carides—1813

Automatic vacuum microbalance of the pivot type, J. van Lier—1841

Determination of a constituent in volatile liquids, Theodore Katan—1951(N)

Circuits: Amplifiers

Operation of a germanium FET at low temperatures, E. C. Kelm—775(N)

Accurate 9-decade temperature compensated logarithmic amplifier, William P. McDowell, John M. Paul, and James P. Bobis—1068(N)

Low noise uhf preamplifier for ultrasonic work, Robert W. Reed and F. G. Brickwedde—1216(N)

Helium cooled radio frequency preamplifier for use in NMR, D. S. Miyoshi and R. M. Cotts—1881

Circuits: Computing

XY plotting of cross sections using a log multiplier circuit, Julius Perel—394(N)

Electronic analog for performing Abel inversion, Roman Krawec—402(N)

Circuits: Current and Voltage Supply

Constant-current power supply for hydrogen or deuterium lamp, J. H. Simpson—276(N)

Simple power supply system for stable xenon arc lamp operation, M. Green, R. H. Breeze, and Bacon Ke—411(N)

SCR preregulator for magnet power supply, Thomas W. Pearce—423(N)

Precision high speed current regulators for occasionally switched inductive loads, Alfred G. Redfield, Warner Fite II, and Herman E. Bleich—710

Flexible high voltage supply for experimental electron microscope, R. N. Lewis, E. A. Jung, L. M. Welter, L. S. Van Loon, and G. L. Chapman—1522

Circuits: Measurement and Control

Voltage controlled attenuator, Peter J. Kindlmann—81

Light source control system for electroreflectance studies on semiconductors, E. W. Williams and D. V. Parham—369

An rf gate with 140 dB carrier suppression, L. J. Burnett and J. F. Harmon—1226(N)

Circuit for liquid level measurements using carbon resistors, S. Kaye and R. T. Murray—1956(N)

Circuits: Miscellaneous

Blanking circuit for a magnetic electron multiplier in a time-of-flight mass spectrometer, Joseph R. Haumann and Martin H. Studier—169

Wide-range pulse-shape discrimination system, C. E. Hollandsworth and W. P. Bucher—165

Thermistors as circuit elements in low-frequency circuits, Kamil Kraus—216

Pulse limiter, R. M. Sundelin—251(N)

NMR frequency sweep using a voltage controlled oscillator, D. Gillies and K. Schaumburg—262(N)

Tunnel diode-transistor binary scaler, Z. C. Tan and P. C. Maxwell—466

Digital phase sensitive detector, E. D. Morris, Jr. and Harold S. Johnston—620(N)

Digital control of a frequency synthesizer, P. E. Jackson, H. A. Owens, Jr., and W. E. Hammond—769(N)

Reduction of cosmic background in an x-ray proportional counter through risetime discrimination, Paul Gorenstein and Stanley Mickiewicz—816

High speed correlator, P. J. Kindlmann and E. B. Hooper, Jr.—864

Pulsed plasma discharge simulator, Alfred J. Temps, Jr.—918(N)

Time interval multiplier for shock tube studies, Russell E. Duff, James R. Long, and James R. Porter—976

Economical single scale ionization gauge pressure readout system, John A. Robertson and Charles D. Hendricks—1190

ac-dc regulator-modulator, James Potzick—1219(N)

Improved sweep modulator for high dc voltages, Anthony Remeikes, Robert A. Beaudet, Robert L. Poynter, and George Steffensen—1223(N)

Pulse timing system for use with gamma rays on Ge(Li) detectors, Robert L. Chase—1317

Current sweep circuit with sweep speed feedback, J. D. Leslie, H. J. T. Smith, and B. Van Beek—1425

New type of position-sensitive detectors of ionizing radiation, using risetime measurement, C. J. Borkowski and M. K. Kopp—1515

Timing circuit for rotating prism, Q-switching lasers, Yosef Alon—1530

Generation of a sinusoidal waveform from a sawtooth waveform, Myron J. Evanich and Lloyd D. Partridge—1573(N)

Timed signal grounding switch for observation of low level signals following large transients, George H. Czerlinski—1730

Simple emission current regulator, J. A. Burt—1759(N)

Improved electron beam scanning system for electron microprobe x-ray analyzers, Richard N. Kniseley, Francis C. Laabs, and Dean Van Zuuk—1804

Circuits: Oscillator and Pulse Generator

Nanosecond risetime, high power, variable delay double pulser with application to electron-hole plasmas, William P. Robbins, Robert M. Lantz, and Betsy Ancker-Johnson—69

Variable limit sweep generator, Thomas W. Pearce—395(N)

Simple electronic linear sweep circuit for current-regulated magnet power supplies, N. S. VanderVen—408(N)

Linear electronic chopper and shaper for sliding pulse generators, J. K. Millard—681

Operation of a germanium FET at low temperatures, E. C. Kelm—775(N)

Radio frequency pulse generators to produce a 1.8 kG rotating field in a plasma, A. Lietti—900

Bidirectional square wave generator for frequency modulated magnetic resonance spectrometers, G. M. Muha—916(N)

Ramp-controller pulse generator for use in repetitive data collection, P. Petrovich—1230(N)

Inexpensive ignition discharge circuit, G. H. W. Behrendt and N. Gothard—1376(N)

Four-sequential-output generator for research in electroanesthesia, Sid Deutsch—1443

Transient voltage decoupling elements, J. E. Gruber—1740

Circuits: Pulse Height Analyzer

Wide-range pulse-shape discrimination system, C. E. Hollandsworth and W. P. Bucher—165

Pulse-height analyzer for charged particle spectroscopy on the lunar surface, T. M. Harrington and J. H. Marshall—184

Automatic multiparameter data collection, P. J. Green, R. E. Williams, and D. R. Tompkins—1288

Systems for identifying channels of a pulse analyzer memory data display, Robert A. Hoffswell—1377(N)

Combustion

Apparatus for the production and ignition of metal droplets with a pulsed laser, L. S. Nelson, N. L. Richardson, and J. L. Prentice—744

Hydraulically actuated combustion gas sampling valve, V. A. Zvonow, H. E. Stewart, and E. S. Starkman—1820

Computer Programs

Procedure for determining the parameters from a fission fragment energy spectrum, A. B. Long, B. W. Wehring, and M. E. Wyman—1566

Computing Devices and Techniques

- Fitting experimental data using the method of least squares, S. Margulies—478
- Generation of phase plane ellipses by analog techniques, F. P. Blackstein—768(N)
- High speed correlator, P. J. Kindlmann and E. B. Hooper, Jr.—864
- Measurement and control of magnetic field homogeneity, Richard R. Ernst—998
- Accurate 9-decade temperature compensated logarithmic amplifier, William P. McDowell, John M. Paul, and James P. Bobis—1068(N)
- Compression of data for computer-tape storage, M. M. Satterfield—1956(N)

Contact Potential

- New feedback Kelvin probe, Y. Petit-Clerc and J. D. Carette—933(N)

Cosmic Rays

- Low energy cosmic x-ray proportional counter system, C. M. Cornell, R. J. Grader, J. G. Harri, R. W. Hill, R. P. Rumble, and D. S. Salmi—951
- Automatic multiparameter data collection, P. J. Green, R. E. Williams, and D. R. Tompkins—1288
- Uniformity of response from large-area plastic scintillation detectors, C. R. Gillespie—1724

Counters

- New design for an automated bacterial colony counter, Neil B. Ingels, Jr., George T. Daughters II, and Agostino Burzio—115
- Capacitive detection of very small aquatic animals, P. J. Kindlmann, P. B. Applewhite, and H. J. Morowitz—121(N)
- Tunnel diode-transistor binary scaler, Z. C. Tan and P. C. Maxwell—466
- Silver counter for bursts of neutrons, R. J. Lanter and D. E. Bannerman—1588(N)
- Inexpensive photon counting system for Raman spectroscopy, S. A. Miller—1923

Cryogenics (see also Low Temperature Techniques)

- Container for CMN crystals used in low temperature adiabatic demagnetization experiments, B. D. Martin and C. V. Heer—931(N)
- Use of a closed-cycle helium refrigerator for Mössbauer studies, J. W. Wiggins, J. R. Oleson, Y. K. Lee, and J. C. Walker—995
- Direct access ³He cryostat, T. Halpern and H. Fritzsche—1335
- Mechanically refrigerated liquid hydrogen target, J. M. Brooks and M. A. Otavka—1348
- Combined ³He cryostat and pulsed ESR spectrometer, Thomas L. Bohan and H. J. Stapleton—1707

Cryostats

- Cryostat for radiation damage experiments, P. B. Peters and P. E. Shearin—77
- New liquid ⁴He experimental cryostat, H. H. McAdams—130(N)
- Cryostat for the measurement of thermal conductivity and specific heat between 0.05 and 2°K, J. P. Harrison—145
- Cryostat for thermal measurements between 2–300°K, J. Bigeleisen, F. P. Brooks, T. Ishida, and S. V. Ribnikar—353
- Variable temperature Dewar for cathodoluminescence studies, W. P. Knox and J. D. Cuthbert—1181
- Direct access ³He cryostat, T. Halpern and H. Fritzsche—1335
- Liquid helium cryostat for resistance thermometer calibration, C. R. Duda—1484

Specific heat of some polymers used in cryostat construction (1.7 to 4 K), Paul Zoller, P. R. Decker, and J. R. Dillinger—1621

Combined ³He cryostat and pulsed ESR spectrometer, Thomas L. Bohan and H. J. Stapleton—1707

Simple Dewar system for ESR measurement at 4.2 K, H. Yoshida, T. Warashina, Y. Maeda, and T. Higashimura—1967(N)

Crystals

- Lapping machine attachment for preparing oriented crystals, Donald E. Johnson—238
- Rapid method of preparing single stage carbon replica for electron microscopy of some mineral crystals, A. R. Patel and S. M. Patel—409(N)
- EPR sample orientation servo, D. J. Sukle and J. S. Wells—604(N)
- Crystal orientation aid for a goniostat, C. P. Gazzara and T. P. Sheridan—606(N)
- rf furnace for maintaining temperature differences between parallel susceptors, L. A. Murray, P. A. Hoss, and J. J. Rivera—609(N)
- Spark erosion of diamond, C. M. Levitt—752
- Container for CMN crystals used in low temperature adiabatic demagnetization experiments, B. D. Martin and C. V. Heer—931(N)
- Multipurpose high resolution stage for the electron microscope, J. C. Mills and A. F. Moodie—962
- Light intensity viewing port, Joseph A. Adamski—1208(N)
- Method of orienting single crystals for ESR measurements, Frank L. Palaia, Oswald Haase, and Paul L. Marinkas—1331
- Stress cell for low-temperature piezospectroscopy, Romas A. Shatas, George A. Tanton, and Joe R. Williams—1380(N)
- Versatile double crystal x-ray goniometer, W. L. Bond—1434
- Apparatus for inducing high uniaxial compressive stresses in crystals, J. F. Schetzina, J. P. McKelvey, and M. W. Cresswell—1448
- Simple optical goniometer to aid Laue x-ray orientation of single crystals, Richard J. Higgins—1576(N)
- An x-ray method for accurate determination of lattice strains of crystals, Jinzo Kobayashi, Noboru Yamada, and Tadahiko Azumi—1647
- Improved ferrimagnetic single-crystal sphere orienter, Gerald F. Dionne, Philip S. Crocker, and James F. Smith—1759(N)
- A high precision Laue technique for crystal orientation, S. Ipsen Mathieson—1771(N)
- Resolution of graphite structure during microautoradiography, L. R. Bunnell—1763(N)
- Apparatus for mechanical testing of soft crystals at high pressure, S. H. Gelles—1814
- Dynamic x-ray diffractometer for measuring rheo-optical behavior of crystals in polymer solids, Taisuke Ito, Takashi Oda, Hiromichi Kawai, Tatsuro Kawaguchi, Daniel A. Keedy, and Richard S. Stein—1847
- Replicator for ice crystals, F. K. Odencrantz and L. E. Humiston—1870
- Tensile loading device for Kossel microdiffraction and metallography, D. L. Vieth and H. Yakowitz—1929

Current Stabilizers

- SCR preregulator for magnet power supply, Thomas W. Pearce—423(N)
- Precision high speed current regulators for occasionally switched inductive loads, Alfred G. Redfield, Warner Fite II, and Hermann E. Bleich—710
- Transistor regulation system for fine current control of an arc jet, Richard C. Jenkins and Marc Hoff—748
- Simple emission current regulator, J. A. Burt—1759(N)

Cyclotron Resonance

Ion cyclotron resonance detection using electron energy modulation, Jay M. S. Henis and William Frasure—1772(N)

Data Handling

Simple system for reading X-Y charts into a computer for processing, J. D. Sankey and T. M. Dauphinee—413(N)
Automatic real time air monitoring of ^{86}Kr utilizing the 4096 memory of a multiparameter analyzer, J. R. Ludwick, J. J. Lashock, R. E. Connally, and P. W. Nickola—853
Automatic multiparameter data collection, P. J. Green, R. E. Williams, and D. R. Tompkins—1288
System for identifying channels of a pulse analyzer memory data display, Robert A. Hoffswell—1377(N)
Compression of data for computer-tape storage, M. M. Satterfield—1956(N)

Data Processing

Rapid and convenient system for the measurement of ultrasonic attenuation by the pulse method, Masaya Yabe and J. M. Roberts—131(N)
Digital method of measuring exponentially decaying signals, S. R. Colberg—133(N)
XY plotting of cross sections using a log multiplier circuit, Julius Perel—394(N)
Derivative spectroscopy with recording spectrometers, Melvin P. Klein and Edward A. Dratz—397(N)
On-board plasma data processor, David H. Schaefer and James W. Snively, Jr.—452
Continuous averaging of x-ray diffraction data using a multi-channel analyzer, John W. Weymouth, James Costello, Sanford Schuster, and Paul Schulze—476
Fitting experimental data using the method of least squares, S. Margulies—478
Pulse-to-analog converter for optimizing signal-to-noise from photomultipliers at low light intensities, D. L. Akins, S. E. Schwartz, and C. Bradley Moore—715
Reduction of cosmic background in an x-ray proportional counter through risetime discrimination, Paul Gorenstein and Stanley Mickiewicz—816
Curve tracer that frees diode characteristics of internal resistance, J. I. Pankove and J. E. Berkeyheiser—884
Device for converting photographically recorded data to computer-compatible magnetic tape, Ian S. Glass and Kenneth F. Richard—1131
Digital reader of oscilloscope trace photographs, F. C. Jobs—1429
POLLY I: Operator-assisted bubble chamber film measuring system, R. G. Barr, R. K. Clark, D. Hodges, J. G. Loken, W. E. Manner, B. Musgrave, P. R. Pennock, R. J. Royston, and R. H. Wehman—1556
Procedure for determining the parameters from a fission fragment energy spectrum, A. B. Long, B. W. Wehring, and M. E. Wyman—1566
Timing mark counter, I. Liebman, J. Corry, and H. Perlee—1591(N)
Two-dimensional evaluation of a plane of rotation, Lester J. Nyman—1633
Linearization of thermocouple voltages, Gerald Conrad—1682

Data Recording

Recording Fabry-Perot interferometer, H. G. Kuhn, E. L. Lewis, D. N. Stacey, and J. M. Vaughan—86
New design for an automated bacterial colony counter, Neil B. Ingels, Jr., George T. Daughters II, and Agostino Burzio—115
Time mark generator for the X-Y recorder, R. E. Fassnacht and J. R. Dillinger—127(N)
Digital method of measuring exponentially decaying signals, S. R. Colberg—133(N)
Automatic recording of liquid surface tension, Tennyson Smith and H. Schlein—302

Vector plotting display, M. J. Churchill—351
Fast sensitive Smith chart plotter or microwave reflectometer, Robert L. Kyhl—373
Technique for decreasing photographic recording time in field-ion microscopy, S. S. Brenner—588
Use of an electroluminescent panel as a small spot light source for data recording, LeRoy D. Dickson—766(N)
Curve tracer that frees diode characteristics of internal resistance, J. I. Pankove and J. E. Berkeyheiser—884
Simple method for the automatic recording of the internal magnetic field, G. Asti and F. Conti—974
Autographically recording sensitive gas flowmeter, A. Wolfenden—1184
Automatic data-plotting method for pulsed experiments, W. L. Harries—1293
Apparatus for continuous recording of coercive force, maximum magnetization and remanent magnetization of ferromagnetic materials, A. T. English—1345
Use of a linear staircase generator in displaying synchronized pulse activity, Peter Coyle and Charles L. Votaw—1381(N)
Current sweep circuit with sweep speed feedback, J. D. Leslie, H. J. T. Smith, and B. Van Beek—1425
Timed signal grounding switch for observation of low level signals following large transients, George H. Czerlinski—1730
Rapid recording microspectrophotometer, J. J. Wolken, R. Forsberg, G. Gallik, and R. Florida—1734
Automatic recording with a Fabry-Perot interferometer, M. Fitaire and J. Deschamps—1769(N)
Improved electron beam scanning system for electron microprobe x-ray analyzers, Richard N. Kniseley, Francis C. Laabs, and Dean Van Zuuk—1804
Automatic high speed particle sizing using a gas laser, Stuart A. Schleusener—1916
Erasable-trace method for chart recorders, E. C. Lloyd—1953
New oscilloscope recording camera, Alexis L. Burton and Robert V. Andrews—1838

Density

Measurement of small density differences: solutions of slightly soluble gases, L. M. Blair and J. A. Quinn—75
Falling sphere for measuring atmospheric density, O. C. Haycock, C. D. Westlund, E. F. Pound, and R. H. Woolley—1094

Dielectrics

Cell for dielectric measurements in the high radio frequency region, C. T. O'Konski and Adrian Edwards—1456
Calibration of the electrode spacing of a dielectric sample holder, A. A. Levi—1527
Standing wave methods for measuring permittivities at meter and decimeter wavelengths, Edward H. Grant and Susan E. Keefe—1800

Diffraction Gratings

Chemical method for producing a grating on an aluminum oxide surface, R. A. Henrichsen and Che-Yu Li—1770(N)

Diffusion

Determination of a constituent in volatile liquids, Theodore Katan—1951(N)

Diffusivity

High temperature diffusion cell for multiple time isothermal measurement of liquid metal diffusivities, J. P. Foster and R. J. Reynik—1579(N)

Dilatometry

Experimental automatic recording dilatometer for thermal expansion and shrinkage studies over the temperature range -150 to $+1500^\circ\text{C}$, H. A. Sauer—562

Method for measuring small thermal expansion with a single frequency helium-neon laser, Jack D. Foster and Iain Finnie—654

Filament dilatometer, W. G. Anderson—1064(N)

Drops

Apparatus for the production and ignition of metal droplets with a pulsed laser, L. S. Nelson, N. Y. Richardson, and J. L. Prentice—744

Production of uniform droplets by means of an ion-drag pump, C. D. Hendricks and J. B. Y. Tsui—1088

Uniform charged solid particle production, T. Erin and C. D. Hendricks—1268

Electric Fields

Quadrupole field in circular concave electrodes, Tomonao Hayashi and Noriyuki Sakudo—958

Electrical Measurements

Gauge for measuring impulsive pressure in a container subjected to large, time-varying applied voltages, W. R. Grabowsky and D. A. Durran—35

Guarded double field meter, Stuart Gathman—43

Voltage controlled attenuator, Peter J. Kindlmann—81

New device for current measurement in exploding wire circuits, Ryszard Malewski—90

Capacitive detection of very small aquatic animals, P. J. Kindlmann, P. B. Applewhite, and H. J. Morowitz—121(N)

Thermistors as circuit elements in low-frequency circuits, Kamil Kraus—216

Apparatus for high resistance measurement in the insulator range, Gustave A. Sill and Teh Fu Yen—404(N)

Method for resistivity measurements in megagauss fields, F. Herlach—405(N)

Four-electrode null techniques for impedance measurement with high resolution, Herman P. Schwan and Clifford D. Ferris—481

Technique for accurate measurement of the electrical conductivity of shocked fluids, A. C. Mitchell and R. N. Keller—513

Reliable heterodyne-beat dipole moment apparatus, A. C. Vandenbroucke, Jr., Roy W. King, and J. G. Verkade—558

Non-linear I-V characteristics of carbon films at low temperature, C. R. Brown and P. W. Matthews—616(N)

Sheet resistance tester, Andre A. Jaeklin—618(N)

Direct measurement of dynamic capacitance, Norman G. Dillman—619(N)

Capacitance methods for measuring properties of adhesives in bonded joints, John L. Rutherford, Fred C. Bossler, and Edward J. Hughes—666

Cell assembly to measure the electrical conductivities of molten salts to their critical temperatures, L. F. Grantham, E. B. Harrelson, P. H. Shaw, and C. M. Larsen—699

Measurement of high resistivities by the electrodeless falling sample method, R. W. Haisty—778(N)

Automatic apparatus for resistivity ratio determinations, Gary L. Petersen and Allan R. Hoffman—922(N)

New feedback Kelvin probe, Y. Petit-Clerc and J. D. Carette—933(N)

Joulemeter for exploding bridgwire firing sets, Louis A. Rosenthal—934(N)

Analysis of resistivity measurements by the eddy current decay method, J. LePage, A. Bernalte, and D. A. Lindholm—1019

Triaxial electrical lead-in with unsupported area seal for high pressure vessels, M. Whitfield—1053(N)

Measurement of small dc voltages using phase sensitive detection techniques, D. A. Zych—1058(N)

Lead attachment to silicon, M. J. Zucker and M. M. Traum—1195

Four point mercury contact probe for electrical resistivity measurements of thin films, R. A. Cooper and E. Lerner—1207(N)

Improvement of instrumentation leakage currents in a low temperature cryostat, Donald R. Zrudsky and William R. Savage—1210(N)

High impedance Langmuir probes, J. A. Schmidt—1296

Electrical calibrator for calorimetric systems, G. D. Foss and D. A. Pitt—1375(N)

Method of applying a modern potentiometer for resistance thermometry, H. L. Daneman and G. C. Mergner—1498

Calibration of the electrode spacing of a dielectric sample holder, A. A. Levi—1527

Probe for detection of voids in liquid metals, John C. Chen, Sheldon Kalish, and George A. Schoener—1710

Direct-reading instrument for silicon and germanium four-probe resistivity measurements, L. J. Swartzendruber, F. H. Ulmer, and J. A. Coleman—1858

Electrochemistry

Low temperature ir cell for studies using anhydrous HF as a solvent, Larry G. Spears and Norman Hackerman—688

High pressure pH sensor for oceanographic applications, S. Ben-Yaakov and I. R. Kaplan—1133

Rotating disk system for the study of metal deposition from nonaqueous solvents, Friedrich G. K. Baucke, Dieter Landolt, and Charles W. Tobias—1753(N)

Method of measuring the thickness of thin electrolytically removed sections—application to diffusion measurements in metals, David L. Styris and C. T. Tomizuka—1960(N)

Electrolytes

Use of an impedance comparator as a fast-balancing alternating-current bridge, C. Solomons and R. E. Berg—324

Laser temperature-jump apparatus for relaxation studies in electrolytic solutions, Heinz Hoffman, Ernest Yeager, and John Stuehr—649

Differential isothermal microcalorimeter: Heats of mixing of aqueous NaCl and KCl solutions, Patrick Picker, Carmel Jolicoeur, and Jacques E. Desnoyers—676

Cell assembly to measure the electrical conductivities of molten salts to their critical temperatures, L. F. Grantham, E. B. Harrelson, P. H. Shaw, and C. M. Larsen—699

Electron and Ion Optics

Comparison of the spherical deflector and the cylindrical mirror analyzers, H. Hafner, J. Arol Simpson, and C. E. Kuyatt—33

Ungridded electrostatic mirror, J. D. Larson and J. A. Benjamin—272(N)

Charged particle transmission through cylindrical plate electrostatic analyzers, G. C. Theodoridis and F. R. Paolini—326

Terminal pulsing on a low energy electrostatic accelerator, P. W. Chudleigh—356

Crossed field velocity selector, K. W. Ogilvie, R. I. Kittredge, and T. D. Wilkerson—459

Cylindrical capacitor as an analyzer. II. Relativistic part, H. Z. Sar-El—533

Generation of phase plane ellipses by analog techniques, F. P. Blackstein—768(N)

Quadrupole field in circular concave electrodes, Tomonao Hayashi and Noriyuki Sakudo—958

Magnetic analog of electric field configurations applied to the central region of an A.V.F. cyclotron, J. M. van Nieuwland, H. C. Hagedorn, N. Hafewindus, and P. Kramer—1054(N)

Electron gun for LEED applications, R. N. Lee—1305

The monopole mass spectrometer, P. H. Dawson and N. R. Whetten—1417

Mass selector for ion beam experiments, Lowell P. Theard—1464

Electrostatic energy analyzer for studying gas-focused electron beams and their background media, Stavros Stephanakis and Willard H. Bennett—1714

Electron bombardment ion source for low energy beams, S. Dworetzky, R. Novick, W. W. Smith, and N. Tolk—1721

Trochoidal electron monochromator, A. Stamatovic and G. J. Schluz—1752(N)

Mass discrimination in a time-of-flight mass spectrometer: I. Geometric mass discrimination at magnetic electron multiplier, W. W. Hunt, Jr., K. E. McGee, J. K. Streeter, and S. E. Maughan—1793

New type of monovelocit electron source, Paul Marmet—1932

Electron Diffraction

Low energy electron diffraction apparatus designed for thin film use, C. W. Caldwell and K. Müller—860

Technique for magnetic analysis by electron diffraction, S. Yamaguchi—1224(N)

Temperature controller for LEED experiments, J. C. Tracy—1299

Electron gun for LEED applications, R. N. Lee—1305

Ellipsometer for use with LEED chamber, Rolf H. Muller—1593(N)

Electron Energy Analyzers

Comparison of the spherical deflector and the cylindrical mirror analyzers, H. Hafner, J. Arol Simpson, and C. E. Kuyatt—33

Charged particle transmission through cylindrical plate electrostatic analyzers, G. C. Theodoridis and F. R. Paolini—326

Cylindrical capacitor as an analyzer. II. Relativistic part H. Z. Sar-El—533

Resolution determination in field emission energy analyzers, Russell D. Young and C. E. Kuyatt—1477

Electrostatic energy analyzer for studying gas-focused electron beams and their background media, Stavros Stephanakis and Willard H. Bennett—1714

Trochoidal electron monochromator, A. Stamatovic and G. J. Schulz—1752(N)

Calibration of a satellite borne soft particle spectrometer, W. H. Wright—1909

Electron Microprobes

Improved electron beam scanning system for electron microprobe x-ray analyzers, Richard N. Kniseley, Francis C. Laabs, and Dean Van Zuuk—1804

Transmission electron microscopy with an ARL microprobe, A. P. Murphy and C. A. Metzger—1705

Measurement of film thickness by electron microprobe analyzer, K. L. Chopra, M. R. Randlett, and S. L. Bender—1755(N)

Electron Microscopy (see also Field Emission Microscopy and Field Ion Microscopy)

Improvement in metal specimen preparation for transmission electron microscope studies, Joseph B. Kushner—128(N)

Electron-mirror microscopy of stripe domains, K. N. Maffitt, D. S. Lo, A. L. Olson, and E. J. Torok—259(N)

Rapid method of preparing single stage carbon replica for electron microscopy of some mineral crystals, A. R. Patel and S. M. Patel—409(N)

Electron gun using a field emission source, A. V. Crewe, D. N. Eggenberger, J. Wall, and L. M. Welter—576

Polishing laps out of Teflon, A. C. Fabergé—776(N)

Improved vacuum system for electron microscopes, A. R. Taylor, C. A. Baechler, and M. A. Holcomb—780(N)

Multipurpose high resolution stage for the electron microscope, J. C. Mills and A. F. Moodie—962

Liquid helium cooled stage with a transverse magnetic field, Erwin M. Hörl—1027

Simple device for measuring beam current in a scanning electron microscope, B. H. Hill—1369(N)

Flexible high voltage supply for experimental electron microscope, R. N. Lewis, E. A. Jung, L. M. Welter, L. S. Van Loon, and G. L. Chapman—1522

Transmission electron microscopy with an ARL microprobe, A. P. Murphy and C. A. Metzger—1705

Ultrahigh-vacuum electron microscope, D. N. Braski, J. R. Gibson, and E. H. Kobisk—1806

Replicator for ice crystals, F. K. Odencrantz and L. E. Humiston—1870

Improvements in the ALBA machine for thinning specimens for electron microscopy, M. S. Abrahams, C. J. Buiocchi, and M. D. Coutts—1944(N)

Improved method of removing plastic backing films from carbon electron microscope replicas, Gilbert H. Walker and Boyd L. Williams—1968(N)

Temperature determination of copper and iron in the electron microscope, F. W. Vahldiek—1899

Electron Multipliers

Blanking circuit for a magnetic electron multiplier in a time-of-flight mass spectrometer, Joseph R. Haumann and Martin H. Studier—169

Transformer coupling for the continuous channel electron multiplier, R. N. Lewis, L. S. Van Loon, T. A. Mayer, and J. Berkowitz—1386(N)

Mass discrimination in a time-of-flight mass spectrometer: I. Geometric mass discrimination at magnetic electron multiplier, W. W. Hunt, Jr., K. E. McGee, J. K. Streeter, and S. E. Maughan—1793

Calibration of a satellite borne soft particle spectrometer, W. H. Wright—1909

Electron Paramagnetic Resonance

EPR sample orientation servo, D. J. Sukle and J. S. Wells—604(N)

New method for measuring the static magnetic susceptibility by paramagnetic resonance, Mohindar S. Seehra—1044

Two cavity device as a bimodal cavity, D. J. Sloop and I. M. Brown—1215(N)

EPR spectrometer for the study of spin lattice relaxation in the low magnetic field region, E. C. Douglas and D. A. Davids—1385(N)

Resonant helices and their application to magnetic resonance, F. Volino, F. Csakvary, and P. Servoz-Gavin—1660

Electron Sources

Electron gun using a field emission source, A. V. Crewe, D. N. Eggenberger, J. Wall, and L. M. Welter—576

Electron gun for LEED applications, R. N. Lee—1305

Generation of smeared-out electron beams for experiments on weak plasma turbulence, J. Chang, H. Böhmer, and M. Raether—1873

New type of monovelocit electron source, Paul Marmet—1932

Electron Spin Resonance

Tunable ESR cavity suitable for high frequency field modulation, John C. Murphy—135(N)

Rapid scanning of the magnetic field in ESR spectroscopy: Application to pulse electrolysis, R. Hirasawa, T. Mukaibo, H. Hasegawa, Y. Kanda, and T. Maruyama—935(N)

A new ENDOR cavity configuration, T. G. Castner, Jr. and A. M. Doyle—1090

Method of orienting single crystals for ESR measurements, Frank L. Palaia, Oswald Haase, and Paul L. Marinkas—1331

Amplitude stabilizer for magnetic field modulators, Yosef Alon and David Shaltiel—1623

Combined ³He cryostat and pulsed ESR spectrometer, Thomas L. Bohan and H. J. Stapleton—1707

Simple Dewar system for ESR measurement at 4.2 K, H. Yoshi'a, T. Warashina, Y. Maeda, and T. Higashimura—1967(N)

Electron Temperature

- Direct display of electron temperature in magnetized and time varying plasmas, Z. Zakrzewski, C. Beaudry, and G. G. Cloutier—1507
- Admittance probe method of measuring time resolved plasma electron temperatures, J. C. Sprott—1569

Errata

- Tungsten-rhenium thermocouples for use at high temperatures [Rev. Sci. Instr. **38**, 1047 (1967)], R. R. Asamoto and P. E. Novak—1233(E)
- Helium vapor cooled current leads [Rev. Sci. Instr. **38**, 1776 (1967)], K. R. Efferson—1970(E)

Evaporation (see also Films)

- Highly reflective adherent, thick aluminum films on glass, E. L. Bahm, I. C. Peabody, and W. Vedder—125(N)
- Use of an intermetallic composite for vapor deposition by electron beam bombardment, Albert A. Klein, Jr.—609(N)
- Precision mask changer for ultrahigh vacuum systems, J. A. Seitchik, B. F. Stein, and N. Goldberg—469
- Microminiature Hall probes for use in liquid helium, J. E. Simpkins—570
- Low energy electron diffraction apparatus designed for thin film use, C. W. Caldwell and K. Müller—860
- Evaporation of silicon monoxide from graphite cloth, M. D. Carithers—920(N)
- Vapor deposited samples and leads for high pressure measurements, J. Rimas Vaisnys—1187
- Two source evaporation of uniform thickness gallium arsenide films, W. Stewart Nicol—1221(N)

Exploding Wires

- New device for current measurement in exploding wire circuits, Ryszard Malewski—90
- Extrusion die-electrode combination for exploding lithium wire, Erol Oktay, D. R. Bach, and William O. Rekowit—924(N)
- Joulemeter for exploding bridgewire firing sets, Louis A. Rosenthal—934(N)
- Exploding wire system with *in vacuo* preparation of lithium wire, T. A. Leonard and D. R. Bach—1374(N)
- Inexpensive ignitron discharge circuit, G. H. W. Behrendt and N. Gothard—1376(N)

Explosives

- High intensity light source, J. E. Harper—509
- Explosive high-speed shutter, Frederick A. Schmitz and David J. Nims—598(N)
- Initiation devices for fuse and electrical blasting caps, James E. Sinclair—784(N)
- Thermal initiation apparatus for high energy materials, Paul A. Kendall and Jerome M. Rosen—992
- Determination of detonation wave velocities, F. J. Steffes and J. R. Bowen—1092
- Measurement of the "strength" of explosives by the ballistic mortar, C. H. Johansson and T. Sjölin—1173
- Measurement of Faraday rotation in megagauss fields over the continuous visible spectrum, W. B. Garn, R. S. Caird, C. M. Fowler, and D. B. Thomson—1312
- Apparatus for sealing glass capillary tubes under pressure, James E. Sinclair and William M. Tuesdell—1378(N)
- Multichannel electronic counter chronograph for determining detonation velocities in explosives, H. R. Fuehrer and D. L. Emmons—1488

Faraday Effect

- Magneto-optic measurement of sample exchange, S. Broersma and P. E. Hendrickson—506
- Measurement of Faraday rotation in megagauss fields over the continuous visible spectrum, W. B. Garn, R. S. Caird, C. M. Fowler, and D. B. Thomson—1312

Ferroelectric Measurements

- New ferroelectric hysteresis curve tracer featuring compensation and virtual sample grounding, Y. T. Tsui, P. D. Hinderaker, and F. J. McFadden—1423

Fibers

- Evaluation tests of a fixed frequency vibroscope, H. W. Holdaway—1828

Field Emission

- Electron gun using a field emission source, A. V. Crewe, D. N. Eggenberger, J. Wall, and L. M. Welter—576
- Resolution determination in field emission energy analyzers, Russell D. Young and C. E. Kuyatt—1477

Field Ion Microscopy (see also Electron Microscopy)

- The atom-probe field ion microscope, Erwin W. Müller, John A. Panitz, and S. Brooks McLane—83
- Liquid helium field-ion microscope for radiation damage investigations, Pierre Petroff and Jack Washburn—317
- Technique for decreasing photographic recording time in field-ion microscopy, S. S. Brenner—588
- Variable temperature field ion microscope cooled by helium gas, G. Meyrick—1954(N)

Films

- Highly reflective adherent, thick aluminum films on glass, E. L. Bahm, I. C. Peabody, and W. Vedder—125(N)
- Fast response magnetometer using ferromagnetic resonance in thin films, L. J. Schewe and H. R. Irons—220
- Electron-mirror microscopy of stripe domains, K. N. Maffitt, D. S. Lo, A. L. Olson, and E. J. Torok—259(N)
- Surface film pressure recording system, L. Vroman, S. Kanor, and A. L. Adams—278(N)
- Direct gravimetric calibration of a quartz crystal microbalance, R. M. Mueller and W. White—291
- Microminiature Hall probes for use in liquid helium, J. E. Simpkins—570
- Back-reflection x-ray diffraction of selected small areas, Arthur R. Clawson—597(N)
- Non-linear I-V characteristics of carbon films at low temperature, C. R. Brown and P. W. Matthews—616(N)
- Sheet resistance tester, Andre A. Jaeklin—618(N)
- Capacitance methods for measuring properties of adhesives in bonded joints, John L. Rutherford, Fred C. Bossler, and Edward J. Hughes—666
- Fabrication of ultrathin films, Paul Vouros, Joseph I. Masters, and Richard J. Starble—741
- Nanosecond microscopic Kerr magneto-optic apparatus and measurement techniques, E. R. Genovese and H. Chang—733
- Nondestructive thickness measurement in thin sections of germanium, S. D. Mittleman and L. Bess—838
- Low energy electron diffraction apparatus designed for thin film use, C. W. Caldwell and K. Müller—860
- High temperature cement for bonding substrates in ultrahigh vacuum, J. A. Seitchik and B. F. Stein—1062(N)
- Monitoring of thin film growth by an ultrasonic interference method, A. G. K. Lutsch, M. Wilk, and P. Bierbaum—1119
- Four point mercury contact probe for electrical resistivity measurements of thin films, R. A. Cooper and E. Lerner—1207(N)
- Two source evaporation of uniform thickness gallium arsenide films, W. Stewart Nicol—1221(N)
- Comments on "Duoplasmatron ion beam source for vacuum sputtering of thin films," C. K. Crawford—1390(L)
- Measurement of film thickness by electron microprobe analyzer, K. L. Chopra, M. R. Randlett, and S. L. Bender—1755(N)

Fission

- Procedure for determining the parameters from a fission fragment energy spectrum, A. B. Long, B. W. Wehring, and M. E. Wyman—1566

Track density measurement in dielectric track detectors with scattered light, Warner W. Schultz—1893

Flash Techniques

- Flash x-ray actuated trigger switch, H. F. Swift and E. Strader—728
Apparatus for the production and ignition of metal droplets with a pulsed laser, L. S. Nelson, N. L. Richardson, and J. L. Prentice—744
Short duration flash photolysis lamp, C. J. Hochanadel, J. A. Ghormley, J. W. Boyle, and J. R. Riley—1144
Reaction vessel for flash photolysis and time resolved mass spectrometry, J. M. Freese and R. T. Meyer—1764(N)

Flow Studies

- High speed optical stopped-flow apparatus, R. L. Berger, B. Balko, W. Borchardt, and W. Friauf—486
High resolution mixer for the study of the kinetics of rapid reactions in solution, R. L. Berger, Bohdan Balko, and Howard F. Chapman—493
Recording flow meter, T. S. McMillan—596(N)
Use of particles of boron nitride in the measurement of the velocity distribution in laminar flow in an argon plasma jet, S. V. Desai, E. S. Daniel, and W. H. Corcoran—612(N)
Transistor regulation system for fine current control of an arc jet, Richard C. Jenkins and Marc Hoff—748
Autographically recording sensitive gas flowmeter, A. Wolfenden—1184
Dual-frequency ultrasonic fluid flowmeter, Frank W. Noble—1326
Measurement of Reynolds stress by a single rotated hot-wire anemometer, Hajime Fujita and Leslie S. G. Kovasznay—1351
Microminiature Pirani gauge for measurements of low pressures, G. T. Rayfield, F. P. Boynton, and O. W. Potter—1438
A slug flow transducer, J. T. Ryan and L. R. Vermeulen—1756(N)
Indirectly heated thermistor for measuring ocean currents, Douglas R. Caldwell—1865

Fluid Dynamics

- Hot-film sensor for the study of wall turbulence phenomena, Robert A. Armistead, Jr. and John J. Keyes, Jr.—61
Instrument for measuring fluid pressures at a solid boundary, J. D. Broadway and R. J. Kennedy—389

Fluids

- Technique for accurate measurement of the electrical conductivity of shocked fluids, A. C. Mitchell and R. N. Keeler—513
Dual-frequency ultrasonic fluid flowmeter, Frank W. Noble—1326

Fluorescence and Phosphorescence

- Hydrogen flash lamps, I. B. Berlman, O. J. Steingraber, and M. J. Benson—54
Fast and accurate method for measuring photon flux in the range 2500–6000 Å, Juan Yguerabide—1048
Ruby fluorescence as a dosimeter for pulsed high energy ionizing radiation, J. J. Halpin and R. F. Wenzel—1117
Versatile spectrophotofluorometer-polarization fluorometer, Bernard Witholt and Ludwig Brand—1270
Fluorescent screens for monochromatic x-ray diffraction patterns on Polaroid film, Heribert K. Herglotz—1658

Foils

- Improvement in metal specimen preparation for transmission electron microscope studies, Joseph B. Kushner—128(N)

Frequency Measurements

- Digital control of a frequency synthesizer, P. E. Jackson, H. A. Owens, Jr., and W. E. Hammond—769(N)

Friction (see also Internal Friction)

- An annular contact friction and boundary lubrication tester, Eugene F. Finkin—690
Apparatus for the precision measurement of internal friction, D. P. Detwiler, S. J. Holden, W. A. Sowa, T. J. Woronowicz, T. M. Heslin, and M. G. Hudick—1727

Furnaces

- Electrically-powered radiation heater for operation to 1200°C, C. Eugene Moeller—271(N)
Precision internal temperature control in a high pressure apparatus, D. L. Decker—602(N)
rf furnace for maintaining temperature differences between parallel susceptors, L. A. Murray, P. A. Hoss, and J. J. Rivera—609(N)
Miniature high temperature graphite furnace, Ji Young Chang—756
Evaluation of an imaging furnace as a heat source for x-ray diffractometry, Stephan Stecura—760
Temperature measurements with metal ribbon high temperature x-ray furnaces, W. Ostertag and G. R. Fisher—888
Photoconductive cell temperature controller for heating with thyatron controlled rf generators, D. R. Hamilton—1264
High temperature Debye-Scherrer x-ray camera, Josef Intrater and Deane K. Smith—1491
Simple technique for detection of oxygen in laboratory furnaces, A. E. Widmer—1968(N)

Gas Discharges

- Ionization of fast neutral atoms by passage through a hot-cathode discharge, H. H. Fleischmann and R. Kribel—233
Water-cooled electrode for discharge tubes, Walter Jaster and David R. Safrany—264(N)
Production of quiescent discharge with high electron temperatures, G. Lisitano, R. A. Ellis, Jr., W. M. Hooke, and T. H. Stix—295
Transistor regulation system for fine current control of an arc jet, Richard C. Jenkins and Marc Hoff—748
Discharge mechanism in gases in the subnanosecond region, Juan T. D'Alessio and Hilda Lanza—1029
Microwave discharge source for atomic and molecular beam production, Gilbert O. Brink, Robert A. Fluegge, and Robert J. Hull—1171
Functional ion laser based upon a thermionic hollow cathode discharge, D. A. Huchital and J. D. Rigden—1472
Simple method of preparing pure ozone, M. Griggs and S. Kaye—1685
Shielded cathode to minimize gas sputtering effects, J. P. Gaur and L. M. Chanin—1948(N)

Gas Dynamics (see also Aerodynamics)

- Effect of valve opening time on gas gun performance, Richard W. White and Richard Fowles—1295

Gas Handling and Measurements

- Condensable gases in a McLeod gauge, K. B. Wear—245
Measurements of gas pulses in the 1-Torr range, R. L. Small—256(N)
Observation of neutral gas pulses injected into a vacuum, R. F. Hotz and C. K. Manka—267(N)
Correction of butyl phthalate oil manometers for variations in room temperature, David L. Johnson—399(N)
Simple diaphragm system as oil-gas separator, C. D. Andriesse—400(N)
Automatic constant-pressure apparatus for measuring the absorption or evolution of gases, H. Burnham Tinker, John H. Craddock, and Frank E. Paulik—590
Measurement of gas flow rate by the method of timing a pressure drop, W. Brennen and Robert L. Brown—608(N)
Autographically recording sensitive gas flowmeter, A. Wolfenden—1184
Dual-mode microwave cavities for dispersion measurement, M. C. Thompson, Jr. and M. J. Vetter—1332

- Trap to remove moisture from gases, Peter W. Voisey and D. S. Gamble—1371(N)
- General purpose gas sampling tube, Earl Nagle and F. J. Norton—1388(N)
- New type of high speed valve, N. Inoue and T. Uchida—1461
- Automatic gas adsorption apparatus, Michael R. St. John, George Constabaris, and Julian F. Johnson—1582(N)
- Apparatus for the automatic recording of oxygen absorption at constant pressure, Luigi Reginato and Albert Mason—1590(N)
- Hydraulically actuated combustion gas sampling valve, V. A. Zvonow, H. E. Stewart, and E. S. Starkman—1820
- High precision high pressure mercury differential pressure manometer, W. Ruska, J. Kao, Sheng-yi Chuang, and Riki Kobayashi—1889
- Multifoil thermocouple gauge for measuring pressures up to one atmosphere, William P. Teagan—1897
- Simple technique for detection of oxygen in laboratory furnaces, A. E. Widmer—1968(N)
- Geiger Counters**
- Properties of iodine uv counters, V. Dose—1055(N)
- Geology**
- High speed photography in dynamic materials testing, R. D. Perkins and S. J. Green—1209(N)
- Geophysical Instruments**
- A superconducting gravimeter, W. A. Prothero, Jr. and J. M. Goodkind—1256
- One thousand meter laser interferometer, V. Vali and R. C. Bostrom—1303
- Sensitive tiltmeter utilizing a diamagnetic suspension, Ivan Simon, Alfred G. Emslie, Peter F. Strong, and Robert K. McConnell, Jr.—1666
- Gravity**
- A superconducting gravimeter, W. A. Prothero, Jr. and J. M. Goodwind—1256
- One thousand meter laser interferometer, V. Vali and R. C. Bostrom—1303
- Hall Effect**
- Microminiature Hall probes for use in liquid helium, J. E. Simpkins—570
- High resistivity Hall effect measurements, Derek Colman—1946(N)
- Heat Capacity**
- Thermal conductivity and heat capacity of 7740 Pyrex below 4°K and in magnetic fields to 90 kG, R. A. Fisher, G. E. Brodale, E. W. Hornung, and W. F. Giaque—108
- Heat Transfer**
- Hot-film sensor for the study of wall turbulence phenomena, Robert A. Armistead, Jr. and John J. Keyes, Jr.—61
- Electrically-powered radiation heater for operation to 1200°C, C. Eugene Moeller—271(N)
- Evaluation of refraction errors in interferometric heat transfer studies, F. W. Schmidt and M. E. Newell—592
- Radial heat flow, thermal conductivity apparatus for measurements on sulfide and telluride melts, R. K. Williams, Manoo Veeraburus, and W. O. Philbrook—1104
- High Altitude Research**
- Design for orientation of balloon-borne equipment, Gerald A. Anderson—21
- Alpha particle pressure gauge for high altitude constant level balloon flights, R. L. Howard, S. W. Nelson, and J. R. Winckler—1013
- Falling sphere for measuring atmospheric density, O. C. Haycock, C. D. Westlund, E. F. Pound, and R. H. Woolley—1094
- Calibration of a satellite borne soft particle spectrometer, W. H. Wright—1909
- High Current Techniques**
- Fast metal-to-metal switch with 0.1 μ sec jitter time, P. Dokopoulos—697
- Pulsed field magnetization measurements up to 500 kOe, Y. Allain, J. de Gunzburg, J. P. Krebs, and A. Miedan-Gros—1360
- Fast metallic contact solid dielectric switch for high voltage and current, Ivars Henins and John Marshall—1481
- High Energy Techniques**
- Destructive hydrogen target tests at the Princeton-Pennsylvania accelerator, R. Jankowicz—848
- The Northwestern University 50 cm liquid helium bubble chamber, R. J. Walker, M. M. Block, I. R. Kenyon, D. Koetke, J. Keren, P. Malhotra, P. Mazur, and H. Winzler—1407
- POLLY I: Operator-assisted bubble chamber film measuring system, R. G. Barr, R. K. Clark, D. Hodges, J. G. Loken, W. E. Manner, B. Musgrave, P. R. Pennock, R. J. Royston, and R. H. Wehman—1556
- High Pressure Techniques (see also Pressure Techniques and Measurements)**
- Remote control viscometer, E. L. Cussler and Raymond M. Fuoss—524
- Precision internal temperature control in a high pressure apparatus, D. L. Decker—602(N)
- Liquid sample container for NMR pressure studies, A. A. Brooks, E. O. Stejskal, and V. W. Weiss—917(N)
- Windows for optical measurements at high pressure and long infrared wavelengths, William Paul, W. M. DeMeis, and J. M. Besson—928(N)
- Vapor deposited samples and leads for high pressure measurements, J. Rimas Vaisnys—1187
- Analysis of ultrasonic absorption measurements in liquids at high pressure, Walter H. Johnson, Jr. and Gerald Holton—1247
- Simple high pressure seal, P. Dirven, H. Meulemans, and A. Van Itterbeek—1595(N)
- Low temperature force generating apparatus using Sylphon bellows, J. W. McWane, D. Bijl, and C. A. Shiffman—1532
- Apparatus for mechanical testing of soft crystals at high pressure, S. H. Gelles—1814
- High precision high pressure mercury differential pressure manometer, W. Ruska, J. Kao, Sheng-yi Chuang, and Riki Kobayashi—1889
- High-pressure apparatus for absorption and luminescence studies of solids, Henry W. Offen—1961(N)
- High Speed Techniques**
- High-speed explosive shutter for shock tube research, A. A. Boni—127(N)
- Photographic apparatus for the study of fracture in metals H. Ezrol, H. Margolin, R. W. King, R. Bunshah, and P. Venkatesan—229
- Optical level technique adapted to hypervelocity impact experiments, Victor G. Gregson, Jr.—333
- Fast acting diaphragm cutter, J. H. Spurk and E. J. Gion—348
- Explosive high-speed shutter, Frederick A. Schmitz and David J. Nims—598(N)
- Fast metal-to-metal switch with 0.1 μ sec jitter time, P. Dokopoulos—697
- Flash x-ray actuated trigger switch, H. F. Swift and E. Strader—728
- Measurement of shock and free surface velocities with anodized aluminum switches, Peter C. Lysne—754
- Simple closed-open-closed spectrograph shutter for exposure times in the 10 μ sec range, G. L. Grasdalen, Martin Huber, and G. H. Newsom—886

Free surface velocity measurement of an impacted projectile by optical Doppler shift, P. M. Johnson and T. J. Burgess—1100

New type of high speed valve, N. Inoue and T. Uchida—1461

Fast metallic contact solid dielectric switch for high voltage and current, Ivars Henins and John Marshall—1481

Multichannel electronic counter chronograph for determining detonation velocities in explosives, H. R. Fuehrer and D. L. Emmons—1488

Microsecond response system for measuring shock arrival by changes in stream electrical impedance in a shock tube, Robert E. Dannenberg and Donald E. Humphrey—1692

High Temperature Techniques

Sapphire rod thermosensor, S. E. Blum and R. J. Chicotka—277(N)

Miniature high temperature graphite furnace, Ji Young Chang—756

Evaluation of an imaging furnace as a heat source for x-ray diffractometry, Stephen Stecura—760

Radial heat flow, thermal conductivity apparatus for measurements on sulfide and telluride melts, R. K. Williams, Manoo Veeraburus, and W. O. Philbrook—1104

Apparatus for rapid bend testing of brittle solids at elevated temperatures, A. Moschetti, A. H. Heuer, and W. R. Mitchell—1218(N)

Erratum: Tungsten-rhenium thermocouples for use at high temperatures [Rev. Sci. Instr. 38, 1047 (1967)], R. R. Asamoto and P. E. Novak—1233(E)

High temperature remote strainometer, M. O. Marlowe and M. R. Reynolds—1768(N)

Simple Stark modulation absorption system for high temperature microwave spectroscopy, A. Narasimha Murty and R. F. Curl, Jr.—1885

Holography

Holographic interferometer for isopachic stress analysis, Henry H. M. Chau—1789

Humidity

Microsensor for measuring humidity, J. R. Lai and G. M. Hidy—1197

Hydrodynamics

Off-crest optical methods of measuring the amplitudes of surface ripples, N. L. Walbridge—672

Measurement of one-dimensional Lagrangian motion of water waves, Donald R. Wells—842

Hygrometry

Trap to remove moisture from gases, Peter W. Voisey and D. S. Gamble—1371(N)

Image Intensifiers

Scintillomicroscope for radioactive tracer detection, George T. Reynolds—298

Image intensifier system for dynamic x-ray diffraction studies, Kenneth Reifsnider and Robert E. Green, Jr.—1651

Industrial Hygiene

Precision dynamic method for producing known concentrations of gas and solvent vapor in air, G. O. Nelson and K. S. Griggs—927(N)

Infrared Techniques

Infrared windows for ultrahigh vacuum use, Leon J. Schkolnick—122(N)

Light source control system for electroluminescence studies on semiconductors, E. W. Williams and D. V. Parham—369

Convenient method for generating short light pulses, H. P. Foote and D. R. Green—471(N)

Low temperature ir cell for studies using anhydrous HF as a solvent, Larry G. Spears and Norman Hackerman—688

High temperature cell for the infrared examination of highly reactive gases, A. Guest and C. J. L. Lock—789(N)

Nondestructive thickness measurement in thin sections of germanium, S. D. Mittleman and L. Bess—838

Windows for optical measurements at high pressure and long infrared wavelengths, William Paul, W. M. DeMeis, and J. M. Besson—928(N)

Indium arsenide laser for use in infrared detector response time measurements, K. J. Linden—1513

Insulators

Apparatus for high resistance measurement in the insulator range, Gustave A. Sill and Teh Fu Yen—404(N)

Apparatus for measurement of transport properties of photo-carriers in insulating crystals, J. A. Borders and J. W. Hodby—722

Interferometry

Monitoring of thin film growth by an ultrasonic interference method, A. G. K. Lutsch, M. Wilk, and P. Bierbaum—1119

Interferometry: Optical

Recording Fabry-Perot interferometer, H. G. Kuhn, E. L. Lewis, D. N. Stacey, and J. M. Vaughan—86

Two-wavelength interferometry with color film, E. Panerella and V. Guty—261(N)

Evaluation of refraction errors in interferometric heat transfer studies, F. W. Schmidt and M. E. Newell—592

Method for measuring small thermal expansion with a single frequency helium-neon laser, Jack D. Foster and Iain Finnie—654

One thousand meter laser interferometer, V. Vali and R. C. Bostrom—1303

Heterochromatic fringes parallel to spectral lines produced with a stigmatic plane grating spectrograph, M. Garavaglia—1378(N)

Interferometer for determining autocollimator errors, M. J. Saunders—1744

Automatic recording with a Fabry-Perot interferometer, M. Fitaire and J. Deschamps—1769(N)

Holographic interferometer for isopachic stress analysis, Henry H. M. Chau—1789

Ion Sources

Square and sine wave modulation of the beam from a 3 mV Van de Graaff accelerator, H. J. Fraser, A. I. M. Ritchie, and S. Whittlestone—240

Source of polarized lithium and cesium ions, R. E. Miers and L. W. Anderson—336

Modification of a time-of-flight mass spectrometer for investigation of ion-molecule reactions at elevated pressures, Jean H. Futrell, Thomas O. Tiernan, Fred P. Abramson, and C. Dean Miller—340

Lithium ion emitter for low energy beam experiments, O. Heinz and R. T. Reeves—1229(N)

Comments on "Duoplasmatron ion beam source for vacuum sputtering of thin films," C. K. Crawford—1390(L)

Mass selector for ion beam experiments, Lowell P. Theard—1464

Ion source for mass spectrometers, Gr. Alexandru—1571

Energy distribution of positive ions extracted from a hot-cathode gas discharge ion source, Lowell P. Theard—1639

Electron bombardment ion source for low energy beams, S. Dworetzky, R. Novick, W. W. Smith, and N. Tolk—1721

Ionization Chambers

New ionization chamber technique for the measurement of environmental radiation, M. H. Shamos and A. R. Liboff—223

Alpha particle pressure gauge for high altitude constant level balloon flights, R. L. Howard, S. W. Nelson, and J. R. Winckler—1013

Guard ring shielding to eliminate instability of collecting volume in ionization chambers, F. H. Attix and S. G. Gorbics—1766(N)

Ionization Processes

Ionization of fast neutral atoms by passage through a hot-cathode discharge, H. H. Fleischmann and R. Kribel—233

Source of polarized lithium and cesium ions, R. E. Miers and L. W. Anderson—336

Multichannel photoionization chamber, H. H. Kim, Sharadanand, A. J. Caruso, and A. E. Barrington—503

Air ion apparatus, C. H. Bachman, M. E. Crandell, and F. X. Hart—1168

Laboratory facility for ionospheric reaction studies, M. N. Hirsh, P. N. Eisner, and J. A. Slevin—1547

Energy distribution of positive ions extracted from a hot-cathode gas discharge ion source, Lowell P. Theard—1639

Ion cyclotron resonance detection using electron energy modulation, Jay M. S. Henis and William Frasure—1772(N)

Ionosphere Measurements

Laboratory facility for ionospheric reaction studies, M. N. Hirsh, P. N. Eisner, and J. A. Slevin—1547

Isotope Separators

Apparatus for the thermal diffusion separation of stable gaseous isotopes, W. M. Rutherford, F. W. Weyler, and C. F. Eck—94

Laboratory Techniques

50 microdegree temperature controller—N. T. Larsen—1

Precision temperature-controlled water bath, M. E. Harvey—13

Photon coupled stimulus isolation unit, E. Duffin, D. B. Geselowitz, and S. A. Briller—53

Infrared windows for ultrahigh vacuum use, Leon J. Schkolnick—122(N)

Puncture collimator for the Laue back reflection technique, A. Lindgaard Andersen—124(N)

Highly reflective adherent, thick aluminum films on glass, E. L. Bahm, I. C. Peabody, and W. Vedder—125(N)

Time mark generator for the X-Y recorder, R. E. Fassnacht and J. R. Dillinger—127(N)

Improvement in metal specimen preparation for transmission electron microscope studies, Joseph B. Kushner—128(N)

Construction of Vycor glass superleaks, M. F. Wilson, D. O. Edwards, and J. T. Tough—134(N)

Pneumatically operated microelectrode puller for use in electrophysiology, Max J. Lab and W. C. Maddison—158

Lapping machine attachment for preparing oriented crystals, Donald E. Johnson—238

Superconductor-glass vacuum seals, P. R. Critchlow, J. Lees, and P. W. Matthews—251(N)

Two-wavelength interferometry with color film, E. Panerella and V. Guty—261(N)

Water-cooled electrode for discharge tubes, Walter Jaster and David R. Safrany—264(N)

Jacketed blender-reactor, R. J. McCarter—264(N)

Capacitor method for measuring lathe section thickness applicable primarily to diffusion studies, R. O. Meyer and H. Sekizawa—265(N)

Simple low temperature closure and electrical leadthrough for high pressure gas systems, J. E. Schirber and D. W. Shanfeldt—270(N)

Combined leak detector and high sensitivity vacuum gauge, George D. Perkins and Charles F. Robinson—361

Detection of strong shock waves with plastic tapes, A. R. Champion and W. B. Benedick—377

Correction of butyl phthalate oil manometers for variations in room temperature, David L. Johnson—399(N)

Simple diaphragm system as oil-gas separator, C. D. Andriess—400(N)

Method for resistivity measurements in megagauss fields, F. Herlach—405(N)

Air bearing for viscometers, W. Debler and B. Bourland—406(N)

Rapid method of preparing single stage carbon replica for electron microscopy of some mineral crystals, A. R. Patel and S. M. Patel—409(N)

Technique for producing extremely thin walls and small holes in glass tubing, H. F. Wellenstein, C. H. Turner, and W. W. Robertson—410(N)

Use of an intermetallic composite for vapor deposition by electron beam bombardment, Albert A. Klein, Jr.—609(N)

Magneto-optic measurement of sample exchange, S. Broersma and P. E. Hendrickson—506

Recording flow meter, T. S. McMillan—596(N)

Measurement of gas flow rate by the method of timing a pressure drop, W. Brennen and Robert L. Brown—608(N)

Production of small uniform magnetic fields, R. H. Lambert and J. J. Wright—622(L)

Thermal expansion of epoxies between 2 and 300°K, W. O. Hamilton, D. B. Greene, and D. E. Davidson—645

Off-crest optical methods of measuring the amplitudes of surface ripples, N. L. Walbridge—672

Fabrication of ultrathin films, Paul Vouros, Joseph I. Masters, and Richard J. Starble—741

Spark erosion of diamond, C. M. Levitt—752

Manufacture of a photographic negative with parallel lines for spark chambers, David R. Rust—769(N)

Polishing laps out of Teflon, A. C. Fabergé—776(N)

Initiation devices for fuse and electric blasting caps, James E. Sinclair—784(N)

Evaporation of silicon monoxide from graphite cloth, M. D. Carithers—920(N)

Extrusion die-electrode combination for exploding lithium wire, Erol Oktay, D. R. Bach, and William O. Rekewitz—924(N)

Simple protector for water cooled equipment, A. C. MacDonald—931(N)

Joulemeter for exploding bridgewire firing sets, Louis A. Rosenthal—934(N)

New technique for the design of an extreme ultraviolet collimator, John F. McGrath, Jr.—1036

Simple optical Dewar and photomultiplier cooler, R. R. Alfano—1056(N)

Method of stretching polypropylene for use as soft x-ray detector windows, A. J. Caruso and H. H. Kim—1059(N)

High vacuum micromanipulator, Charles P. Dolan—1060(N)

Rapid method of tracing charged particle beams, H. Arnold, R. Hockstra, and W. J. Wieringa—1069(N)

Lead attachment to silicon, M. J. Zucker and M. M. Traum—1195

Light intensity viewing port, Joseph A. Adamski—1208(N)

Flat and slope-sided rubber gaskets, John Kupecz—1214(N)

Molding Epibond 100-A for use in constructing cryogenic apparatus, B. L. Berman, R. P. Madding, and J. R. Dillinger—1214(N)

Sample orienting device providing two rotational degrees of freedom in a solenoid, J. E. Ivory—1225(N)

Trap to remove moisture from gases, Peter W. Voisey and D. S. Gamble—1371(N)

Exploding wire system with *in vacuo* preparation of lithium wire, T. A. Leonard and D. R. Bach—1374(N)

Apparatus for sealing glass capillary tubes under pressure, James E. Sinclair and William M. Truesdell—1378(N)

Vibrating sample magnetometers, J. E. Noakes, A. Arrott, and C. Haakana—1436

Simple high pressure seal, P. Dirven, H. Meulemans, and A. Van Isterbeek—1595(N)

- AgCl seal: A simplifying improvement, Bernard Caras—1441
- New type of high speed valve, N. Inoue and T. Uchida—1461
- Apparatus for adiabatic rotation of a sample in a magnetic field at liquid helium temperatures, M. H. Halloran and J. E. Kunzler—1501
- Calibration of the electrode spacing of a dielectric sample holder, A. A. Levi—1527
- Convenient, low mass, gasket seal for calorimeters, Howard E. Flotow and Edmund E. Kloczek—1578(N)
- Specimen holder for irradiation of biological suspensions with fast protons, Robert Rikmenspoel and Gerard Van Herpen—1583(N)
- Contrast enhancement, Gerald F. Marshall—1584(N)
- Splash protection of a large area radiation detector viewing a water surface, E. J. M. Quirk—1585(N)
- Capillary bearings, Robert Reno and Niels Young—1627
- Two-dimensional evaluation of a plane of rotation, Lester J. Nypan—1633
- Measurement of film thickness by electron microprobe analyzer, K. L. Chopra, M. R. Randlett, and S. L. Bender—1755(N)
- Multiple rotator for ultrahigh vacuum with manual or automatic operation, J. Martinez Guerrero and A. Romero Frizzi—1761(N)
- Means of gripping fine wires during mechanical tests, A. H. Adams and J. H. Anderson, Jr.—1768(N)
- Chemical method for producing a grating on an aluminum oxide surface, R. A. Henriksen and Che-Yu Li—1770(N)
- Transient voltage decoupling elements, J. E. Gruber—1740
- Transducerless method for ultrasonic flaw testing in metals, W. D. Wallace, J. R. Houck, R. Bowers, B. W. Maxfield, and M. R. Gaertner—1863
- Simple method of preparing magnesium oxide secondary emission surfaces, R. J. Iversen and O. L. Gaddy—1950(N)
- Erasable trace method for chart recorders, E. C. Lloyd—1953(N)
- Electrostatic distortion of ion beam eliminated by metal coating fluorocarbon valve seats, A. Visnapuu and J. W. Jensen—1963(N)
- Improved method of removing plastic backing films from carbon electron microscope replicas, Gilbert H. Walker and Boyd L. Williams—1968(N)
- Simple technique for detection of oxygen in laboratory furnaces, A. E. Widmer—1968(N)

Lasers (see also Masers)

- Passive optical shutter for reducing the fluorescent output of a pulsed ruby laser, Burton G. Schuster and Robert D. Watson—419(N)
- Method for measuring small optical losses using a He-Ne laser, H. P. Brändli—593
- Laser temperature-jump apparatus for relaxation studies in electrolytic solutions, Heinz Hoffman, Ernest Yeager, and John Stuehr—649
- Method for measuring small thermal expansion with a single frequency helium-neon laser, Jack D. Foster and Iain Finnie—654
- Nanosecond microscopic Kerr magneto-optic apparatus and measurement techniques, E. R. Genovese and H. Chang—733
- Apparatus for the production and ignition of metal droplets with a pulsed laser, L. S. Nelson, N. L. Richardson, and J. L. Prentice—744
- Nondestructive thickness measurement in thin sections of germanium, S. D. Mittleman and L. Bess—838
- Amplitude stabilization of a single mode, 6328 Å, He-Ne laser, J. W. Hansen, K. F. Rodgers, Jr., and D. E. Thomas—872
- Laser-triggered spark gap, Lloyd L. Steinmetz—904
- Free surface velocity measurement of an impacted projectile by optical Doppler shift, P. M. Johnson and T. J. Burgess—1100
- Laser-induced "spark" light source for drift mobility measurements in wideband gap solids, W. D. Gill, R. E. MacDonald, and D. B. Greene—1114
- Automatic 2-photon spectrophotometer, B. Staginnus, D. Fröhlich, and T. Caps—1129
- One thousand meter laser interferometer, V. Vali and R. C. Bostrom—1303
- Temperature tunable laser diode spectrograph, Horst R. Wittmann—1382(N)
- Functional ion laser based upon a thermionic hollow cathode discharge, D. A. Huchital and J. D. Rigden—1472
- Indium arsenide laser for use in infrared detector response time measurements, K. J. Linden—1513
- Timing circuit for rotating prism, Q-switching lasers, Yosef Alon—1530
- Retracting pedestal apparatus which presents a single solid target to a focused Q-switched laser beam, John L. Pack, T. V. George, and A. G. Engelhardt—1697
- Automatic high speed particle sizing using a gas laser, Stuart A. Schleusener—1916

Light Intensity

- Fast and accurate method for measuring photon flux in the range 2500-6000 Å, Juan Yguerabide—1048

Light Pipes

- Efficient design for Lucite light pipes coupled to photomultipliers, H. Hinterberger and R. Winston—419(N)
- Use of a solid light funnel to increase phototube aperture without restricting angular acceptance, H. Hinterberger and R. Winston—1217(N)

Light Scattering

- Photometer for measurement of the light scattered by large submicron cylinders at both perpendicular and oblique incidence, D. Cooke and M. Kerker—320
- Track density measurement in dielectric track detectors with scattered light, Warner W. Schultz—1893

Light Sources

- Hydrogen flash lamps, I. B. Beriman, O. J. Steingraber, and M. J. Benson—54
- Argon resonance line lamp for vacuum ultraviolet photochemistry, Arthur L. Lane and Aron Kuppermann—126(N)
- Constant-current power supply for hydrogen or deuterium lamp, J. H. Simpson—276(N)
- Optical level technique adapted to hypervelocity impact experiments, Victor G. Gregson, Jr.—333
- Light source control system for electroluminescence studies on semiconductors, E. W. Williams and D. V. Parham—369
- Simple power supply system for stable xenon arc lamp operation, M. Green, R. H. Breeze, and Bacon Ke—411(N)
- Convenient method for generating short light pulses, H. P. Foote and D. R. Green—417(N)
- High intensity light source, J. E. Harper—509
- Use of an electroluminescent panel as a small spot light source for data recording, LeRoy D. Dickson—766(N)
- Light source control system for barrier height studies, F. A. Padovani—772(N)
- Amplitude stabilization of a single mode, 6328 Å, He-Ne laser, J. W. Hansen, K. F. Rodgers, Jr., and D. E. Thomas—872
- Discharge mechanism in gases in the subnanosecond region, Juan T. D'Alessio and Hilda Lanza—1209
- Laser-induced "spark" light source for drift mobility measurements in wideband gap solids, W. D. Gill, R. E. MacDonald, and D. B. Greene—1114
- Short duration flash photolysis lamp, C. J. Hochanadel, J. A. Ghormley, J. W. Boyle, and J. R. Riley—1144

Monochromatic iodine lamp, G. Liuti and J. E. Mentall—1767(N)

Pulsed illuminator with rapid recovery, H. Goldie and M. A. Goldman—1879

Liquefied Gases

Cell for measurements of the far ultraviolet reflectivity of rare gas liquids at low temperatures, D. Beaglehole—912(N)

Liquid Levels

Circuit for liquid level measurements using carbon resistors, S. Kaye and R. T. Murray—1956(N)

Liquids

Recording flow meter, T. S. McMillan—596(N)

Analysis of ultrasonic absorption measurements in liquids at high pressure, Walter H. Johnson, Jr. and Gerald Holton—1247

High temperature diffusion cell for multiple time isothermal measurement of liquid metal diffusivities, J. P. Foster and R. J. Reynik—1579(N)

Probe for detection of voids in liquid metals, John C. Chen, Sheldon Kalish, and George A. Schoener—1710

A slug flow transducer, J. T. Ryan and L. R. Vermeulen—1756(N)

Standing wave methods for measuring permittivities at meter and decimeter wavelengths, Edward H. Grant and Susan E. Keefe—1800

Zone refining techniques for liquid organics, J. N. Carides—1813

Determination of a constituent in volatile liquids, Theodore Katan—1951(N)

Low Temperature Techniques (see also Cryogenics)

Rotating sample holder for X-band ultrasonics, John W. Dooley and Norman Tepley—19

Preparation of nearly pure orthohydrogen and para-deuterium, D. A. Depatie and R. L. Mills—105

Thermal conductivity and heat capacity of 7740 Pyrex below 4°K and in magnetic fields to 90 kG, R. A. Fisher, G. E. Brodale, E. W. Hornung, and W. F. Giauque—108

Construction of Vycor glass superleaks, M. F. Wilson, D. O. Edwards, and J. T. Tough—134(N)

Inductance thermometer, R. H. Willens, E. Buehler, and E. A. Nesbitt—194

Very low frequency integrating vibrating sample magnetometer (VLFVSM) with high differential sensitivity in high dc fields, S. Foner and E. J. McNiff—171

Two "whisker" straining devices suitable for low temperatures, E. P. Stillwell, M. J. Shove, and J. H. Davis—155

Cryostat for the measurement of thermal conductivity and specific heat between 0.05 and 2°K, J. P. Harrison—145

Superconductor-glass vacuum seals, P. R. Critchlow, J. Lees, and P. W. Matthews—251(N)

Negative magnetoresistance in carbon resistance thermometers, W. R. Hudson—253(N)

Germanium resistance thermometry at temperatures below 1°K, G. A. Antcliffe, N. G. Einspruch, D. G. Pinatti, and H. E. Rorschach, Jr.—254(N)

Simple low temperature closure and electrical leadthrough for high pressure gas systems, J. E. Schirber and D. W. Shanfeldt—270(N)

Liquid helium field-ion microscope for radiation damage investigations, Pierre Petroff and Jack Washburn—317

Correction of butyl phthalate oil manometers for variations in room temperature, David L. Johnson—399(N)

Natural line widths of Mössbauer absorbers at variable low temperatures, D. P. Johnson, G. A. Erickson, and J. G. Dash—420(N)

Field effect transistors at 4.2°K, Floyd E. Kingston and Kenneth Lee—599(N)

Method for encapsulating electrical cryostat leads in plastic tape, Philip D. Neufeld and R. A. Aziz—601(N)

High voltage coaxial connector for helium cryostats, W. Gilbert Clark—601(N)

Electrical feed-throughs for use at low temperatures, A. C. Anderson—605(N)

Magnetic field measurement by means of a size-dependent oscillatory magnetoresistance effect, P. D. Hambourger—607(N)

Non-linear I-V characteristics of carbon films at low temperature, C. R. Brown and P. W. Matthews—616(N)

Simple liquid helium pressure transducer, M. Chester, S. C. Choudhery, B. K. Jones, and D. Williams—719

High vacuum valve for use in cryostats, Philip D. Neufeld, C. Gendron, and R. A. Aziz—771(N)

Operation of a germanium FET at low temperatures, E. C. Kelm—775(N)

Narrow tail glass helium Dewar, R. F. Frindt and A. Stuart—782(N)

Theory and design of an absolute viscometer for low temperature-high pressure applications, James T. F. Kao, Walter Ruska, and Riki Kobayashi—824

Destructive hydrogen target tests at the Princeton-Pennsylvania accelerator, R. Jankowicz—848

Some properties of gold-iron thermocouple wire, Ralph L. Rosenbaum—890

Cell for measurements of the far ultraviolet reflectivity of rare gas liquids at low temperatures, D. Beaglehole—921(N)

Self-supporting carbon resistance thermometers for use at low temperatures, C. Terry—925(N)

Simple optical Dewar and photomultiplier cooler, R. R. Alfano—1056(N)

Measurement of small dc voltages using phase sensitive detection techniques, D. A. Zych—1058(N)

Apparatus for the determination of magneto-thermodynamic properties to high fields at low temperatures utilizing a superconducting magnet, R. A. Butera, F. N. Kissell, and R. L. Stein—1138

Improvement of instrumentation leakage currents in a low temperature cryostat, Donald R. Zrudsky and William R. Savage—1210(N)

Molding Epibond 100-A for use in constructing cryogenic apparatus, B. L. Berman, R. P. Madding, and J. R. Dillinger—1214(N)

Comment on "Measurement of torques at low temperatures," Eugene Hecht—1232(L)

Stress cell for low-temperature piezospectroscopy, Romas A. Shatas, George A. Tanton, and Joe R. Williams—1380(N)

EPR spectrometer for the study of spin-lattice relaxation in the low magnetic field region, E. C. Douglas and D. A. Davids—1384(N)

Double feedback thermoregulating unit, Mario De Paz—1387(N)

The Northwestern University 50 cm liquid helium bubble chamber, R. J. Walker, M. M. Block, I. R. Kenyon, D. Koetke, J. Keren, P. Malhotra, P. Mazur, and H. Winzler—1407

Liquid helium cryostat for resistance thermometer calibration, C. R. Duda—1484

MOSFET operation at 4.2 K, Robert R. Green—1495

Apparatus for adiabatic rotation of a sample in a magnetic field at liquid helium temperatures, M. H. Halloran and J. E. Kunzler—1501

Low temperature force generating apparatus using Sylphon bellows, J. W. McWane, D. Bijl, and C. A. Shiffman—1532

Convenient, low mass, gasket seal for calorimeters, Howard E. Flotow and Edmund E. Kloczek—1578(N)

Versatile optical Dewar for two beam experiments, C. H. Chiou and S. J. Freedman—1584(N)

Specific heat of some polymers used in cryostat construction (1.7 to 4 K), Paul Zoller, P. R. Decker, and J. R. Dillinger—1621

New interpolation formula for carbon resistance thermometry, M. C. Hetzler and D. Walton—1656

Techniques and instrumentation for measuring the de Haas-van Alphen effect in metals, L. R. Windmiller and J. B. Ketterson—1672

Helium cooled radio frequency preamplifier for use in NMR, D. S. Miyoshi and R. M. Cotts—1881

Variable temperature field ion microscope cooled by helium gas, G. Meyrick—1954(N)

Stability and calibration of miniature platinum resistance thermometers, W. V. Johnston and G. W. Lindberg—1925

Strain-free, fused silica optical windows for a metal Dewar, L. F. Mollenauer, C. D. Grandt, W. B. Grant, and H. Panepucci—1958(N)

Use of polystyrene beads for manufacture of low-loss coaxial lines for low-temperature research, Kenneth F. Young and Richard A. Forman—1964(N)

Erratum: Helium vapor cooled current leads [Rev. Sci. Instr. 38, 1776 (1967)], K. R. Efferson—1970(E)

Lubrication

An annular contact friction and boundary lubrication tester, Eugene F. Finkin—690

Capillary bearings, Robert Reno and Niels Young—1627

Luminescence

Variable temperature Dewar for cathodoluminescence studies, W. P. Knox and J. D. Cuthbert—1181

High pressure apparatus for absorption and luminescence studies of solids, Henry W. Offen—1961(N)

Magnetic Fields

Method for resistivity measurements in megagauss fields, F. Herlach—405(N)

Simple NMR probe for use in superconducting solenoids, R. J. Higgins and Yung Kwang Chang—522

Device for producing very low magnetic fields, Robert E. Brown—547

Microminiature Hall probes for use in liquid helium, J. E. Simpkins—570

Magnetic field measurement by means of a size-dependent oscillatory magnetoresistance effect, P. D. Hamburger—607(N)

Production of small uniform magnetic fields, R. H. Lambert and J. J. Wright—622(L)

Frequency sweep, field-frequency stabilized, double resonance spectrometer, N. Boden, J. Capart, W. Derbyshire, H. S. Gutowsky, and J. R. Hansen—805

Radio frequency pulse generators to produce a 1.8 kG rotating field in a plasma, A. Lietti—900

Rapid scanning of the magnetic field in ESR spectroscopy: Application to pulse electrolysis, R. Hirasawa, T. Mukaibo, H. Hasegawa, Y. Kanda, and T. Maruyama—935(N)

Measurement and control of magnetic field homogeneity, Richard R. Ernst—998

Measurement of Faraday rotation in megagauss fields over the continuous visible spectrum, W. B. Garn, R. S. Caird, C. M. Fowler, and D. B. Thomson—1312

Optimum spacing of square and circular coil pairs, M. E. Rudd and J. R. Craig—1372(N)

New technique for radio frequency magnetic field measurement, J. S. Leigh, Jr.—1594(N)

Field due to current in toroidal geometry, Dilip Bhadra—1536

Amplitude stabilizer for magnetic field modulators, Yosef Alon and David Shaltiel—1623

Magnetic Measurements

New technique for measurement of the temperature dependence of the saturation magnetization—nickel, S. M. Bhagat and C. W. Lucas, Jr.—255(N)

Vector plotting display, M. J. Churchill—351

Simple method for the automatic recording of the internal magnetic field, G. Asti and F. Conti—974

New method for measuring the static magnetic susceptibility by paramagnetic resonance, Mohindar S. Seehra—1044

Apparatus for the determination of magneto-thermodynamic properties to high fields at low temperatures utilizing a superconducting magnet, R. A. Butera, F. N. Kissell, and R. L. Stein—1138

Vapor deposited samples and leads for high pressure measurements, J. Rimas Vaisnys—1187

Technique for magnetic analysis by electron diffraction, S. Yamaguchi—1224(N)

Comment on "Measurement of torques at low temperatures," Eugene Hecht—1232(L)

Detection method for the normal to superconducting phase transition of 10 μ spheres, D. S. McLachlan and J. Feder—1339

Apparatus for continuous recording of coercive force, maximum magnetization, and remanent magnetization of ferromagnetic materials, A. T. English—1345

Pulsed field magnetization measurements up to 500 kOe, Y. Allain, J. de Gunzburg, J. P. Krebs, and A. Miedan-Gros—1360

Vibrating sample magnetometers, J. E. Noakes, A. Arrott, and C. Haakana—1436

Apparatus for adiabatic rotation of a sample in a magnetic field at liquid helium temperatures, M. H. Halloran and J. E. Kunzler—1501

Techniques and instrumentation for measuring the de Haas-van Alphen effect in metals, L. R. Windmiller and J. B. Ketterson—1672

Improved ferrimagnetic single-crystal sphere orienter, Gerald F. Dionne, Philip S. Crocker, and James F. Smith—1759(N)

New way of using the Cahn electrobalance in measuring magnetic susceptibilities, Richard M. Griest and Werner Ostertag—1758(N)

Faraday balance for measuring magnetic susceptibility, Bernard L. Morris and Aaron Wold—1937

Magnetic Properties of Materials

Inductance thermometer, R. H. Willens, E. Buehler, and E. A. Nesbitt—194

New technique for measurement of the temperature dependence of the saturation magnetization—nickel, S. M. Bhagat and C. W. Lucas, Jr.—255(N)

Apparatus for continuous recording of coercive force, maximum magnetization, and remanent magnetization of ferromagnetic materials, A. T. English—1345

New way of using the Cahn electrobalance in measuring magnetic susceptibilities, Richard M. Griest and Werner Ostertag—1758(N)

Faraday balance for measuring magnetic susceptibility, Bernard L. Morris and Aaron Wold—1937

Magnetic Resonance

New technique for measurement of the temperature dependence of the saturation magnetization—nickel, S. M. Bhagat and C. W. Lucas, Jr.—255(N)

Fast sensitive Smith chart plotter or microwave reflectometer, Robert L. Kyhl—373

A ferromagnetic resonance method of measuring magnetostriction constants, A. B. Smith—378

Derivative spectroscopy with recording spectrometers, Melvin P. Klein and Edward A. Dratz—397(N)

Resonant calibrator for broad-line magnetic resonance, R. J. Blume and G. A. Rebka, Jr.—421(N)

Whole-body NMR spectrometer, Jasper A. Jackson and Wright H. Langham—510

Simple NMR probe for use in superconducting solenoids, R. J. Higgins and Yung Kwang Chang—522

- Precision high speed current regulators for occasionally switched inductive loads, Alfred G. Redfield, Warner Fite II, and Herman E. Bleich—710
- Frequency sweep, field-frequency stabilized, double resonance spectrometer, N. Boden, J. Capart, W. Derbyshire, H. S. Gutowsky, and J. R. Hansen—805
- Bidirectional square wave generator for frequency modulated magnetic resonance spectrometers, G. M. Muha—916(N)
- Liquid sample container for NMR pressure studies, A. A. Brooks, E. O. Stejskal, and V. W. Weiss—917(N)
- Nuclear magnetic resonance spectrometers using coaxial components, H. A. Buckmaster, D. J. I. Fry, and J. D. Skirrow—930(N)
- Measurement and control of magnetic field homogeneity, Richard R. Ernst—998
- NMR double irradiation circuit, R. C. Hewitt—1066(N)
- An rf gate with 140 dB carrier suppression, L. J. Burnett and J. F. Harmon—1226(N)
- New technique for radio frequency magnetic field measurement, J. S. Leigh, Jr.—1594(N)
- Fail safe switching for magnet flux stabilizer, D. W. Gord and D. P. Ames—1581(N)
- Helium cooled radio frequency preamplifier for use in NMR, D. S. Miyoshi and R. M. Cotts—1881

Magnetic Suspensions

- Sensitive tiltmeter utilizing a diamagnetic suspension, Ivan Simon, Alfred G. Emslie, Peter F. Strong, and Robert K. McConnell, Jr.—1666

Magnetism

- Electron-mirror microscopy of stripe domains, K. N. Mafit, D. S. Lo, A. L. Olson, and E. J. Torok—259(N)

Magnetohydrodynamics

- Gauge for measuring impulsive pressure in a container subjected to large, time-varying applied voltages, W. R. Grabowsky and D. A. Durran—35

Magnetometers

- Very low frequency integrating vibrating sample magnetometer (VLFVSM) with high differential sensitivity in high dc fields, S. Foner and E. J. McNiff, Jr.—171
- Fast response magnetometer using ferromagnetic resonance in thin films, L. J. Schewe and H. R. Irons—220
- Vibrating sample magnetometers, J. E. Noakes, A. Arrott, and C. Haakana—1436
- Vibrating coil magnetometer for measurements on type II superconductors, D. E. Farrell—1452

Magneto-Optic Effects

- Nanosecond microscopic Kerr magneto-optic apparatus and measurement techniques, E. R. Genovese and H. Chang—733
- Measurement of Faraday rotation in megagauss fields over the continuous visible spectrum, W. B. Garn, R. S. Caird, C. M. Fowler, and D. B. Thomson—1312

Magnetostriction

- A ferromagnetic resonance method of measuring magnetostriction constants, A. B. Smith—378

Magnets (see also Superconducting Magnets)

- Variable limit sweep generator, Thomas W. Pearce—395(N)
- Simple electronic linear sweep circuit for current-regulated magnet power supplies, N. S. VanderVen—408(N)
- Fail safe switching for magnet flux stabilizer, D. W. Gord and D. P. Ames—1581(N)
- Small 10 kG pulsed magnet, Robert O. Roth and John R. Gilleland—1696

Mass Spectrometry

- Study of fragmentation patterns by beam modulation mass spectrometry, Myron H. Boyer, Edmond Murad, Y. Harry Inami, and Donald L. Hildenbrand—26
- Blanking circuit for a magnetic electron multiplier in a time-of-flight mass spectrometer, Joseph R. Haumann and Martin H. Studier—169
- Synchronous operation of mass spectrometer, Paul Kende—270(N)
- Modification of a time-of-flight mass spectrometer for investigation of ion-molecule reactions at elevated pressures, Jean H. Futrell, Thomas O. Tiernan, Fred P. Abramson, and C. Dean Miller—340
- Technique for producing extremely thin walls and small holes in glass tubing, H. F. Wellenstein, C. H. Turner, and W. W. Robertson—410(N)
- Mass-energy spectrometer for space plasmas, K. W. Ogilvie, N. McIlwraith, and T. D. Wilkerson—441
- Quadrupole field in circular concave electrodes, Tomonao Hayashi and Noriyuki Sakudo—958
- Detector for metastable ions observed in the mass spectra of organic compounds, N. R. Daly, A. McCormick, and R. E. Powell—1163
- The monopole mass spectrometer, P. H. Dawson and N. R. Whetten—1417
- Mass selector for ion beam experiments, Lowell P. Theard—1464
- Ion source for mass spectrometers, Gr. Alexandru—1571
- Energy distribution of positive ions extracted from a hot-cathode gas discharge ion source, Lowell P. Theard—1639
- Mass discrimination in a time-of-flight mass spectrometer: I. Geometric mass discrimination at magnetic electron multiplier, W. W. Hunt, Jr., K. E. McGee, J. K. Streeter, and S. E. Maughan—1793
- Reaction vessel for flash photolysis and time resolved mass spectrometry, J. M. Freese and R. T. Meyer—1764(N)
- Electrostatic distortion of ion beam eliminated by metal coating fluorocarbon valve seats, A. Visnapuu and J. W. Jensen—1963(N)

Mechanics

- Technique for producing low level quasistatic accelerations, Robert S. Jenkins—1212(N)
- Apparatus for rapid bend testing of brittle solids at elevated temperatures, A. Moschetti, A. H. Heuer, and W. R. Mitchell—1218(N)
- Low temperature force generating apparatus using Sylphon bellows, J. W. McWane, D. Bijl, and C. A. Shiffman—1532
- Constant true strain rate apparatus, E. P. Lautenschlager and J. O. Brittain—1563
- Sensitive tiltmeter utilizing a diamagnetic suspension, Ivan Simon, Alfred G. Emslie, Peter F. Strong, and Robert K. McConnell, Jr.—1666
- High temperature remote strainometer, M. O. Marlowe and M. B. Reynolds—1768(N)
- Accuracy of rotation around an axis, S. E. Masry—1825

Memories

- Nanosecond microscopic Kerr magneto-optic apparatus and measurement techniques, E. R. Genovese and H. Chang—733

Metallurgy

- Photographic apparatus for the study of fracture in metals, H. Ezrol, H. Margolin, R. W. King, R. Bunshah, and P. Venkatesan—229
- Capacitor method for measuring lathe section thickness applicable primarily to diffusion studies, R. O. Meyer and H. Sekizawa—265(N)

- Hydrostatic ring test for high precision strain measurement, John W. Moberly, William R. Goggin, and Rudolf Sedlacek—835
- High pressure thermobalance, H. L. Feldkirchner and J. L. Johnson—1227(N)
- High temperature diffusion cell for multiple time isothermal measurement of liquid metal diffusivities, J. P. Foster and R. J. Reynik—1579(N)
- Transducerless method for ultrasonic flaw testing in metals, W. D. Wallace, J. R. Houck, R. Bowers, B. W. Maxfield, and M. R. Gaertner—1863
- Method of measuring the thickness of thin electrolytically removed sections—application to diffusion measurements in metals, David L. Styris and C. T. Tomizuka—1960(N)
- Metals**
- Apparatus for the production and ignition of metal droplets with a pulsed laser, L. S. Nelson, N. L. Richardson, and J. L. Prentice—744
- Automatic apparatus for resistivity ratio determinations, Gary L. Petersen and Allan R. Hoffman—922(N)
- Analysis of resistivity measurements by the eddy current decay method, J. LePage, A. Berna'te, and D. A. Lindholm—1019
- Techniques and instrumentation for measuring the de Haas-Alphen effect in metals, L. R. Windmiller and J. B. Ketterson—1672
- Probe for detection of voids in liquid metals, John C. Chen, Sheldon Kalish, and George A. Schoener—1710
- Tensile loading device for Kossel microdiffraction and metallography, D. L. Vieth and H. Yakowitz—1929
- Meteorology**
- Guarded double field meter, Stuart Gathman—43
- Automatic real time air monitoring of ^{86}Kr utilizing the 4096 memory of a multiparameter analyzer, J. R. Ludwick, J. J. Lashock, R. E. Connally, and P. W. Nickola—853
- Microsensor for measuring humidity, J. R. Lai and G. M. Hidy—1197
- Linearization of thermocouple voltages, Gerald Conrad—1682
- Replicator for ice crystals, F. K. Odencrantz and L. E. Humiston—1870
- Metrology**
- Two-dimensional evaluation of a plane of rotation, Lester J. Nyman—1633
- Interferometer for determining autocollimator errors, M. J. Saunders—1744
- Accuracy of rotation around an axis, S. E. Masry—1825
- Microscopy**
- Double-beam vibrating mirror flying spot scanning-integrating microspectrophotometer, James L. Engle and Jerome J. Freed—307
- Microwave Spectroscopy (see also Electron Spin Resonance)**
- CW microwave spectrometer for ultrasonic paramagnetic resonance, R. G. Leisure and D. I. Bolef—199, Erratum—424(E)
- A ferromagnetic resonance method of measuring magnetostriction constants, A. B. Smith—378
- Two cavity device as a bimodal cavity, D. J. Sloop and I. M. Brown—1215(N)
- Improved sweep modulator for high dc voltages, Anthony Remeikis, Robert A. Beaudet, Robert L. Poynter, and George Steffensen—1223(N)
- Techniques of ultrasonic paramagnetic resonance, H. C. Meyer, P. F. McDonald, and P. L. Donoho—1459
- Scanning microwave echo box spectrometer, H. E. Radford—1687
- Combined ^3He cryostat and pulsed ESR spectrometer, Thomas L. Bohan and H. J. Stapleton—1707
- Simple Stark modulation absorption system for high temperature microwave spectroscopy, A. Narasimha Murty and R. F. Curl, Jr.—1885
- Microwave Techniques**
- Rotating sample holder for X-band ultrasonics, John W. Dooley and Norman Tepley—19
- Tunable ESR cavity suitable for high frequency field modulation, John C. Murphy—135(N)
- New technique for measurement of the temperature dependence of the saturation magnetization-nickel, S. M. Bhagat and C. W. Lucas, Jr.—255(N)
- Fast sensitive Smith chart plotter or microwave reflectometer, Robert L. Kyhl—373
- Simple scheme for hypersonic measurements over broad frequency range, B. R. Tittmann and H. E. Bömmel—614(N)
- Ten watt coaxial calorimeter for rf power measurement, Richard F. Clark and Algirdas Jurkus—660
- A new ENDOR cavity configuration, T. G. Castner, Jr. and A. M. Doyle—1090
- Microwave discharge source for atomic and molecular beam production, Gilbert O. Brink, Robert A. Fluegge, and Robert J. Hull—1171
- Dual-mode microwave cavities for dispersion measurement, M. C. Thompson, Jr. and M. J. Vetter—1332
- Resonant helices and their application to magnetic resonance, F. Volino, F. Csakvary, and P. Servoz-Gavin—1660
- Scanning microwave echo box spectrometer, H. E. Radford—1687
- Improved ferrimagnetic single-crystal sphere orienter, Gerald F. Dionne, Philip S. Crocker, and James F. Smith—1759(N)
- Standing wave methods for measuring permittivities at meter and decimeter wavelengths, Edward H. Grant and Susan E. Keefe—1800
- Simple Stark modulation absorption system for high temperature microwave spectroscopy, A. Narasimha Murty and R. F. Curl, Jr.—1885
- New method for the measurement of the Q-factor of cavities and its application to research in solid state physics, Klaus Leibrecht—1919
- Hydrogen plasma decay measured by double wave interferometer, G. F. Brand—1945(N)
- Molecular Beams (see also Atomic Beams)**
- Study of fragmentation patterns by beam modulation mass spectrometry, Myron H. Boyer, Edmond Murad, Y. Harry Inami, and Donald L. Hildenbrand—26
- Medium-sensitivity microbalances for measuring forces exerted by molecular beams, D. G. H. Marsden—39
- Time-of-flight velocity analysis of atomic and molecular beams, Otto F. Hagena and Ashok K. Varma—47
- Sinusoidal molecular beam chopper with an internally generated phase reference signal, James A. Schwarz and Robert J. Madix—1366
- Molten Salts**
- Radial heat flow, thermal conductivity apparatus for measurements on sulfide and telluride melts, R. K. Williams, Manoo Veeraburus, and W. O. Philbrook—1104
- Mössbauer Experiments**
- Natural line widths of Mössbauer absorbers at variable low temperatures, D. P. Johnson, G. A. Erickson, and J. G. Dash—420(N)
- Use of a closed-cycle helium refrigerator for Mössbauer studies, J. W. Wiggins, J. R. Oleson, Y. K. Lee, and J. C. Walker—995
- Nanosecond Techniques**
- Hydrogen flash lamps, I. B. Berلمان, O. J. Steingraber, and M. J. Benson—54

- Nanosecond risetime, high power, variable delay double pulser with application to electron-hole plasmas, William P. Robbins, Robert M. Lantz, and Betsy Ancker-Johnson—69
- New device for current measurement in exploding wire circuits, Ryszard Malewski—90
- System approach to fast logic for counter experiments in high energy physics, W. Sippach and J. Sunderland—161
- Fast response magnetometer using ferromagnetic resonance in thin films, L. J. Schwee and H. R. Irons—220
- Pulse limiter, R. M. Sundelin—251(N)
- Shorted guard-ring quartz gauge, G. A. Jones and W. J. Halpin—258(N)
- Terminal pulsing on a low energy electrostatic accelerator, P. W. Chudleigh—356
- Convenient method for generating short light pulses, H. P. Foote and D. R. Green—417(N)
- Tunnel diode-transistor binary scaler, Z. C. Tan and P. C. Maxwell—466
- Laser-triggered spark gap, Lloyd L. Steinmetz—904
- Discharge mechanism in gases in the subnanosecond region, Juan T. D'Alessio and Hilda Lanza—1029
- Digital time intervalometer, Ronald Nutt—1341
- Indium arsenide laser for use in infrared detector response time measurements, K. J. Linden—1513
- Pulsed illuminator with rapid recovery, H. Goldie and M. A. Goldman—1879
- Neutron Detectors**
- Absolute efficiency measurements of NE-213 organic phosphors for detecting 14.5- and 2.7-MeV neutrons, T. A. Love, R. T. Santoro, R. W. Peelle, and N. W. Hill—541
- Silver counter for bursts of neutrons, R. J. Lanter and D. E. Bannerman—1588(N)
- Neutron Diffraction**
- Three axis crystal spectrometer for neutrons, R. Stedman and G. Nilsson—637
- Energy resolution and focusing in inelastic scattering experiments, R. Stedman—878
- Neutron Measurements**
- Measurement of the polarization of thermal neutron beams of mixed velocities, S. H. Barkan, E. Bieber, M. T. Burgy, S. Ketudat, V. E. Krohn, P. Rice-Evans, and G. R. Ringo—101
- Square and sine wave modulation of the beam from a 3 mV Van de Graaff accelerator, H. J. Fraser, A. I. M. Ritchie, and S. Whittlestone—240
- New Instruments**
- Accelograph—1977
- Aerosol sampler—630
- Altitude measurement system—790
- Ammeter, dc—1599
- Amplifier—1599
- , auto-gain—284
- , biased—627
- , linear—427
- , pulse—628
- Analysis system, multichannel—791
- Analyzer, aerosol—139
- , clinical—1974
- , differential thermal—1778
- , laser light, scattering—429
- , nucleic acid—1604
- , O₂ and CO₂—1238
- , residual gas—1604
- , signal—1973
- , spectrum—626, 942, 1397
- , total oxygen demand—1975
- , thermo-luminescence—139
- , total organic carbon—140
- Analyzer system, uv—432
- Auto-collimator—1237
- Beam profile monitor—1073
- Bio-oxidation apparatus—140
- Bridge, conductivity—789
- , impedance, automatic—1599
- Calibrator, flow—1780
- Camera, eye movement—1073
- , cold—1975
- , infrared—1777
- , TV, for microscopy—1976
- , x-ray, scanning—1777
- Camera system, holographic—286
- Capacitor storage bank—430
- Chromatogram scanner—1396
- Chromatograph, gas preparative—941
- Clock, temperature—1600
- Collector, fraction—1078
- Collimator, wide angle—629
- Computer, bioelectric data—1976
- , input device—628
- Condensation nuclei counter—430
- Controller, deposition thickness—1978
- , multipoint—1978
- Converter, analog-to-digital—286, 1599
- , charge-velocity—1601
- Converters, concentration—1076
- Cryostat, variable temperature lens—1238
- Crystal orienter—1398
- Data recording system—1398
- Data scanner—1240
- Data system, physiological—1398
- , ——1977
- Detector, chromatography—1237
- , defect—1977
- , null—1780
- , radiation, semiconductor—945
- Diffraction cryogenic attachment—285
- Digitizing system—790
- Display unit—1240
- Dissolved oxygen monitor/controller—432
- Distillation system—1074
- Divider, digital—1780
- Dosimeter, gamma—432
- Double resonance accessory—1604
- Electrochemistry system—1974
- Electrometer, vibrating capacitor—629
- Electrophoresis, particle—941
- Encoder, digital—945
- Filter, band pass, variable—1397
- , digitally tuned—628
- Flowmeter, digital—283
- Flutter meter—429
- Frequency comparator—428
- Furnace, micro—1076
- Gaussmeter, incremental precalibrating—944
- Generator, delay, digital—947
- , function—1779
- , pulse—1075
- , time delay—942
- , waveform—1779
- Hardness tester, high temperature—1603
- Heat transfer system—430
- Holography kit—429
- Hygrometer, dew point—789
- Indicator, blood flow—1077
- Indicators, digital—1076
- Inoculation system, aerosol—1602
- Interferometer enlargement accessory—629
- Laser, microscope—140
- If signal detection system—626

Light modulator—1074
Loudness analyzer—427
Magnetometer, portable—944
—, vibrating sample—1397
Magnets—284
—, spiral, pulsed—945
Manometer, electronic—431, 944
Mass spectrometers—285, 941
Measurement system, programmable—428
Measuring system, linear—432
Meter, digital panel—944
—, laser power—1973
—, power factor—1780
—, sound level—1780
Microscope, photoelectric—1976
Multimeter, three-digit—286
Multiplier, analog—1600
Noise exposure meter—790
Noise source, rf—428
Optical bench—1601
Optics demonstrator—943
Oxygen controller—1238
Particle identifier—945
Phase shifter and meter—1397
Photometer—1778
—, atomic absorption—1395
Picoammeters—792
Plotter—283
—, X-Y—1398
Power factor meter—287
Power measuring system—1780
Power source—1239
Power supply—141
—, ac—287
—, high voltage—793, 794
—, programmable—625
—, quadrupole mass spectrometer—1239
Pressure indicator, digital—790
Printer, serial oscillograph—1602
Pyrometer—140
Radiometer—1779
Reaction kinetics system—1396
Readout system, theodolite—1601
Receiver, WWVB—141
Recorder—626, 1240
—, electron beam—625
—, X-Y—1076
Reference, thermocouple—792
—, voltage—793
RF leak detector—289
Softness meter, fabric—1239
Solar wind simulator—141
Spectrograph/monochromator—1777
Spectrometer, analytical—1076
—, Auger electron—1976
—, gamma, Ge (Li)—1076
—, NMR—628
—, scanning—139
Spectrophotometer—1395
—, infrared—1074
—, stopped flow—1395
Spectropolarimeter—1396
Spectroradiometer system—1974
Stroboscope—792
Synthesizer, microwave—1237
Tape reader, magnetic—284
Test chamber, anechoic—1600
Thermobalance—942
Thermometer, marine research—1978
Titrator, water content—1975
Transducer, power—1600
Vacuum system controller—1073

Vibration exciter control—431
Vibration meter—140
Voltage reference—1239
Voltmeter—1237
—, electrostatic—283
—, statistical—1075
Water quality monitor—288
Wave height and direction system—431
Weighing system, batch—1078
Wire bond tester—289
X-ray quantometer—792

New Materials and Components

Accelerometer for high level shocks—1607
—, high frequency—1607
—, miniature—1784
Adhesive kit, high temperature—1404
—, for Teflon, high temperature—1606
—, conductive, single component—1783
—, high thermal conductivity—950
Air switch—1401
Aligned-whisker tape preforms—144
Alloy, high temperature—1079
—, high-temperature, ductile—631
—, magnetic, high temperature—795
Aluminum, ultra-high purity—795
Amplifiers, biased, with linear gate—438
—, differential, dc—1786
—, differential, floating—800
—, logarithmic, miniature—1786
—, operational, low drift—438, 800
—, operational, low drift FET—1242
—, operational, ultra stable—800
—, power, dc servo—633
—, servo, 250 W dc—799
Antennas—1082
Attenuator, low SWR—1786
Autoclave service—1244
Balance, mass absorption spring, with quartz spring—1979
Barium sodium niobate—796
Bath, constant temperature—635
Beakers, 5 ml, disposable—1608
Beam director, laser—634
Beryllium copper tubing, free machining—795
Bin for nuclear instrumentation modules—1608
Blower, uniform flow—436
Boron carbide hand stones—1783
—, nitride, high purity—1605
Bussblock, quick connect-disconnect—1242
Calcium fluoride material for thermoluminescence—1400
Camera Lucida—1782
Camera tube, SEC, for TV—1082
—, television, with ir sensitivity—1610
—, TV—435
Capacitor pack, high voltage—1787
—, polystyrene, with zero temperature coefficient—1610
—, ceramic, precision—949
Capillaries, flame-off, sapphire—434
Carbon foam float—1982
Card readers—948
Cathode ray tube with 1/2 mil spot—948
—, with 3-mil line width—796
Ceramic adhesive, 4400°F—795
—, castable, for high temperature thermal insulation—1243
—, coating, high temperature—1244
—, rods, machinable, large diameter—433
—, tooling, high temperature—1606
Charger, battery, solid state—1610
Chromatography, inlet splitter for gas—1981
—, 4500 psig syringe for liquid—1981
Chromium sputtering electrodes, large—631
Circulator, solid state—1080

- Clamp, laboratory, micro—634
- Clutch, slip, precision adjustable—435
- Coating, antireflective, broadband—1782
 - , antitracking—1606
 - , corrosion resistant, high temperature—796
- Coaxial cable, flexible, fully shielded—1610
 - , microwave—1611
 - , shunt—1980
- Conductivity cells, plastic—1982
- Connectors, Glass-Teflon, joint, flexible—1404
 - , high-temperature, miniature—1982
- Constant temperature circulator—144
- Controlled-pore glass for liquid chromatography—1403
- Controller, process—635
 - , SCR, with direct temperature indication—1980
- Converter, analog-to-digital—1082
 - , analog-to-digital, logarithmic—1786
 - , binary-to-BCD—1980
 - , components, analog/digital, peripheral—1241
 - , time-to-pulse-height—144
 - , power, dc/dc—436
- Cooling fluid, fluorochemical—1080
- Core memory system, expandable—1241
 - , compact—1786
 - , stack, ferrite memory—1241
- Counter, 8-digit—633
 - , electronic, on a single circuit board—1609
- Counter tube, disc type—1084
 - , high speed—803
 - , internal geared—803
- Crucible for metallizing—1404
 - , high temperature—1982
- Crystal ovens—437
- Crystal wire, single—433
- Crystals, rental—1400
 - , single, metal—631
 - , single, nickel oxide—1245
 - , single, tellurium—1400
- Cutting tool, diamond for ceramic substrates—1608
- Delay line, tapped—1082
- Destainer for disc electrophoresis gels—1079
- Detectors, semiconductor, high resolution, high voltage—1084
- Dewars, special, and emission tubes—1979
- Diamond tool kit—144
 - , universal—632
- Diode, pin—1400
 - , pressure-sensitive—1981
- Dishes, glass, custom compartmentalized—1608
- Disinfectant for safety equipment—1079
- Dosimeter, anthracene—796
- Drive, hermetically sealed—950
- Drive shaft, hermetically sealed—635
- Elastomer, conductive—1080
 - , variable resistance—1785
- Electrode, analytical, for aircraft engine check—1245
 - , bio-probe—1081
 - , catheter, pH —1402
 - , cyanide ion—634
 - , combination reference and indicating—799
- Electrophoresis apparatus, thin layer, high voltage—799
 - , cellulose acetate for—1981
- Embossing tool, label—799
- Feeder, chemical—634
- Ferrite, nonmicrowave—1606
- Film rolls, vacuum ultraviolet—798
- Films, photographic—1079
- Filter, active, hybrid—1401
 - , assemblies, disposable, small—1244
 - , interference—1400
 - , papers, high wet strength—1245
 - , rf interference high current—1403
 - , ultraviolet—797
 - , variable, active—1980
- Fission chamber, in-core—1245
 - , miniature—438
- Fittings, tantalum—635
- Fluidikit, advanced—1241
- Furnace, processing, high temperature—1404
- Generator, ultrasonic, variable frequency—1980
- Graphite fiber, "whiskerized"—950
 - , high purity—1783
 - , oriented—1605
- Ground-fault current interrupter—436
- Heat flow sensor—632
- Heat transfer gauges—1244
- Heavy water—632
- Helium ionization detector—438
- High vacuum system, rack mounted—1607
- Image intensifier, fiber optic—435
- Indicators, bulbless—632
- Inductors, rf shielded—634
 - , shielded, miniature—1980
- Infrared source, solid state—948
- Inverter, frequency stabilized—633
- Ionization gauges, high vacuum—438
- Isolation, shock/vibration—1242
- Jig, precision polishing—635
- Knife, scoring, glass tube—1982
- Lamp assemblies, lens-end—1801
 - , microscopy, uv high intensity—1606
 - , miniature—1080
 - , xenon, ozone-free—797
- Laser material—1606
 - , optical accessory sets—1606
 - , oscillator-amplifier system—1782
- Lens, aspheric, acrylic—1080
 - , for microphotography—1782
- Level gauge, remote reading—438
- Light source, radioactive—1081
 - , tubes, flexible—1607
- Logic card, integrated circuit—1786
- Magnet, switching—633
- Magnetic components, low silhouette, packaging of—1242
 - , film, tapered, on disk and drum substrates—1241
- Melting-point standards—434
- Memory systems, core, compact—1786
- Metal powders, refractory, prealloying technique for—1783
- Meter, elapsed time—803
 - , operating time—950
- Microcircuits, power control—1981
- Microphones, condenser, miniature—1080
- Microwave source, controlled, voltage or resistance—1980
- Mixers, balanced, double—1785
- Motor, torque, dc—1610
 - , moving coil, brushless dc—800
 - , synchronous, subfractional—950
- Moulding compound, plastic—796
- Multiplier, varacter—1980
- Oil for two-stage vacuum pumps—950
- Optical tables, granite—1982
- Oscillator, cavity, solid state—1980
 - , crystal—437
 - , crystal controlled, compact—948
 - , crystal, temperature compensated—437
 - , plug-in, high stability—1401
 - , tuning fork, with logic output—1082
- Overvoltage gap, fast-acting—1979
- Paint, aerosol, high temperature—1784
 - , epoxy laboratory—1079
- Phospholipids, ^{14}C tagged—1245
- Phosphor, infrared to visible—1400
- Photodiode, ultrafast—1401
- Pivots, osmium tipped—631
- Plating, lubricative—434

- Pile-up gate module—143
 Plastic, engraving, for lighted pane's—1784
 Platform, anti-vibration—1080
 Plating facility for 14 ft parts—1243
 Potentiometer, cermet—801
 —, trimming, infinite resolution—801
 —, conductive plastic—634
 Power supplies, regulated dc—1242
 —, regulated strain gauge, isolated—1402
 —, solid state—1785
 —, modules—437, 800
 Pressure switch—803
 —, static, adjustable—438
 Programming circuit selector—1608
 Probe, cold, thermoelectric—1979
 Prothrombin time reagents, high accuracy—1245
 Pump for gases, Teflon—1608
 —, high vacuum ion sorption—1608
 —, vacuum, electronic—1403
 Pumps, diffusion, mercury—797
 —, laboratory—1608
 Purification of freezing water by "bubble scrubbing"—1244
 Quartz, fused, economical—632
 Receptacle, Teflon insulated—1982
 Rectifiers, high voltage, fast recovery—633
 Reference chamber, icepoint—798
 —, compound kit, mass spectrometer—1403
 Regulator, dc voltage—800
 —, voltage, negative dc, adjustable—1242
 —, voltage, negative dc, miniature—1802
 Relay, solid state, general purpose—633
 —, sealed—1080
 —, time delay, solid state—1242
 —, voltage, ac and dc—804
 Remote viewing by fiber optics—435
 Resistance networks, precision—1609
 Resistors, coaxial termination—801
 —, precision wirewound, subminiature—144
 Resonator, tuning fork, subminiature—437
 Rubber, silicone, room temperature vulcanizing—1695
 Rupture disc—1243
 Rust inhibitor, greaseless—1245
 Sample injector—1243
 Scintillation mixes—143
 Scintillators, plastic—1783
 Sealant, high temperature—144
 Shielding, electromagnetic—795
 Shields, magnetic, custom—434
 Signaling system, tone—1242
 Silica, fused, ultrapure—1605
 —, ultralow expansion—433
 Soldering cap—1784
 Solenoids, dc—1610
 Solvent, spectroanalysis grade—1245
 Source holder, vacuum evaporation—636
 Strain gauge, microminiature—143
 —, wide grid foil—1784
 Switch, air flow, vane type—1611
 —, coaxial—1782
 —, control, vacuum actuated—635
 —, enclosed deck—435
 —, flow—1611
 —, thumbwheel, to indicator—1243
 Synchro, potentiometer, film—1402
 Tachometers, dc—1610
 Tanks, stainless steel, sanitary—1243
 Tape, epoxy, high temperature—634
 —, reader, perforated, desk-top—1787
 Temperature controls—948
 —, control unit—1244
 —, monitoring markers—1244
 Thermocouple reference chamber, ice point—1402
 Thermometer, ³He—1606
 Time meters, elapsed—1802
 —, elapsed, 5000 h—1081
 —, indicator, elapsed, electrochemical—1982
 Timer/counter, panel mount—949
 Titanium alloy tubing—433
 Tool, planchet handling—1608
 Tooling materials kit, high temperature—795
 Transducer, differential pressure—143
 —, low pressure—632
 —, north seeking—804
 —, pressure—1402
 —, cryogenic—1981
 —, heavy duty—143
 —, high output—804
 —, medical—803
 —, miniature—803
 —, steady state—1607
 —, subminiature, for high temperature operation—1784
 —, to frequency—1402
 —, ultra-thin—633
 Transfer line, cryogenic, semi-flexible—797
 Transfer tape, gold—631
 Transformer, differential, dc to dc—436
 —, power, parametric—1082
 Transistor, resonant gate—437
 —, power, pnp silicon—1610
 Trimmer, humidity proof—949
 —, laser—796
 Unions, tube-to-tube—1608
 Vacuum gauge, thermocouple—1787
 Vacuum rotary feedthroughs—144
 Valve, needle, Teflon—635
 —, vacuum, stainless steel—1404
 Vanadium, high purity—433
 Varnish, insulating—1784
 Ventilating panel, shield cell—1403
 Vertical sensor—632
 Vials, nylon, for liquid scintillation counting—1080
 Voltage regulator, dc, miniature—436
 —, divider, precision—1980
 Washers, faucet—1080
 Weighing accessories—1403
 Whisker paper—631
 Window, ultraviolet, flange mounted—798
 Zener reference—1610
 —, package, miniature—1401
- Noise**
- Noise in hot-wire anemometers, Peter Freymuth—550
 Pulse-to-analog converter for optimizing signal-to-noise from photomultipliers at low light intensities, D. L. Akins, S. E. Schwartz, and C. Bradley Moore—715
 Photomultiplier radiometer for detection of radio frequency intensity-modulated light from plasmas, Glen J. Morris—1156
 Helium cooled radio frequency preamplifier for use in NMR, D. S. Miyoshi and R. M. Cotts—1881
- Nuclear Acoustic Resonance**
- CW transmission spectrometer for direct detection of nuclear acoustic resonance utilizing magnetic field or frequency modulation, R. L. Melcher, D. I. Bolef, and J. B. Merry—1613
- Nuclear Machines: Cyclotrons**
- Magnetic analog of electric field configurations applied to the central region of an A.V.F. cyclotron, J. M. van Nieuland, H. C. Hagedorn, N. Hafewindus, and P. Kramer—1054(N)

Nuclear Machines: Electrostatic Accelerators

- Square and sine wave modulation of the beam from a 3 mV Van de Graaff accelerator, H. J. Fraser, A. I. M. Ritchie, and S. Whittlestone—240
- Ungridded electrostatic mirror, J. D. Larson and J. A. Benjamin—272(N)
- Terminal pulsing on a low energy electrostatic accelerator, P. W. Chudleigh—356
- Beam current regulator, E. M. Sheen, W. A. Glass, and C. A. Ratcliffe—1262

Nuclear Machines: Linear Accelerators

- Asymptotic theory of beam break-up in linear accelerator, W. K. H. Panofsky and M. Bander—206
- Standing wave high energy linear accelerator structures, E. A. Knapp, B. C. Knapp, and J. M. Potter—979

Nuclear Machines: Orbit Calculations

- Generation of phase plane ellipses by analog techniques, F. P. Blackstein—768(N)
- Magnetic analog of electric field configurations applied to the central region of an A.V.F. cyclotron, J. M. van Nieuwland, H. C. Hagedorn, N. Hafewindus, and P. Kramer—1054(N)

Nuclear Machines: Synchrotrons

- Space charge effects on synchrotron frequency, K. Prelec and A. Passner—1577(N)

Nuclear Resonance

- Field effect transistor in nuclear quadrupole resonance spectrometers, C. T. O'Konski and B. G. Cartwright—123(N)
- Wide range temperature controller for NMR studies, R. H. Raymond—253(N)
- NMR frequency sweep using a voltage controlled oscillator, D. Gillies and K. Schaumburg—262(N)
- Heating system for NMR spectrometer, R. C. Golike and P. M. Sieczka—274(N)
- Automatic coherence control for superregenerative NQR spectrometers, G. M. Muha—416(N)
- NQR spectrometer using field effect transistors, T. Lakshmi Viswanathan, T. R. Viswanathan, and K. V. Sane—472

Nuclear Techniques

- Measurement of the polarization of thermal neutron beams of mixed velocities, S. H. Barkan, E. Bieber, M. T. Burgy, S. Ketudat, V. E. Krohn, P. Rice-Evans, and G. R. Ringo—101
- System approach to fast logic for counter experiments in high energy physics, W. Sippach and J. Sunderland—161
- Wide-range pulse-shape discrimination system, C. E. Hollandsworth and W. P. Bucher—165
- Pulse limiter, R. M. Sundelin—251(N)
- Terminal pulsing on a low energy electrostatic accelerator, P. W. Chudleigh—356
- High energy γ -ray detector with good resolution, E. B. Dally and R. Hofstadter—658
- Destructive hydrogen target tests at the Princeton-Pennsylvania accelerator, R. Jankowicz—848
- Mechanically refrigerated liquid hydrogen target, J. M. Brooks and M. A. Otavka—1348
- Calibration of spark chambers with light, G. Poelz and K. Springer—1388(N)
- New type of position-sensitive detectors of ionizing radiation, using risetime measurement, C. J. Borkowski and M. K. Kopp—1515
- Angular correlation and distribution attenuation coefficients for planar and coaxial Ge(Li) detectors, F. T. Avignone, III and G. D. Frey—1941

Oceanography

- High pressure p_n sensor for oceanographic applications, S. Ben-Yaakov and I. R. Kaplan—1133

- Indirectly heated thermistor for measuring ocean currents, Douglas R. Caldwell—1865

Optical Devices

- Passive optical shutter for reducing the fluorescent output of a pulsed ruby laser, Burton G. Schuster and Robert D. Watson—419(N)

Optical Instruments

- High speed optical stopped-flow apparatus, R. L. Berger, B. Balko, W. Borchardt, and W. Friauf—486
- Simple optical goniometer to aid Laue x-ray orientation of single crystals, Richard J. Higgins—1576(N)
- Ellipsometer for use with LEED chamber, Rolf H. Muller—1593(N)
- Light extinction photometer for measurement of particle sizes in polydispersions, J. M. Adams—1748

Optical Properties of Materials

- Angle-doubler for reflectance measurements in evacuated systems, R. C. Vehse, J. C. Sutherland, and E. T. Arakawa—268(N)
- Optical rotatory dispersion adapter, Cal C. Herrmann—274(N)
- Multichannel photoionization chamber, H. H. Kim, Shardanand, A. J. Caruso, and A. E. Barrington—503
- Method for measuring small optical losses using a He-Ne laser, H. P. Brändli—593
- Angular reflectivity of Scotchlite in liquid hydrogen, H. Barney and S. J. St. Lorant—782(N)
- Measurement of Faraday rotation in megagauss fields over the continuous visible spectrum, W. B. Garn, R. S. Caird, C. M. Fowler, and D. B. Thomson—1312

Optical Techniques

- Null pressure optical cell for measurement on liquids at elevated temperature and pressures, D. M. Gruen, D. S. Newman, and R. L. McBeth—197
- Optical level technique adapted to hypervelocity impact experiments, Victor G. Gregson, Jr.—333
- Efficient design for Lucite light pipes coupled to photomultipliers, H. Hinterberger and R. Winston—419(N)
- Off-crest optical method of measuring the amplitudes of surface ripples, N. L. Walbridge—672
- Free surface velocity measurement of an impacted projectile by optical Doppler shift, P. M. Johnson and T. J. Burgess—1100
- Use of a solid light funnel to increase phototube aperture without restricting angular acceptance, H. Hinterberger and R. Winston—1217(N)
- Simple optical goniometer to aid Laue x-ray orientation of single crystals, Richard J. Higgins—1576(N)
- Versatile optical Dewar for two beam experiments, C. H. Chiou and S. J. Freedman—1584(N)
- Strain-free, fused silica optical windows for a metal Dewar, L. F. Mollenauer, C. D. Grandt, W. B. Grant, and H. Panepucci—1958(N)

Particle Beams

- Fast alkali neutral source, Reinhard K. B. Helbing and Erhard W. Rothe—1948(N)
- Pumping requirements for a neutral particle nozzle beam source, J. G. Skofronick and K. T. McArdle—1965(N)

Particle Detectors

- High energy γ -ray detector with good resolution, E. B. Dally and R. Hofstadter—658
- Pyroelectric ceramics as detectors of fast atomic beams, Klaus H. Berkner, Booth R. Myers, and Robert V. Pyle—1204
- Pulse timing system for use with gamma rays on Ge(Li) detectors, Robert L. Chase—1317
- Track density measurement in dielectric track detectors with scattered light, Warner W. Schultz—1893

Particle Production

- Uniform charged solid particle production, T. Erin and C. D. Hendricks—1268

Particle Size

- Spectrothermal emission aerosol particle analyzer (SEAPA), Walter L. Crider—212
Light extinction photometer for measurement of particle sizes in polydispersions, J. H. Adams—1748
Automatic high speed particle sizing using a gas laser, Stuart A. Schleusener—1916

Photoconductivity

- A flying-spot scanner, C. N. Potter and D. E. Sawyer—180
Apparatus for measurement of transport properties of photo-carriers in insulating crystals, J. A. Borders and J. W. Hodby—722

Photoelectricity

- Simple system for photoelectron spectrum determination, P. Marmet, P. Natalis, and A. Dumont—686
New wide band windowless photon detector, J. J. Grodski and B. W. Schumacher—702

Photography

- Photographic apparatus for the study of fracture in metals, H. Ezrol, H. Margolin, R. W. King, R. Bunshah, and P. Venkatesan—229
Two-wavelength interferometry with color film, E. Panerella and V. Guty—261(N)
Technique for decreasing photographic recording time in field-ion microscopy, S. S. Brenner—588
High speed photography in dynamic materials testing, R. D. Perkins and S. J. Green—1209(N)
Contrast enhancement, Gerald F. Marshall—1584(N)

Photometers

- Photometer for measurement of the light scattered by large submicron cylinders at both perpendicular and oblique incidence, D. Cooke and M. Kerker—320
Light extinction photometer for measurement of particle sizes in polydispersions, J. M. Adams—1748

Photomultipliers

- Efficient design for Lucite light pipes coupled to photomultipliers, H. Hinterberger and R. Winston—419(N)
Pulse-to-analog converter for optimizing signal-to-noise from photomultipliers at low light intensities, D. L. Akins, S. E. Schwartz, and C. Bradley Moore—715
Temperature effect on spectrometer slit width and photomultiplier sensitivity, A. Ozolins, W. C. Lineberger, and F. E. Niles—1039
Inexpensive photon counting system for Raman spectroscopy, S. A. Miller—1923

Photon Detectors

- High energy γ -ray detector with good resolution, E. B. Dally and R. Hofstadter—658
New wide band windowless photon detector, J. J. Grodski and B. W. Schumacher—702
Photon counter for the measurement of thermoluminescence, R. H. Schneider, W. P. Kirk, J. F. Steiner, Jr., and H. J. L. Rechen—1369(N)

Piezoelectricity

- Mechanical and piezoelectric properties of shock-loaded X-cut quartz at 573°K, R. W. Rohde and O. E. Jones—313

Piezoresistance

- Apparatus for inducing high uniaxial compressive stresses in crystals, J. E. Schetzina, J. P. McKelvey, and M. W. Cresswell—1448

Plasma Research

- Ionization of fast neutral atoms by passage through a hot-cathode discharge, H. H. Fleischmann and R. Kribel—233
Two-wavelength interferometry with color film, E. Panerella and V. Guty—261(N)
Electronic analog for performing Abel inversion, Roman Krawec—402(N)
Mass-energy spectrometer for space plasmas, K. W. Ogilvie, N. McIlwraith, and T. D. Wilkerson—441
On-board plasma data processor, David H. Schaefer and James W. Snively, Jr.—452
Use of particles of boron nitride in the measurement of the velocity distribution in laminar flow in an argon plasma jet, S. V. Desai, E. S. Daniel, and W. H. Corcoran—612(N)
Fast metal-to-metal switch with 0.1 μ sec jitter time, P. Dokopoulos—697
High speed correlator, P. J. Kindlmann and E. B. Hooper, Jr.—864
Radio frequency pulse generators to produce a 1.8 kG rotating field in a plasma, A. Lietti—900
Pulsed plasma discharge simulator, Alfred J. Temps, Jr.—918(N)
Photomultiplier radiometer for detection of radio frequency intensity-modulated light from plasmas, Glen J. Morris—1156
Automatic data-plotting method for pulsed experiments, W. L. Harries—1293
High impedance Langmuir probes, J. A. Schmidt—1296
Inexpensive ignition discharge circuit, G. H. W. Behrendt and N. Gothard—1376(N)
Fast metallic contact solid dielectric switch for high voltage and current, Ivars Henins and John Marshall—1481
Direct display of electron temperature in magnetized and time-varying plasmas, Z. Zakrzewski, C. Beaudry, and G. G. Cloutier—1507
Field due to current in toroidal geometry, Dilip Bhadra—1536
Laboratory facility for ionospheric reaction studies, M. N. Hirsh, P. N. Eisner, and J. A. Slevin—1547
Admittance probe method of measuring time resolved plasma electron temperatures, J. C. Sprott—1569
Continuous plasma density measurements from spectral line profiles, A. J. Stirling and W. D. Westwood—1575(N)
Plasma electron density measurement with a feedback oscillator, T. C. Simonen and M. Tutter—1645
Transient voltage decoupling elements, J. E. Gruber—1740
Generation of smeared-out electron beams for experiments on weak plasma turbulence, J. Chang, H. Böhmer, and M. Raether—1873
Hydrogen plasma decay measured by doublewave interferometer, G. F. Brand—1945(N)

Plasmas

- Production of quiescent discharge with high electron temperatures, G. Lisitano, R. A. Ellis, Jr., W. M. Hooke, and T. H. Stix—295
A single-ended "Q-machine" with pulsed emitter, P. Korn, T. C. Marshall, and S. P. Schlesinger—1085
New type of high speed valve, N. Inoue and T. Uchida—1461
Retracting pedestal apparatus which presents a single solid target to a focused Q-switched laser beam, John L. Pack, T. V. George, and A. G. Engelhardt—1697

Polarimeters

- Optical rotatory dispersion adapter, Cal C. Herrmann—274(N)

Polymers

- Dynamic x-ray diffractometer for measuring rheo-optical behavior of crystals in polymer solids, Taisuke Ito, Takashi Oda, Heromichi Kawai, Tatsuro Kawaguchi, Daniel A. Keedy, and Richard S. Stein—1847

Pressure Techniques and Measurements (see also High Pressure Techniques)

- Gauge for measuring impulsive pressure in a container subjected to large, time-varying applied voltages, W. R. Grabowsky and D. A. Durran—35
- Null pressure optical cell for measurements on liquids at elevated temperatures and pressures, D. M. Gruen, D. S. Newman, and R. L. McBeth—197
- Shorted guard-ring quartz gauge, G. A. Jones and W. J. Halpin—258(N)
- Instrument for measuring fluid pressures at a solid boundary, J. D. Broadway and R. J. Kennedy—389
- Simple liquid helium pressure transducer, M. Chester, S. C. Choudhery, B. K. Jones, and D. Williams—719
- Theory and design of an absolute viscometer for low temperature-high pressure applications, James T. F. Kao, Walter Ruska, and Riki Kobayashi—824
- Calibration of differential pressure indicators at high system pressures, H. P. Richardson, John L. Gordon, David Cummins, and R. A. Guereca—841
- Alpha particle pressure gauge for high altitude constant level balloon flights, R. L. Howard, S. W. Nelson, and J. R. Winckler—1013
- Triaxial electrical lead-in with unsupported area seal for high pressure vessels, M. Whitfield—1053(N)
- Apparatus for sealing glass capillary tubes under pressure, James E. Sinclair and William M. Tuesdell—1378(N)
- Apparatus for inducing high uniaxial compressive stresses in crystals, J. F. Schetzina, J. P. McKelvey, and M. W. Cresswell—1448
- High precision high pressure mercury differential pressure manometer, W. Ruska, J. Kao, Sheng-yi Chuang, and Riki Kobayashi—1889

Projectiles

- Free surface velocity measurement of an impacted projectile by optical Doppler shift, P. M. Johnson and T. J. Burgess—1100
- Technique for studying interactions between a body moving at supersonic speeds and blast waves approaching obliquely, R. J. Damkevala and G. W. Zumwalt—1253
- Effect of valve opening time on gas gun performance, Richard W. White and Richard Fowles—1295

Properties of Materials

- Thermal conductivity and heat capacity of 7740 Pyrex below 4°K and in magnetic fields to 90 kG, R. A. Fisher, G. E. Brodale, E. W. Hornung, and W. F. Giauque—108
- A flying-spot scanner, C. N. Potter and D. E. Sawyer—180
- Two "whisker" straining devices suitable for low temperatures, E. P. Stillwell, M. J. Shove, and J. H. Davis—155
- Mechanical and piezoelectric properties of shock-loaded X-cut quartz at 573°K, R. W. Rohde and O. E. Jones—313
- Thermal expansion of epoxies between 2 and 300°K, W. O. Hamilton, D. B. Greene, and D. E. Davidson—645
- Capacitance methods for measuring properties of adhesives in bonded joints, John L. Rutherford, Fred C. Bossler, and Edward J. Hughes—666
- Torsional creep apparatus for engineering thermoplastics, D. W. Abee—766(N)
- Apparatus for mechanical loss measurements in low loss materials at audio frequencies and low temperatures, W. W. Scott and R. K. MacCrone—821
- Hydrostatic ring test for high precision strain measurements, John W. Moberly, William R. Goggin, and Rudolf Sedlacek—835
- Filament dilatometer, W. G. Anderson—1064(N)
- High speed photography in dynamic materials testing, R. D. Perkins and S. J. Green—1209(N)
- Apparatus for rapid bend testing of brittle solids at elevated temperatures, A. Moschetti, A. H. Heuer, and W. R. Mitchell—1218(N)

- Apparatus for inducing high uniaxial compressive stresses in crystals, J. F. Schetzina, J. P. McKelvey, and M. W. Cresswell—1448
- Low temperature force generating apparatus using Sylphon bellows, J. W. McWane, D. Bijl, and C. A. Shiffman—1532
- Constant true strain rate apparatus, E. P. Lautenschlager and J. O. Brittain—1563
- Means for gripping fine wires during mechanical tests, A. H. Adams and J. H. Anderson, Jr.—1768(N)
- High temperature remote strainometer, M. O. Marlowe and M. B. Reynolds—1768(N)
- Evaluation tests of a fixed frequency vibroscope, H. W. Holdaway—1828
- Dynamic x-ray diffractometer for measuring rheo-optical behavior of crystals in polymer solids, Taisuke Ito, Takashi Oda, Hiromichi Kawai, Tatsuro Kawaguchi, Daniel A. Keedy, and Richard S. Stein—1847

Proportional Counters

- Reduction of cosmic background in an x-ray proportional counter through risetime discrimination, Paul Gorenstein and Stanley Mickiewicz—816
- Low energy cosmic x-ray proportional counter system, C. M. Cornell, R. J. Grader, J. G. Harri, R. W. Hill, R. P. Rumble, and D. S. Salmi—951
- New type of position-sensitive detectors of ionizing radiation, using risetime measurement, C. J. Borkowski and M. K. Kopp—1515

Purification of Materials

- Zone refining techniques for liquid organics, J. N. Carides—1813

Radiation Damage

- Cryostat for radiation damage experiments, P. B. Peters and P. E. Shearin—77
- Liquid helium field-ion microscope for radiation damage investigations, Pierre Petroff and Jack Washburn—317

Radiation Detectors

- Indium arsenide laser for use in infrared detector response time measurements, K. J. Linden—1513
- New type of position-sensitive detectors of ionizing radiation, using risetime measurement, C. J. Borkowski and M. K. Kopp—1515
- Splash protection of a large area radiation detector viewing a water surface, E. J. M. Quirk—1585(N)

Radiation Measurements

- New ionization chamber technique for the measurement of environmental radiation, M. H. Shamos and A. R. Liboff—223
- Ruby fluorescence as a dosimeter for pulsed high energy ionizing radiation, J. J. Halpin and R. F. Wenzel—1117
- Photomultiplier radiometer for detection of radio frequency intensity—modulated light from plasmas, Glen J. Morris—1156
- Photon counter for the measurement of thermoluminescence, R. H. Schneider, W. P. Kirk, J. F. Steiner, Jr., and H. J. L. Rechen—1369(N)
- Guard ring shielding to eliminate instability of collecting volume in ionization chambers, F. H. Attix and S. G. Gorbics—1766(N)

Radiation Monitors

- Automatic real time air monitoring of ⁸⁶Kr utilizing the 4096 memory of a multiparameter analyzer, J. R. Ludwick, J. J. Lashock, R. E. Connally, and P. W. Nickola—853

Radioactive Techniques

- Scintillomicroscope for radioactive tracer detection, George T. Reynolds—298
- Resolution of graphite structure during microautoradiography, L. R. Bunnell—1763(N)

Radiofrequency Techniques

- Field effect transistor in nuclear quadrupole resonance spectrometers, C. T. O'Konski and B. G. Cartwright—123(N)
- Inductance thermometer, R. H. Willens, E. Buehler, and E. A. Nesbitt—194
- Production of quiescent discharge with high electron temperatures, G. Lisitano, R. A. Ellis, Jr., W. M. Hooke, and T. H. Stix—295
- Automatic coherence control for superregenerative NQR spectrometers, G. M. Muha—416(N)
- Resonant calibrator for broad-line magnetic resonance, R. J. Blume and G. A. Rebka, Jr.—421(N)
- NQR spectrometer using field effect transistors, T. Lakshmi Viswanathan, T. R. Viswanathan, and K. V. Sane—472
- High voltage coaxial connector for helium cryostats, W. Gilbert Clark—601(N)
- rf furnace for maintaining temperature differences between parallel susceptors, L. A. Murray, P. A. Hoss, and J. J. Rivera—609(N)
- Ten watt coaxial calorimeter for rf power measurement, Richard F. Clark and Algirdas Jurkus—660
- Measurement of high resistivities by the electrodeless falling sample method, R. W. Haisty—778(N)
- Extended range zero-crossing phase meter, L. E. Wood, Dean Smith, and M. C. Thompson, Jr.—778(N)
- Frequency sweep, field-frequency stabilized, double resonance spectrometer, N. Boden, J. Capart, W. Derbyshire, H. S. Gutowsky, and J. R. Hansen—805
- High speed correlator, P. J. Kindlmann and E. B. Hooper, Jr.—864
- Instrumentation for ultrasonic studies at frequencies from 0.2 to 2.0 GHz, R. B. Hemphill—910
- Nuclear magnetic resonance spectrometers using coaxial components, H. A. Buckmaster, D. J. I. Fry, and J. D. Skirrow—930(N)
- Standing wave high energy linear accelerator structures, E. A. Knapp, B. C. Knapp, and J. M. Potter—979
- Photomultiplier radiometer for detection of radio frequency intensity-modulated light from plasmas, Glen J. Morris—1156
- Low noise uhf preamplifier for ultrasonic work, Robert W. Reed and F. G. Brickwedde—1216(N)
- Photoconductive cell temperature controller for heating with thyatron controlled rf generators, D. R. Hamilton—1264
- Cell for dielectric measurements in the high radio frequency region, C. T. O'Konski and Adrian Edwards—1456
- New technique for radio frequency magnetic field measurement, J. S. Leigh, Jr.—1594(N)
- Airborne low frequency antenna Q meter, G. S. F. Orsten—1510
- CW transmission spectrometer for direct detection of nuclear acoustic resonance utilizing magnetic field or frequency modulation, R. L. Melcher, D. I. Bolef, and J. B. Merry—1613
- Frequency modulation cw technique for the measurement of very small changes in ultrasonic velocity, R. L. Melcher, D. I. Bolef, and J. B. Merry—1618
- Plasma electron density measurement with a feedback oscillator, T. C. Simonen and M. Tutter—1645
- Helium cooled radio frequency preamplifier for use in NMR, D. S. Miyoshi and R. M. Cotts—1881
- Use of polystyrene beads for manufacture of low-loss coaxial lines for low-temperature research, Kenneth F. Young and Richard A. Forman—1964(N)

Raman Scattering

- Inexpensive photon counting system for Raman spectroscopy, S. A. Miller—1923

Recorders

- Erasable-trace method for chart recorders, E. C. Lloyd—1953(N)

Safety

- Simple protector for water cooled equipment, A. C. MacDonald—931(N)
- Mechanically refrigerated liquid hydrogen target, J. M. Brooks and M. A. Otavka—1348
- Fail safe switching for magnet flux stabilizer, D. W. Gord and D. P. Ames—1581(N)

Sample Preparation

- Polishing laps out of Teflon, A. C. Fabergé—776(N)
- Improvements in the ALBA machine for thinning specimens for electron microscopy, M. S. Abrahams, C. J. Buiocchi, and M. D. Coutts—1944(N)

Sampling Devices

- Hydraulically actuated combustion gas sampling valve, V. A. Zvonow, H. E. Stewart, and E. S. Starkman—1820

Scintillation Counters

- Wide-range pulse-shape discrimination system, C. E. Hollandsworth and W. P. Bucher—165
- Efficient design for Lucite light pipes coupled to photomultipliers, H. Hinterberger and R. Winston—419(N)
- Photopack efficiency of a well-type scintillation detector, W. G. Hanson and B. W. Sargent—529
- New wide band windowless photon detector, J. J. Grodski and B. W. Schumacher—702
- Uniformity of response from large-area plastic scintillation detectors, C. R. Gillespie—1724

Scintillators

- Scintillomicroscope for radioactive tracer detection, George T. Reynolds—298
- Absolute efficiency measurements of NE-213 organic phosphors for detecting 14.5- and 2.7-MeV neutrons, T. A. Love, R. T. Santoro, R. W. Peelle, and N. W. Hill—541

Secondary Emission

- Efficient baffle for reducing stray currents in sputter-ion pump vacuum chambers, Robert F. Goff—259(N)
- Detector for the metastable ions observed in the mass spectra of organic compounds, N. R. Daly, A. McCormick, and R. E. Powell—1163
- Simple method of preparing magnesium oxide secondary emission surfaces, R. J. Iversen and O. L. Gaddy—1950(N)

Semiconductors

- Nanosecond risetime, high power, variable delay double pulser with application to electron-hole plasmas, William P. Robbins, Robert M. Lantz, and Betsy Ancker-Johnson—69
- A flying-spot scanner, C. N. Potter and D. E. Sawyer—180
- Light source control system for electroluminescence studies on semiconductors, E. W. Williams and D. V. Parham—369
- Light source control system for barrier height studies, F. A. Padovani—772(N)
- Curve tracer that frees diode characteristics of internal resistance, J. I. Pankove and J. E. Berkeyheiser—884
- Method for determining charge production in semiconductors and insulators, S. M. Matthews, I. Turiel, M. Furst, and H. Kallman—970
- Lead attachment to silicon, M. J. Zucker and M. M. Traum—1195
- New ferroelectric hysteresis curve tracer featuring compensation and virtual sample grounding, Y. T. Tsui, P. D. Hinderaker, and E. J. McFadden—1423
- Direct reading instrument for silicon and germanium four-probe resistivity measurements, L. J. Swartzendruber, F. H. Ulmer, and J. A. Coleman—1858

Servos

- Design for orientation of balloon-borne equipment, Gerald A. Anderson—21

- Light source control system for electroluminescence studies on semiconductors, E. W. Williams and D. V. Parham—369
- EPR sample orientation servo, D. J. Suple and J. S. Wells—604(N)
- Amplitude stabilization of a single mode, 6328 Å, He-Ne laser, J. W. Hansen, K. F. Rodgers, Jr., and D. E. Thomas—872
- Beam current regulator, E. M. Sheen, W. A. Glass, and C. A. Ratcliffe—1262
- Amplitude stabilizer for magnetic field modulators, Yosef Alon and David Shaltiel—1623
- High precision temperature controller incorporating variable sensitivity and proportional control, R. L. D'Arcy and A. E. Stearn—1875
- Shock Tubes**
- Fast acting diaphragm cutter, J. H. Spurr and E. J. Gion—348
- Gas operated diaphragm clamp for a shock tube, B. W. Skews and T. O'D Duggan—1063(N)
- Microsecond response system for measuring shock arrival by changes in stream electrical impedance in a shock tube, Robert E. Dannenberg and Donald E. Humphry—1692
- Shock Waves**
- Gauge for measuring impulsive pressure in a container subjected to large, time-varying applied voltages, W. R. Grabowsky and D. A. Durran—35
- High-speed explosive shutter for shock tube research, A. A. Boni—127(N)
- Shorted guard-ring quartz gauge, G. A. Jones and W. J. Halpin—258(N)
- Mechanical and piezoelectric properties of shock-loaded X-cut quartz at 573°K, R. W. Rohde and O. E. Jones—313
- Optical level technique adapted to hypervelocity impact experiments, Victor G. Gregson, Jr.—333
- Detection of strong shock waves with plastic tapes, A. R. Champion and W. B. Benedick—377
- Technique for accurate measurement of the electrical conductivity of shocked fluids, A. C. Mitchell and R. N. Keeler—513
- Explosive high-speed shutter, Frederick A. Schmitz and David J. Nims—598(N)
- Measurement of shock and free surface velocities with anodized aluminum switches, Peter C. Lysne—754
- Simple closed-open-closed spectrograph shutter for exposure times in the 10 μ sec range, G. L. Grasdalen, Martin Huber, and G. H. Newsom—886
- Time interval multiplier for shock tube studies, Russell E. Duff, James R. Long, and James R. Porter—976
- Determination of detonation wave velocities, F. J. Steffes and J. R. Bowen—1092
- Remote recording shock wave detector and gated interval timer, Robert N. Hyland, Reid E. Bicknell, and Donald L. Jones—1125
- Pressure shock technique for the study of chemical relaxation, Heinz Hoffman and Ernest Yeager—1151
- Technique for studying interactions between a body moving at supersonic speeds and blast waves approaching obliquely, R. J. Dankevala and G. W. Zumwalt—1253
- Solid State Detectors (see also Particle Detectors)**
- Internal amplification α detector, Masaki Koyama—611(N)
- Pulse timing system for use with gamma rays on Ge(Li) detectors, Robert L. Chase—1317
- Angular correlation and distribution attenuation coefficients for planar and coaxial Ge(Li) detectors, F. T. Avignone, III and G. D. Frey—1941
- Solid State Research**
- Rapid and convenient system for the measurement of ultrasonic attenuation by the pulse method, Masaya Yabe and J. M. Roberts—131(N)
- Apparatus for measurement of transport properties of photo-carriers in insulating crystals, J. A. Borders and J. W. Hodby—722
- Apparatus for mechanical loss measurements in low loss materials at audio frequencies and low temperatures, W. W. Scott and R. K. MacCrone—821
- Instrumentation for ultrasonic studies at frequencies from 0.2 to 2.0 GHz, R. B. Hemphill—910
- Method for determining charge production in semiconductors and insulators, S. M. Matthews, I. Turiel, M. Furst, and H. Kallmann—970
- Laser-induced "spark" light source for drift mobility measurements in wideband gap solids, W. D. Gill, R. E. MacDonald, and D. B. Greene—1114
- Automatic 2-photon spectrophotometer, B. Staginnus, D. Fröhlich, and T. Caps—1129
- Current sweep circuit with sweep speed feedback, J. D. Leslie, H. J. T. Smith, and B. Van Beek—1425
- Variable gap capacitive detector for the measurement of ultrasonic displacement amplitudes in solids, R. D. Peters, M. A. Breazeale, and V. K. Paré—1505
- Apparatus for the precision measurement of internal friction, D. P. Detwiler, S. J. Holden, W. A. Sowa, T. J. Woronowicz, T. M. Heslin, and M. G. Hudick—1727
- Method of measuring the thickness of thin electrolytically removed sections—application to diffusion measurements in metals, David L. Styris and C. T. Tomizuka—1960(N)
- Temperature determination of copper and iron in the electron microscope, F. W. Vahldiek—1899
- Solutions**
- Reliable heterodyne-beat dipole moment apparatus, A. C. Vandembroucke, Jr., Roy W. King, and J. G. Verkade—558
- An isothermal titration calorimeter, James J. Christensen, H. Dee Johnston, and Reed M. Izatt—1356
- Space Research**
- Pulse-height analyzer for charged particle spectroscopy on the lunar surface, T. M. Harrington and J. H. Marshall—184
- Mass-energy spectrometer for space plasmas, K. W. Ogilvie, N. McIlwraith, and T. D. Wilkerson—441
- On-board plasma data processor, David H. Schaefer and James W. Snively, Jr.—452
- Airborne low frequency antenna Q meter, G. S. F. Orsten—1510
- Spark Chambers**
- High-Z cylindrical spark chamber, P. Mockett, D. Frisch, I. Mannelli, and M. Wahlig—566
- Manufacture of a photographic negative with parallel lines for spark chambers, David R. Rust—769(N)
- Calibration of spark chambers with light, G. Polez and K. Springer—1388(N)
- Sparks**
- Laser-triggered spark gap, Lloyd L. Steinmetz—904
- Specific Heats**
- Cryostat for the measurement of thermal conductivity and specific heat between 0.05 and 2°K, J. P. Harrison—145
- Specific heat of some polymers used in cryostat construction (1.7 to 4 K), Paul Zoller, P. R. Decker, and J. R. Dillinger—1621
- Spectrophotometry**
- Null pressure optical cell for measurements on liquids at elevated temperatures and pressures, D. M. Gruen, D. S. Newman, and R. L. McBeth—197
- Double-beam vibrating mirror flying spot scanning-integrating microspectrophotometer, James L. Engle and Jerome J. Freed—307

Double beam vacuum spectrophotometer for far ultraviolet investigations, Marie-Claude Castex, Jacques Romand, and Boris Vodar—331

Temperature effect on spectrometer slit width and photomultiplier sensitivity, A. Ozolins, W. C. Lineberger, and F. E. Niles—1039

Automatic 2-photon spectrophotometer, B. Staginnus, D. Fröhlich, and T. Caps—1129

Versatile spectrophotofluorometer-polarization fluorometer, Bernard Witholt and Ludwig Brand—1270

Temperature tunable laser diode spectrograph, Horst R. Wittmann—1382(N)

Rapid recording microspectrophotometer, J. J. Wolken, R. Forsberg, G. Gallik, and R. Florida—1734

Spectroscopy

Heterochromatic fringes parallel to spectral lines produced with a stigmatic plane grating spectrograph, M. Garavaglia—1378(N)

Spectroscopy: Gamma Ray

Design for orientation of balloon-borne equipment, Gerald A. Anderson—21

Spectroscopy: Infrared

Temperature tunable laser diode spectrograph, Horst R. Wittmann—1382(N)

Spectroscopy: Neutrons

Three axis crystal spectrometer for neutrons, R. Stedman and G. Nilsson—637

Energy resolution and focusing in inelastic scattering experiments, R. Stedman—878

Fast neutron time-of-flight spectrometer used with the Karlsruhe isochronous cyclotron, S. Cierjacks, B. Duelli, P. Forti, D. Kopsch, L. Kropp, M. Lösel, J. Nebe, M. Schweickert, and H. Unseld—1278

Spectroscopy: Optical

Recording Fabry-Perot interferometer, H. G. Kuhn, E. L. Lewis, D. N. Stacey, and J. M. Vaughan—86

High-speed explosive shutter for shock tube research, A. A. Boni—127(N)

Spectrothermal emission aerosol particle analyzer (SEAPA), Walter L. Crider—212

Derivative spectroscopy with recording spectrometers, Melvin P. Klein and Edward A. Dratz—397(N)

Explosive high-speed shutter, Frederick A. Schmitz and David J. Nims—598(N)

Simple closed-open-closed spectrograph shutter for exposure times in the 10 μ sec range, G. L. Grasdalen, Martin Huber, and G. H. Newsom—886

Temperature effect on spectrometer slit width and photomultiplier sensitivity, A. Ozolins, W. C. Lineberger, and F. E. Niles—1039

Continuous plasma density measurements from spectral line profiles, A. J. Stirling and W. D. Westwood—1575(N)

Spectroscopy: Ultraviolet

Width of carbon resonance lines and identification of bands in radiation from carbon resonance lamp, A. Greenville Whittaker and Paul Kinter—1211(N)

Sputtering

Comments on "Duoplasmatron ion beam source for vacuum sputtering of thin films," C. K. Crawford—1390(L)

Shielded cathode to minimize gas sputtering effects, J. P. Gaur and L. M. Chanin—1948(N)

Statistics

Fitting experimental data using the method of least squares, S. Margulies—478

Strain

Tensile loading device for Kossel microdiffraction and metallography, D. L. Vieth and H. Yakowitz—1929

Stress Analysis

Holographic interferometer for isopachic stress analysis, Henry H. M. Chau—1789

Superconducting Magnets

Simple NMR probe for use in superconducting solenoids, R. J. Higgins and Yung Kwang Chang—522

Precision high speed current regulators for occasionally switched inductive loads, Alfred G. Redfield, Warner Fite II, and Hermann E. Bleich—710

Apparatus for the determination of magneto-thermodynamic properties to high fields at low temperatures utilizing a superconducting magnet, R. A. Butera, F. N. Kissell, and R. L. Stein—1138

Apparatus for adiabatic rotation of a sample in a magnetic field at liquid helium temperatures, M. H. Halloran and J. E. Kunzler—1501

Techniques and instrumentation for measuring the de Haas-van Alphen effect in metals, L. R. Windmiller and J. B. Ketterson—1672

Superconductivity

Superconductor-glass vacuum seals, P. R. Critchlow, J. Lees, and P. W. Matthews—251(N)

Device for producing very low magnetic fields, Robert E. Brown—547

A superconducting gravimeter, W. A. Prothero, Jr. and J. M. Goodkind—1256

Detection method for the normal to superconducting phase transition of 10 μ spheres, D. S. McLachlan and J. Feder—1339

Vibrating coil magnetometer for measurements on type II superconductors, D. E. Farrell—1452

Surface Phenomena

Surface film pressure recording system, L. Vroman, S. Kanor, and A. L. Adams—278(N)

Surface Tension

Automatic recording of liquid surface tension, Tennyson Smith and H. Schlein—302

High-pressure high-temperature visual cell for interfacial tension measurements, Volkmar Schoettle and Harley Y. Jennings, Jr.—386

Surfaces

New feedback Kelvin probe, Y. Petit-Clerc and J. D. Carette—933(N)

Automatic gas adsorption apparatus, Michael R. St. John, George Constabaris, and Julian F. Johnson—1582(N)

Ellipsometer for use with LEED chamber, Rolf H. Muller—1593(N)

Telemetry

On-board plasma data processor, David H. Schaefer and James W. Snively, Jr.—452

Temperature Jump

Laser temperature-jump apparatus for relaxation studies in electrolytic solutions, Heinz Hoffman, Ernest Yeager, and John Stuehr—649

Temperature Measurements and Control

50 microdegree temperature controller, N. T. Larsen—1

Precision temperature-controlled water bath, M. E. Harvey—13

Inductance thermometer, R. H. Willens, E. Buchler, and E. A. Nesbitt—194

Wide range temperature controller for NMR studies, R. H. Raymond—253(N)

- Negative magnetoresistance in carbon resistance thermometers, W. R. Hudson—253(N)
- Germanium resistance thermometry at temperatures below 1°K, G. A. Antcliffe, N. G. Einspruch, D. G. Pinatti, and H. E. Rorschach, Jr.—254(N)
- Sapphire rod thermosensor, S. E. Blum and R. J. Chicotka—277(N)
- Measurement and computation of thermojunction response times in the submillisecond range, Bohdan Balko and Robert L. Berger—498
- Precision internal temperature control in a high pressure apparatus, D. L. Decker—602(N)
- Temperature measurements with metal ribbon high temperature x-ray furnaces, W. Ostertag and G. R. Fischer—888
- Some properties of gold-iron thermocouple wire, Ralph L. Rosenbaum—890
- Self-supporting carbon resistance thermometers for use at low temperatures, C. Terry—925(N)
- Radial heat flow, thermal conductivity apparatus for measurements on sulfide and telluride melts, R. K. Williams, Manoo Veeraburus, and W. O. Philbrook—1104
- Variable temperature Dewar for cathodoluminescence studies, W. P. Knox and J. D. Cuthbert—1181
- Erratum: Tungsten-rhenium thermocouples for use at high temperatures [Rev. Sci. Instr. **38**, 1047 (1967)], R. R. Asamoto and P. E. Novak—1233(E)
- Photoconductive cell temperature controller for heating with thyatron controlled rf generators, D. R. Hamilton—1264
- Temperature controller for LEED experiments, J. C. Tracy—1299
- Double feedback thermoregulating unit, Mario De Paz—1387(N)
- New interpolation formula for carbon resistance thermometry, M. C. Hetzler and D. Walton—1656
- Linearization of thermocouple voltages, Gerald Conrad—1682
- Temperature control system for small angle x-ray scattering experiments, C. C. Gravatt, G. W. Brady, and J. L. Lundberg—1701
- High precision temperature controller incorporating variable sensitivity and proportional control, R. L. D'Arcy and A. E. Stearn—1875
- Temperature determination of copper and iron in the electron microscope, F. W. Vahldiek—1899
- Stability and calibration of miniature platinum resistance thermometers, W. V. Johnston and G. W. Lindberg—1925
- Textiles**
- Evaluation tests of a fixed frequency vibroscope, H. W. Holdaway—1828
- Theory**
- Comparison of the spherical deflector and the cylindrical mirror analyzers, H. Hafner, J. Arol Simpson, and C. E. Kuyatt—33
- Asymptotic theory of beam break-up in linear accelerator, W. K. H. Panofsky and M. Bander—206
- Thermistors as circuit elements in low-frequency circuits, Kamil Kraus—216
- Charged particle transmission through cylindrical plate electrostatic analyzers, G. C. Theodoridis and F. R. Paolini—326
- Theory of the parallel thermocouple, Alan D. Wilson and Holmes B. Ulsh—346
- Measurement and computation of thermojunction response times in the submillisecond range, Bohdan Balko and Robert L. Berger—498
- Cylindrical capacitor as an analyzer. II. Relativistic part, H. Z. Sar-El—533
- Noise in hot-wire anemometers, Peter Freymuth—550
- Energy resolution and focusing in inelastic scattering experiments, R. Stedman—878
- Quadrupole field in circular concave electrodes, Tomonao Hayashi and Noriyuki Sakudo—958
- Standing wave high energy linear accelerator structures, E. A. Knapp, B. C. Knapp, and J. M. Potter—979
- Measurement and control of magnetic field homogeneity, Richard R. Ernst—998
- New method for measuring the static magnetic susceptibility by paramagnetic resonance, Mohindar S. Seehra—1044
- Comment on "Measurement of torques at low temperatures," Eugene Hecht—1232(L)
- Analysis of ultrasonic absorption measurements in liquids at high pressure, Walter H. Johnson, Jr. and Gerald Holton—1247
- Effect of valve opening time on gas gun performance, Richard W. White and Richard Fowles—1295
- Field due to current in toroidal geometry, Dilip Bhadra—1536
- Space charge effects on synchrotron frequency, K. Prelec and A. Passner—1577(N)
- Capillary bearings, Robert Reno and Niels Young—1627
- Angular correlation and distribution attenuation coefficients for planar and coaxial Ge(Li) detectors, F. T. Avignone III, and G. D. Frey—1941
- Evaluation tests of a fixed frequency vibroscope, H. W. Holdaway—1828
- Thermal Conductivity**
- Thermal conductivity and heat capacity of 7740 Pyrex below 4°K and in magnetic fields to 90 kG, R. A. Fisher, G. E. Brodale, E. W. Hornung, and W. F. Giaque—108
- Cryostat for the measurement of thermal conductivity and specific heat between 0.05 and 2°K, J. P. Harrison—145
- Radial heat flow, thermal conductivity apparatus for measurements on sulfide and telluride melts, R. K. Williams, Manoo Veeraburus, and W. O. Philbrook—1104
- Multifoil thermocouple gauge for measuring pressures up to one atmosphere, William P. Teagan—1897
- Thermal Diffusion**
- Apparatus for the thermal diffusion separation of stable gaseous isotopes, W. M. Rutherford, F. W. Weyler, and C. F. Eck—94
- Thermal Expansion**
- Thermal expansion of epoxies between 2 and 300°K, W. O. Hamilton, D. B. Greene, and D. E. Davidson—645
- Method for measuring small thermal expansion with a single frequency helium-neon laser, Jack D. Foster and Iain Finnie—654
- Thermistors**
- Thermistors as circuit elements in low-frequency circuits, Kamil Kraus—216
- Indirectly heated thermistor for measuring ocean currents, Douglas R. Caldwell—1865
- Thermodynamics**
- Apparatus for the determination of magneto-thermodynamic properties to high fields at low temperatures utilizing a superconducting magnet, R. A. Butera, F. N. Kissell, and R. L. Stein—1138
- Thermoelectricity**
- Theory of the parallel thermocouple, Alan D. Wilson and Holmes B. Ulsh—346
- Measurement and computation of thermojunction response times in the submillisecond range, Bohdan Balko and Robert L. Berger—498
- Some properties of gold-iron thermocouple wire, Ralph L. Rosenbaum—890
- Thermoluminescence**
- Photon counter for the measurement of thermoluminescence, R. H. Schneider, W. P. Kirk, J. F. Steiner, Jr., and H. J. L. Rechen—1369(N)

Thermometry

- Some properties of gold-iron thermocouple wire, Ralph L. Rosenbaum—890
 Liquid helium cryostat for resistance thermometer calibration, C. R. Duda—1484
 Method of applying a modern potentiometer for resistance thermometry, H. L. Daneman and G. C. Mergner—1498
 New interpolation formula for carbon resistance thermometry, M. C. Hetzler and D. Walton—1656
 Stability and calibration of miniature platinum resistance thermometers, W. V. Johnston and G. W. Lindberg—1925

Thickness Gauges

- Nondestructive thickness measurement in thin sections of germanium, S. D. Mittleman and L. Bess—838

Time Measurements

- Time interval multiplier for shock tube studies, Russell E. Duff, James R. Long, and James R. Porter—976
 Remote recording shock wave detector and gated interval timer, Robert N. Hyland, Reid E. Bicknell, and Donald L. Jones—1125
 Digital time intervalometer, Ronald Nutt—1341
 Multichannel electronic counter chronograph for determining detonation velocities in explosives, H. R. Fuehrer and D. L. Emmons—1488
 Microsecond response system for measuring shock arrival by changes in stream electrical impedance in a shock tube, Robert E. Dannenberg and Donald E. Humphry—1692

Torque

- Comment on "Measurement of torques at low temperatures," Eugene Hecht—1232(L)

Transducers

- Simple liquid helium pressure transducer, M. Chester, S. C. Choudhery, B. K. Jones, and D. Williams—719
 A slug flow transducer, J. T. Ryan and L. R. Vermeulen—1756(N)

Transistors

- Field effect transistor in nuclear quadrupole resonance spectrometers, C. T. O'Konski and B. G. Cartwright—123(N)
 Tunnel diode-transistor binary scaler, Z. C. Tan and P. C. Maxwell—466
 Field effect transistors at 4.2°K, Floyd E. Kingston and Kenneth Lee—599(N)
 Direct measurement of dynamic capacitance, Norman G. Dillman—619(N)
 Operation of a germanium FET at low temperatures, E. C. Kelm—775(N)
 MOSFET operation at 4.2 K, Robert R. Green—1495
 Helium cooled radio frequency preamplifier for use in NMR, D. S. Miyoshi and R. M. Cotts—1881

Ultrasonics

- Rotating sample holder for X-band ultrasonics, John W. Dooley and Norman Tepley—19
 cw microwave spectrometer for ultrasonic paramagnetic resonance, R. G. Leisure and D. I. Bolef—199; Erratum—424(E)
 Rapid and convenient system for the measurement of ultrasonic attenuation by the pulse method, Masaya Yabe and J. M. Roberts—131(N)
 Simple scheme for hypersonic measurements over broad frequency range, B. R. Tittmann and H. E. Bömmel—614(N)
 Instrumentation for ultrasonic studies at frequencies from 0.2 to 2.0 GHz, R. B. Hemphill—910
 Monitoring of thin film growth by an ultrasonic interference method, A. G. K. Lutsch, M. Wilk, and P. Bierbaum—1119

- Low noise uhf preamplifier for ultrasonic work, Robert W. Reed and F. G. Brickwedde—1216(N)

- Analysis of ultrasonic absorption measurements in liquids at high pressure, Walter H. Johnson, Jr. and Gerald Holton—1247

- Dual-frequency ultrasonic fluid flowmeter, Frank W. Noble—1326

- Techniques of ultrasonic paramagnetic resonance, H. C. Meyer, P. F. McDonald, and P. L. Donoho—1459

- Variable gap capacitive detector for the measurement of ultrasonic displacement amplitudes in solids, R. D. Peters, M. A. Breazeale, and V. K. Paré—1505

- CW transmission spectrometer for direct detection of nuclear acoustic resonance utilizing magnetic field or frequency modulation, R. L. Melcher, D. I. Bolef, and J. B. Merry—1613

- Frequency modulation cw technique for the measurement of very small changes in ultrasonic velocity, R. L. Melcher, D. I. Bolef, and J. B. Merry—1618

- Apparatus for the precision measurement of internal friction, D. P. Detwiler, S. J. Holden, W. A. Sowa, T. J. Woronowicz, T. M. Heslin, and M. G. Hudick—1727

- Transducerless method for ultrasonic flaw testing in metals, W. D. Wallace, J. R. Houck, R. Bowers, B. W. Maxfield, and M. R. Gaertner—1863

Ultraviolet Techniques

- Argon resonance line lamp for vacuum ultraviolet photochemistry, Arthur L. Lane and Aron Kupperman—126(N)
 Angle-doubler for reflectance measurements in evacuated systems, R. C. Vehse, J. C. Sutherland, and E. T. Arakawa—268(N)

- Double-beam vibrating mirror flying spot scanning-integrating microspectrophotometer, James L. Engle and Jerome J. Freed—307

- Double beam vacuum spectrophotometer for far ultraviolet investigations, Marie-Claude Castex, Jacques Romand, and Boris Vodar—331

- Multichannel photoionization chamber, H. H. Kim, Sharanand, A. J. Caruso, and A. E. Barrington—503

- New wide band windowless photon detector, J. J. Grodski and B. W. Schumacher—702

- Cell for measurements of the far ultraviolet reflectivity of rare gas liquids at low temperatures, D. Beaglehole—921(N)

- New technique for the design of an extreme ultraviolet collimator, John F. McGrath, Jr.—1036

- Properties of iodine uv counters, V. Dose—1055(N)

- Monochromatic iodine lamp, G. Liuti and J. E. Mentall—1767(N)

Vacuum Gauges

- Condensable gases in a McLeod gauge, K. B. Wear—245

- Combined leak detector and high sensitivity vacuum gauge, George D. Perkins and Charles F. Robinson—361

- Alpha particle pressure gauge for high altitude constant level balloon flights, R. L. Howard, S. W. Nelson, and J. R. Winckler—1013

- Economical single scale ionization gauge pressure readout system, John A. Robertson and Charles D. Hendricks—1190

- Microminiature Pirani gauge for measurements of low pressures, G. T. Rayfield, F. P. Boynton, and O. W. Potter—1438

- Multi-foil thermocouple gauge for measuring pressures up to one atmosphere, William P. Teagan—1897

Vacuum Techniques

- Infrared windows for ultrahigh vacuum use, Leon J. Schkolnick—122(N)

- Measurements of gas pulses in the 1-Torr range, R. L. Small—256(N)

- Efficient baffle for reducing stray currents in sputter-ion pump vacuum chambers, Robert F. Goff—259(N)
 Observation of neutral gas pulses injected into a vacuum, R. F. Hotz and C. K. Manka—267(N)
 Precision mask changer for ultra-high vacuum systems, J. A. Seitchik, B. F. Stein, and N. Goldberg—469
 High vacuum feedthrough for rotational and translational motion, C. S. Parmenter and M. W. Schuyler—611(N)
 High vacuum valve for use in cryostats, Philip D. Neufeld, C. Gendron, and R. A. Aziz—771(N)
 High vacuum motor, Robert K. Waits and William L. Winslow—777(N)
 Improved vacuum system for electron microscopes, A. R. Taylor, C. A. Baechler, and M. A. Holcomb—780(N)
 Low energy electron diffraction apparatus designed for thin film use, C. W. Caldwell and K. Müller—860
 High vacuum micromanipulator, Charles P. Dolan—1060(N)
 High voltage bakeable coaxial vacuum seal, C. R. Finfgeld and A. Keith Furr—1062(N)
 High temperature cement for bonding substrates in ultrahigh vacuum, J. A. Seitchik and B. F. Stein—1062(N)
 Flat and slope-sided rubber gaskets, John Kupecz—1214(N)
 High vacuum isolation valve, J. Martinez Guerrero and Gil Rodriguez R.—1383(N)
 AgCl seal: A simplifying improvement, Bernard Caras—1441
 Retracting pedestal apparatus which presents a single solid target to a focused Q-switched laser beam, John L. Pack, T. V. George, and A. G. Engelhardt—1697
 Multiple rotator for ultrahigh vacuum with manual or automatic operation, J. Martinez Guerrero and A. Romero Frizzi—1761(N)
 Vacuum high temperature Laue camera, John D. Batson and Hugh T. Hudson—1963(N)
 Ultrahigh-vacuum electron microscope, D. N. Braski, J. R. Gibson, and E. H. Kobisk—1806

Vapor Pressure

- Cryostat for thermal measurements between 2–300°K, J. Bigeleisen, F. P. Brooks, T. Ishida, and S. V. Ribnikar—353

Velocity Selectors

- Time-of-flight velocity analysis of atomic and molecular beams, Otto F. Hagen and Ashok K. Varma—47
 Crossed field velocity selector, K. W. Ogilvie, R. I. Kittredge, and T. D. Wilkerson—459
 Atomic beam source for the energy range of 0.2–45 eV, J. Politiek, P. K. Rol, J. Los, and P. G. Ikelaar—1147

Vibrations

- Contrast enhancement, Gerald F. Marshall—1584(N)

Viscosity

- Air bearing for viscometers, W. Debler and B. Bourland—406(N)
 Remote control viscometer, E. L. Cussler and Raymond M. Fuoss—524
 Theory and design of an absolute viscometer for low temperature-high pressure applications, James T. F. Kao, Walter Ruska, and Riki Kobayashi—824

Waveforms

- Off-crest optical method of measuring the amplitudes of surface ripples, N. L. Walbridge—672
 Generation of a sinusoidal waveform from a sawtooth waveform, Myron J. Evanich and Lloyd D. Partridge—1573(N)

Whiskers

- Two "whisker" straining devices suitable for low temperatures, E. P. Stillwell, M. J. Shove, and J. H. Davis—155

X-Ray Diffraction

- Puncture collimator for the Laue back reflection technique, A. Lindegaard Andersen—124(N)
 Continuous averaging of x-ray diffraction data using a multi-channel analyzer, John W. Weymouth, James Costello, Sanford Schuster, and Paul Schulze—476
 Back-reflection x-ray diffraction of selected small areas, Arthur R. Clawson—597(N)
 Crystal orientation aid for a goniostat, C. P. Gazzara and T. P. Sheridan—606(N)
 Evaluation of an imaging furnace as a heat source for x-ray diffractometry, Stephen Stecura—760
 New slit system for stationary crystal and film x-ray topography technique, A. Lindegaard Andersen—774(N)
 Method of orienting single crystals for ESR measurements, Frank L. Palaia, Oswald Haase, and Paul L. Marinkas—1331
 Versatile double crystal x-ray goniometer, W. L. Bond—1434
 High temperature Debye-Scherrer x-ray camera, Josef Intrater and Deane K. Smith—1491
 Temperature control system for small angle x-ray scattering experiments, C. C. Gravatt, G. W. Brady, and J. L. Lundberg—1701
 An x-ray method for accurate determination of lattice strains of crystals, Jinzo Kobayashi, Noboru Yamada, and Tadahiko Azumi—1647
 X-ray spectrographic camera, Jude H. Koenig, James A. Schoeffel, and Gene J. Carron—1635
 A high precision Laue technique for crystal orientation, S. Ipsen Mathiesen—1771(N)
 Fluorescent screens for monochromatic x-ray diffraction patterns on Polaroid film, Heribert K. Herglotz—1658
 Dynamic x-ray diffractometer for measuring rheo-optical behavior of crystals in polymer solids, Taisuke Ito, Takashi Oda, Heromichi Kawai, Tatsuro Kawaguchi, Daniel A. Keedy, and Richard S. Stein—1847
 Image intensifier system for dynamic x-ray diffraction studies, Kenneth Reifsnider and Robert E. Green, Jr.—1651
 X-ray monochromator configurations and a monochromator design for x-ray single crystal diffractometers, A. McL. Mathieson—1834
 Laboratory Debye-Scherrer camera using an ⁵⁷Fe source of Mn K_α x rays, C. Bugenis, Luther E. Preuss, and William S. Toothacker—1754(N)
 Vacuum high temperature Laue camera, John D. Batson and Hugh T. Hudson—1963(N)
 Tensile loading device for Kossel microdiffraction and metallography, D. L. Vieth and H. Yakowitz—1929

X-Ray Techniques

- Lapping machine attachment for preparing oriented crystals, Donald E. Johnson—238
 Instrument for microradiography of small specimens, Robert S. Ledley and Helen C. Sing—531
 New wide band windowless photon detector, J. J. Grodski and B. W. Schumacher—702
 Flash x-ray actuated trigger switch, H. F. Swift and E. Strader—728
 Reduction of cosmic background in an x-ray proportional counter through risetime discrimination, Paul Gorenstein and Stanley Mickiewicz—816
 Low energy cosmic x-ray proportional counter system, C. M. Cornell, R. J. Grader, J. G. Harri, R. W. Hill, R. P. Rumble, and D. S. Salmi—951
 Method of stretching polypropylene for use as soft x-ray detector windows, A. J. Caruso and H. H. Kim 1059(N)
 X-ray spectrographic camera, Jude H. Koenig, James A. Schoeffel, and Gene J. Carron—1635
 Fluorescent screens for monochromatic x-ray diffraction patterns on Polaroid film, Heribert K. Herglotz—1658

